iClust 1: N = 140
C8orf4|ILMN_1656369 (non−ER binding)

[<=60] p = 0.63737
[>60] p = 0.14629
[All] p = 0.13856

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
C8orf4|ILMN_1656369 (non−ER binding)

[<=60] p = 0.53834
[>60] p = 0.53509
[All] p = 0.74533

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
C8orf4|ILMN_1656369 (non−ER binding)

[<=60] p = 0.14988
[>60] p = 0.72639
[All] p = 0.00052316

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
C8orf4|ILMN_1656369 (non−ER binding)

[<=60] p = 0.091656
[>60] p = 0.49566
[All] p = 0.030085

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
C8orf4|ILMN_1656369 (non−ER binding)

[<=60] p = 0.85462
[>60] p = 0.46159
[All] p = 0.10881

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
C8orf4|ILMN_1656369 (non−ER binding)

[<=60] p = 0.49971
[>60] p = 0.18179
[All] p = 0.067814

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
C8orf4|ILMN_1656369 (non−ER binding)

[<=60] p = 0.25076
[>60] p = 0.093059
[All] p = 0.0013656

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
C8orf4|ILMN_1656369 (non−ER binding)

[<=60] p = 0.14863
[>60] p = 0.92107
[All] p = 9.8317e−05

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
C8orf4|ILMN_1656369 (non−ER binding)

[<=60] p = 0.50701
[>60] p = 0.79739
[All] p = 0.95248

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
C8orf4|ILMN_1656369 (non−ER binding)

[<=60] p = 0.95251
[>60] p = 0.22461
[All] p = 0.27733

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis