iClust 1: N = 140
gata3|ILMN_2406656 (non−ER binding)

[<=60] p = 0.73413
[>60] p = 0.7611
[All] p = 0.21094

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
gata3|ILMN_2406656 (non−ER binding)

[<=60] p = 0.22121
[>60] p = 0.0011223
[All] p = 0.0067469

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
gata3|ILMN_2406656 (non−ER binding)

[<=60] p = 0.56783
[>60] p = 0.07249
[All] p = 0.0016024

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
gata3|ILMN_2406656 (non−ER binding)

[<=60] p = 0.8267
[>60] p = 0.014135
[All] p = 0.0046282

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
gata3|ILMN_2406656 (non−ER binding)

[<=60] p = 0.0923
[>60] p = 0.1282
[All] p = 6.8823e−05

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
gata3|ILMN_2406656 (non−ER binding)

[<=60] p = 0.9605
[>60] p = 0.4081
[All] p = 0.33636

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
gata3|ILMN_2406656 (non−ER binding)

[<=60] p = 0.46396
[>60] p = 0.9482
[All] p = 0.32788

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
gata3|ILMN_2406656 (non−ER binding)

[<=60] p = 0.46479
[>60] p = 0.4682
[All] p = 0.11455

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
gata3|ILMN_2406656 (non−ER binding)

[<=60] p = 0.098558
[>60] p = 0.012159
[All] p = 0.0027184

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
gata3|ILMN_2406656 (non−ER binding)

[<=60] p = 0.22067
[>60] p = 0.94793
[All] p = 0.47473

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis