iClust 1: N = 140
KCNMB4|ILMN_1727466 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.66879
[>60] p = 0.30094
[All] p = 0.51697

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 2: N = 72
KCNMB4|ILMN_1727466 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.10768
[>60] p = 0.30904
[All] p = 0.20419

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 3: N = 294
KCNMB4|ILMN_1727466 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.087676
[>60] p = 0.3494
[All] p = 7.3571e−09

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 4: N = 344
KCNMB4|ILMN_1727466 (non−ER binding)

Raw Expression (4, 16)

[<=60] p = 0.77385
[>60] p = 0.022468
[All] p = 0.00085276

No detectable trend:
|FC|<1.25 or adjPval>0.01

Age at diagnosis

iClust 5: N = 191
KCNMB4|ILMN_1727466 (non−ER binding)

[<=60] p = 0.31677
[>60] p = 0.78241
[All] p = 0.33796

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
KCNMB4|ILMN_1727466 (non−ER binding)

[<=60] p = 0.73889
[>60] p = 0.93527
[All] p = 0.13196

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
KCNMB4|ILMN_1727466 (non−ER binding)

[<=60] p = 0.93358
[>60] p = 0.0079892
[All] p = 0.015759

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
KCNMB4|ILMN_1727466 (non−ER binding)

[<=60] p = 0.4241
[>60] p = 0.26332
[All] p = 0.53322

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
KCNMB4|ILMN_1727466 (non−ER binding)

[<=60] p = 0.93079
[>60] p = 0.015222
[All] p = 4.1396e−05

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
KCNMB4|ILMN_1727466 (non−ER binding)

[<=60] p = 0.32838
[>60] p = 0.65833
[All] p = 0.872

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis