
iClust 1: N = 140
Bcl−3|ILMN_1710514 (non−ER binding)
[<=60] p = 0.6146
[>60] p = 0.92382
[All] p = 0.069659
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 2: N = 72
Bcl−3|ILMN_1710514 (non−ER binding)
[<=60] p = 0.4038
[>60] p = 0.93716
[All] p = 0.881
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 3: N = 294
Bcl−3|ILMN_1710514 (non−ER binding)
[<=60] p = 0.7063
[>60] p = 0.95835
[All] p = 0.10483
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 4: N = 344
Bcl−3|ILMN_1710514 (non−ER binding)
[<=60] p = 0.1373
[>60] p = 0.2102
[All] p = 0.0417
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 5: N = 191
Bcl−3|ILMN_1710514 (non−ER binding)
[<=60] p = 0.88042
[>60] p = 0.49026
[All] p = 0.88151
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 6: N = 86
Bcl−3|ILMN_1710514 (non−ER binding)
[<=60] p = 0.82565
[>60] p = 0.16941
[All] p = 0.1191
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 7: N = 193
Bcl−3|ILMN_1710514 (non−ER binding)
[<=60] p = 0.57032
[>60] p = 0.15674
[All] p = 0.28489
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 8: N = 300
Bcl−3|ILMN_1710514 (non−ER binding)
[<=60] p = 0.28779
[>60] p = 0.21056
[All] p = 0.047612
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 9: N = 146
Bcl−3|ILMN_1710514 (non−ER binding)
[<=60] p = 0.655
[>60] p = 0.061227
[All] p = 0.38053
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis


iClust 10: N = 226
Bcl−3|ILMN_1710514 (non−ER binding)
[<=60] p = 0.52504
[>60] p = 0.81678
[All] p = 0.68642
No detectable trend:
|FC|<4 or adjPval>0.01
Raw Expression (4, 16)
Age at diagnosis