**iClust 1: N = 140**
Bcl2|ILMN_2363250 (non−ER binding)

[<=60] p = 0.62794
[>60] p = 0.55143
[All] p = 0.8467

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 2: N = 72
Bcl2|ILMN_2363250 (non−ER binding)

[<=60] p = 0.69857
[>60] p = 0.16453
[All] p = 0.049474

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 3: N = 294
Bcl2|ILMN_2363250 (non−ER binding)

[<=60] p = 0.39884
[>60] p = 0.74289
[All] p = 0.6638

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 4: N = 344
Bcl2|ILMN_2363250 (non−ER binding)

[<=60] p = 0.33903
[>60] p = 0.68733
[All] p = 0.68429

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 5: N = 191
Bcl2|ILMN_2363250 (non−ER binding)

[<=60] p = 0.39675
[>60] p = 0.2025
[All] p = 0.16259

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
Bcl2|ILMN_2363250 (non−ER binding)

[<=60] p = 0.70144
[>60] p = 0.28655
[All] p = 0.96919

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
Bcl2|ILMN_2363250 (non−ER binding)

[<=60] p = 0.2275
[>60] p = 0.57726
[All] p = 0.55419

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
Bcl2|ILMN_2363250 (non−ER binding)

[<=60] p = 0.206
[>60] p = 0.7782
[All] p = 0.83785

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
Bcl2|ILMN_2363250 (non−ER binding)

[<=60] p = 0.053165
[>60] p = 0.36364
[All] p = 0.080194

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
Bcl2|ILMN_2363250 (non−ER binding)

[<=60] p = 0.17634
[>60] p = 0.20047
[All] p = 0.66201

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis