iClust 1: N = 140
MLL3|ILMN_1702018 (non−ER binding)

[<=60] p = 0.74641
[>60] p = 0.54726
[All] p = 0.049234

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
MLL3|ILMN_1702018 (non−ER binding)

[<=60] p = 0.54341
[>60] p = 0.71258
[All] p = 0.89965

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
MLL3|ILMN_1702018 (non−ER binding)

[<=60] p = 0.77078
[>60] p = 0.03135
[All] p = 0.63471

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
MLL3|ILMN_1702018 (non−ER binding)

[<=60] p = 0.34963
[>60] p = 0.21104
[All] p = 0.24803

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
MLL3|ILMN_1702018 (non−ER binding)

[<=60] p = 0.70855
[>60] p = 0.021794
[All] p = 0.18698

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
MLL3|ILMN_1702018 (non−ER binding)

[<=60] p = 0.55887
[>60] p = 0.35849
[All] p = 0.25706

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
MLL3|ILMN_1702018 (non−ER binding)

[<=60] p = 0.10922
[>60] p = 0.42472
[All] p = 0.4917

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
MLL3|ILMN_1702018 (non−ER binding)

[<=60] p = 0.27024
[>60] p = 0.9337
[All] p = 0.80779

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
MLL3|ILMN_1702018 (non−ER binding)

[<=60] p = 0.05739
[>60] p = 0.55655
[All] p = 0.61673

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
MLL3|ILMN_1702018 (non−ER binding)

[<=60] p = 0.10102
[>60] p = 0.96758
[All] p = 0.84358

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis