iClust 1: N = 140
HEY1|ILMN_1788203 (non−ER binding)

[<=60] p = 0.88856
[>60] p = 0.11198
[All] p = 0.40908

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
HEY1|ILMN_1788203 (non−ER binding)

[<=60] p = 0.064797
[>60] p = 0.25516
[All] p = 0.48138

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
HEY1|ILMN_1788203 (non−ER binding)

[<=60] p = 0.44708
[>60] p = 0.39815
[All] p = 0.19689

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
HEY1|ILMN_1788203 (non−ER binding)

[<=60] p = 0.8779
[>60] p = 0.61225
[All] p = 0.2032

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
HEY1|ILMN_1788203 (non−ER binding)

[<=60] p = 0.99772
[>60] p = 0.95681
[All] p = 0.052385

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
HEY1|ILMN_1788203 (non−ER binding)

[<=60] p = 0.26162
[>60] p = 0.4325
[All] p = 0.51039

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
HEY1|ILMN_1788203 (non−ER binding)

[<=60] p = 0.81582
[>60] p = 0.27493
[All] p = 0.43269

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
HEY1|ILMN_1788203 (non−ER binding)

[<=60] p = 0.3164
[>60] p = 0.30758
[All] p = 0.064757

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
HEY1|ILMN_1788203 (non−ER binding)

[<=60] p = 0.79674
[>60] p = 0.99734
[All] p = 0.71491

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
HEY1|ILMN_1788203 (non−ER binding)

[<=60] p = 0.19783
[>60] p = 0.16923
[All] p = 0.068265

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis