iClust 1: N = 140
MLL3|ILMN_1796206 (non−ER binding)

[<=60] p = 0.67686
[>60] p = 0.05441
[All] p = 0.0031181

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
MLL3|ILMN_1796206 (non−ER binding)

[<=60] p = 0.76738
[>60] p = 0.86221
[All] p = 0.43764

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
MLL3|ILMN_1796206 (non−ER binding)

[<=60] p = 0.71675
[>60] p = 0.8274
[All] p = 0.018842

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
MLL3|ILMN_1796206 (non−ER binding)

[<=60] p = 0.85773
[>60] p = 0.22384
[All] p = 0.72556

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
MLL3|ILMN_1796206 (non−ER binding)

[<=60] p = 0.14404

[>60] p = 0.16741

[All] p = 0.71954

No detectable trend:

|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
MLL3|ILMN_1796206 (non−ER binding)

[<=60] p = 0.9858

[>60] p = 0.90202

[All] p = 0.24153

No detectable trend:

|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
MLL3|ILMN_1796206 (non−ER binding)

[<=60] p = 0.077265

[>60] p = 0.84386

[All] p = 0.010428

No detectable trend:

|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
MLL3|ILMN_1796206 (non−ER binding)

[<=60] p = 0.25608

[>60] p = 0.67952

[All] p = 0.13568

No detectable trend:

|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
MLL3|ILMN_1796206 (non−ER binding)

[<=60] p = 0.2291
[>60] p = 0.87395
[All] p = 0.66892

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
MLL3|ILMN_1796206 (non−ER binding)

[<=60] p = 0.03477
[>60] p = 0.76711
[All] p = 0.062039

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis