iClust 1: N = 140
KDM2B/FBXL10|ILMN_1658232 (non−ER binding

[<=60] p = 0.07983
[>60] p = 0.92463
[All] p = 0.0077027

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
KDM2B/FBXL10|ILMN_1658232 (non−ER binding

[<=60] p = 0.26867
[>60] p = 0.17134
[All] p = 0.74986

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
KDM2B/FBXL10|ILMN_1658232 (non−ER binding

[<=60] p = 0.77846
[>60] p = 0.92819
[All] p = 0.26605

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
KDM2B/FBXL10|ILMN_1658232 (non−ER binding

[<=60] p = 0.94561
[>60] p = 0.076058
[All] p = 0.019381

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
KDM2B/FBXL10|ILMN_1658232 (non−ER binding

[<=60] p = 0.47603
[>60] p = 0.42638
[All] p = 0.19726

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
KDM2B/FBXL10|ILMN_1658232 (non−ER binding

[<=60] p = 0.76343
[>60] p = 0.71851
[All] p = 0.33042

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
KDM2B/FBXL10|ILMN_1658232 (non−ER binding

[<=60] p = 0.32697
[>60] p = 0.94268
[All] p = 0.50502

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
KDM2B/FBXL10|ILMN_1658232 (non−ER binding

[<=60] p = 0.61628
[>60] p = 0.52781
[All] p = 0.98136

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
KDM2B/FBXL10|ILMN_1658232 (non−ER binding

[<=60] p = 0.26782
[>60] p = 0.99642
[All] p = 0.47915

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
KDM2B/FBXL10|ILMN_1658232 (non−ER binding

[<=60] p = 0.99168
[>60] p = 0.17391
[All] p = 0.54632

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis