iClust 1: N = 140
RUNX3|ILMN_1751839 (non−ER binding)

[<=60] p = 0.35626
[>60] p = 0.55993
[All] p = 0.041099

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
RUNX3|ILMN_1751839 (non−ER binding)

[<=60] p = 0.99573
[>60] p = 0.86944
[All] p = 0.094352

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
RUNX3|ILMN_1751839 (non−ER binding)

[<=60] p = 0.9858
[>60] p = 0.90267
[All] p = 0.34199

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
RUNX3|ILMN_1751839 (non−ER binding)

[<=60] p = 0.97778
[>60] p = 0.9309
[All] p = 0.10632

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
RUNX3|ILMN_1751839 (non−ER binding)

[<=60] p = 0.017639
[>60] p = 0.61514
[All] p = 0.24951

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
RUNX3|ILMN_1751839 (non−ER binding)

[<=60] p = 0.87014
[>60] p = 0.76768
[All] p = 0.63703

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
RUNX3|ILMN_1751839 (non−ER binding)

[<=60] p = 0.18223
[>60] p = 0.01084
[All] p = 0.0044394

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
RUNX3|ILMN_1751839 (non−ER binding)

[<=60] p = 0.64426
[>60] p = 0.37828
[All] p = 0.62832

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
RUNX3|ILMN_1751839 (non−ER binding)

[<=60] p = 0.90087
[>60] p = 0.79521
[All] p = 0.68007

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
RUNX3|ILMN_1751839 (non−ER binding)

[<=60] p = 0.48259
[>60] p = 0.0013292
[All] p = 0.15789

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis