iClust 1: N = 140
E2F7|ILMN_1798210 (non−ER binding)

[<=60] p = 0.63488
[>60] p = 0.33197
[All] p = 0.1384

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
E2F7|ILMN_1798210 (non−ER binding)

[<=60] p = 0.098161
[>60] p = 0.2047
[All] p = 0.55164

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
E2F7|ILMN_1798210 (non−ER binding)

[<=60] p = 0.70857
[>60] p = 0.65837
[All] p = 0.63635

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
E2F7|ILMN_1798210 (non−ER binding)

[<=60] p = 0.56087
[>60] p = 0.69247
[All] p = 0.99136

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
E2F7|ILMN_1798210 (non−ER binding)

[<=60] p = 0.32978
[>60] p = 0.76725
[All] p = 0.35783

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
E2F7|ILMN_1798210 (non−ER binding)

[<=60] p = 0.2647
[>60] p = 0.73401
[All] p = 0.72818

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
E2F7|ILMN_1798210 (non−ER binding)

[<=60] p = 0.7593
[>60] p = 0.46137
[All] p = 0.41491

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
E2F7|ILMN_1798210 (non−ER binding)

[<=60] p = 0.47395
[>60] p = 0.073376
[All] p = 0.80844

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
E2F7|ILMN_1798210 (non−ER binding)

[<=60] p = 0.98127
[>60] p = 0.63563
[All] p = 0.10865

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
E2F7|ILMN_1798210 (non−ER binding)

[<=60] p = 0.44373
[>60] p = 0.91651
[All] p = 0.37643

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis