**iClust 1: N = 140**
HIF2alpha|ILMN_1704753 (non−ER binding)

[<=60] p = 0.72747
[>60] p = 0.92296
[All] p = 0.22765

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
HIF2alpha|ILMN_1704753 (non−ER binding)

[<=60] p = 0.35124
[>60] p = 0.78555
[All] p = 0.92106

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
HIF2alpha|ILMN_1704753 (non−ER binding)

[<=60] p = 0.7044
[>60] p = 0.73314
[All] p = 0.38753

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
HIF2alpha|ILMN_1704753 (non−ER binding)

[<=60] p = 0.47654
[>60] p = 0.25945
[All] p = 0.37502

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
HIF2alpha|ILMN_1704753 (non−ER binding)

[<=60] p = 0.27247
[>60] p = 0.19076
[All] p = 0.40542

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
HIF2alpha|ILMN_1704753 (non−ER binding)

[<=60] p = 0.74743
[>60] p = 0.94808
[All] p = 0.47654

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
HIF2alpha|ILMN_1704753 (non−ER binding)

[<=60] p = 0.44565
[>60] p = 0.99475
[All] p = 0.13594

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
HIF2alpha|ILMN_1704753 (non−ER binding)

[<=60] p = 0.055467
[>60] p = 0.14112
[All] p = 0.32126

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
HIF2alpha|ILMN_1704753 (non−ER binding)

[<=60] p = 0.5113
[>60] p = 0.21968
[All] p = 0.72861

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
HIF2alpha|ILMN_1704753 (non−ER binding)

[<=60] p = 0.87342
[>60] p = 0.38648
[All] p = 0.74886

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis