**iClust 1: N = 140**
TCF3|ILMN_1664434 (non−ER binding)

[<=60] p = 0.46414
[>60] p = 0.27364
[All] p = 0.76437

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
TCF3|ILMN_1664434 (non−ER binding)

[<=60] p = 0.57438
[>60] p = 0.32967
[All] p = 0.9776

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
TCF3|ILMN_1664434 (non−ER binding)

[<=60] p = 0.085751
[>60] p = 0.13836
[All] p = 0.0011736

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
TCF3|ILMN_1664434 (non−ER binding)

[<=60] p = 0.092866
[>60] p = 0.43392
[All] p = 0.00049158

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
TCF3|ILMN_1664434 (non−ER binding)

[<=60] p = 0.48422
[>60] p = 0.12941
[All] p = 0.044446

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
TCF3|ILMN_1664434 (non−ER binding)

[<=60] p = 0.30584
[>60] p = 0.071712
[All] p = 0.019718

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
TCF3|ILMN_1664434 (non−ER binding)

[<=60] p = 0.72378
[>60] p = 0.46599
[All] p = 0.29314

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
TCF3|ILMN_1664434 (non−ER binding)

[<=60] p = 0.37117
[>60] p = 0.6197
[All] p = 0.40062

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
TCF3|ILMN_1664434 (non−ER binding)

[<=60] p = 0.27189
[>60] p = 0.13667
[All] p = 0.46046

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
TCF3|ILMN_1664434 (non−ER binding)

[<=60] p = 0.14724
[>60] p = 0.94944
[All] p = 0.1282

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis