iClust 1: N = 140
LGR6|ILMN_1713550 (non−ER binding)

[<=60] p = 0.68245
[>60] p = 0.82089
[All] p = 0.176

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
LGR6|ILMN_1713550 (non−ER binding)

[<=60] p = 0.5803
[>60] p = 0.56931
[All] p = 0.045504

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
LGR6|ILMN_1713550 (non−ER binding)

[<=60] p = 0.28599
[>60] p = 0.59519
[All] p = 0.00020406

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
LGR6|ILMN_1713550 (non−ER binding)

[<=60] p = 0.41767
[>60] p = 0.65002
[All] p = 0.0032041

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
LGR6|ILMN_1713550 (non−ER binding)

[<=60] p = 0.2449
[>60] p = 0.45388
[All] p = 0.066316

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
LGR6|ILMN_1713550 (non−ER binding)

[<=60] p = 0.39235
[>60] p = 0.87641
[All] p = 0.67341

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
LGR6|ILMN_1713550 (non−ER binding)

[<=60] p = 0.010258
[>60] p = 0.091632
[All] p = 0.0034952

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
LGR6|ILMN_1713550 (non−ER binding)

[<=60] p = 0.080466
[>60] p = 0.094691
[All] p = 6.0619e−09

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
LGR6|ILMN_1713550 (non−ER binding)

[<=60] p = 0.47995
[>60] p = 0.10058
[All] p = 0.34316

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
LGR6|ILMN_1713550 (non−ER binding)

[<=60] p = 0.68774
[>60] p = 0.012403
[All] p = 0.77775

No detectable trend:
|FC|<4 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis