iClust 1: N = 140
E2F3|ILMN_1669502 (non−ER binding)

[<=60] p = 0.64324
[>60] p = 0.61011
[All] p = 0.48362

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
E2F3|ILMN_1669502 (non−ER binding)

[<=60] p = 0.15064
[>60] p = 0.00043361
[All] p = 0.0012627

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
E2F3|ILMN_1669502 (non−ER binding)

[<=60] p = 0.054795
[>60] p = 0.12411
[All] p = 0.24892

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
E2F3|ILMN_1669502 (non−ER binding)

[<=60] p = 0.51357
[>60] p = 0.2652
[All] p = 0.050678

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
E2F3|ILMN_1669502 (non−ER binding)

[<=60] p = 0.87336
[>60] p = 0.97845
[All] p = 0.087058

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
E2F3|ILMN_1669502 (non−ER binding)

[<=60] p = 0.96078
[>60] p = 0.57693
[All] p = 0.56424

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
E2F3|ILMN_1669502 (non−ER binding)

[<=60] p = 0.7796
[>60] p = 0.85254
[All] p = 0.59235

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
E2F3|ILMN_1669502 (non−ER binding)

[<=60] p = 0.54095
[>60] p = 0.025462
[All] p = 0.0037101

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
E2F3|ILMN_1669502 (non−ER binding)

[<=60] p = 0.92973
[>60] p = 0.64884
[All] p = 0.033991

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
E2F3|ILMN_1669502 (non−ER binding)

[<=60] p = 0.55682
[>60] p = 0.97718
[All] p = 0.55576

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis