iClust 1: N = 140
E2F4|ILMN_1761828 (non−ER binding)

[<=60] p = 0.17437
[>60] p = 0.29579
[All] p = 0.36952

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
E2F4|ILMN_1761828 (non−ER binding)

[<=60] p = 0.8577
[>60] p = 0.050879
[All] p = 0.0010016

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
E2F4|ILMN_1761828 (non−ER binding)

[<=60] p = 0.54511
[>60] p = 0.62436
[All] p = 0.057075

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
E2F4|ILMN_1761828 (non−ER binding)

[<=60] p = 0.98914
[>60] p = 0.29636
[All] p = 0.49077

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
E2F4|ILMN_1761828 (non−ER binding)

[<=60] p = 0.3592
[>60] p = 0.025233
[All] p = 0.1596

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
E2F4|ILMN_1761828 (non−ER binding)

[<=60] p = 0.96771
[>60] p = 0.82542
[All] p = 0.88583

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
E2F4|ILMN_1761828 (non−ER binding)

[<=60] p = 0.70714
[>60] p = 0.87718
[All] p = 0.1769

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
E2F4|ILMN_1761828 (non−ER binding)

[<=60] p = 0.024191
[>60] p = 0.83531
[All] p = 0.70004

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
E2F4|ILMN_1761828 (non−ER binding)

[<=60] p = 0.94784
[>60] p = 0.60124
[All] p = 0.60262

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
E2F4|ILMN_1761828 (non−ER binding)

[<=60] p = 0.068175
[>60] p = 0.89152
[All] p = 0.64391

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis