iClust 1: N = 140
p57KIP2|ILMN_1718565 (non−ER binding)

[<=60] p = 0.049981
[>60] p = 0.2343
[All] p = 2.5543e−06

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 2: N = 72
p57KIP2|ILMN_1718565 (non−ER binding)

[<=60] p = 0.16216
[>60] p = 0.6792
[All] p = 0.60818

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 3: N = 294
p57KIP2|ILMN_1718565 (non−ER binding)

[<=60] p = 0.99786
[>60] p = 0.73149
[All] p = 5.3236e−05

Age−dependent trend:
|FC|>1.25 and adjPval<0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 4: N = 344
p57KIP2|ILMN_1718565 (non−ER binding)

[<=60] p = 0.87865
[>60] p = 0.021861
[All] p = 0.00014293

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)
Age at diagnosis

iClust 5: N = 191
p57KIP2|ILMN_1718565 (non−ER binding)

[<=60] p = 0.064022
[>60] p = 0.085777
[All] p = 0.014978

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
p57KIP2|ILMN_1718565 (non−ER binding)

[<=60] p = 0.43937
[>60] p = 0.097568
[All] p = 0.014224

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
p57KIP2|ILMN_1718565 (non−ER binding)

[<=60] p = 0.53737
[>60] p = 0.31859
[All] p = 0.012971

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
p57KIP2|ILMN_1718565 (non−ER binding)

[<=60] p = 0.06713
[>60] p = 0.21634
[All] p = 1.0467e−05

Age−dependent trend:
|FC|>1.25 and adjPval<0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
p57KIP2|ILMN_1718565 (non−ER binding)

[<=60] p = 0.049186
[>60] p = 0.03905
[All] p = 0.0011052

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
p57KIP2|ILMN_1718565 (non−ER binding)

[<=60] p = 0.72942
[>60] p = 0.229
[All] p = 0.11528

No detectable trend:
|FC|<1.25 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis