iClust 1: N = 140
E2F8|ILMN_1811006 (non−ER binding)

[<=60] p = 0.98956
[>60] p = 0.93029
[All] p = 0.32736

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 2: N = 72
E2F8|ILMN_1811006 (non−ER binding)

[<=60] p = 0.74221
[>60] p = 0.20044
[All] p = 0.60443

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 3: N = 294
E2F8|ILMN_1811006 (non−ER binding)

[<=60] p = 0.98791
[>60] p = 0.55941
[All] p = 0.75883

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 4: N = 344
E2F8|ILMN_1811006 (non−ER binding)

[<=60] p = 0.073085
[>60] p = 0.8707
[All] p = 0.3499

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 5: N = 191
E2F8|ILMN_1811006 (non−ER binding)

[<=60] p = 0.70406
[>60] p = 0.32212
[All] p = 0.42639

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 6: N = 86
E2F8|ILMN_1811006 (non−ER binding)

[<=60] p = 0.52869
[>60] p = 0.35499
[All] p = 0.89677

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 7: N = 193
E2F8|ILMN_1811006 (non−ER binding)

[<=60] p = 0.96986
[>60] p = 0.30573
[All] p = 0.67975

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 8: N = 300
E2F8|ILMN_1811006 (non−ER binding)

[<=60] p = 0.73255
[>60] p = 0.24161
[All] p = 0.40155

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 9: N = 146
E2F8|ILMN_1811006 (non−ER binding)

[<=60] p = 0.15471
[>60] p = 0.85659
[All] p = 0.26376

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis

iClust 10: N = 226
E2F8|ILMN_1811006 (non−ER binding)

[<=60] p = 0.82235
[>60] p = 0.32444
[All] p = 0.1268

No detectable trend:
|FC|<2 or adjPval>0.01

Raw Expression (4, 16)

Age at diagnosis