30-36 kilograms *(65-79 pounds)* / 10-14 Years

CARDIAC RESUSCITATION

GREEN

Normal Vitals: HR: 70-110, RR: 16-20, Systolic BP: 90-120 mmHg, Blood Glucose > 60 mg/dl

Resuscitation Medications - **(confirm concentration is as specified)**	**Dose**	**Volume**
Epinephrine (1 mg/10 mL prefilled syringe) IV/IO Q 3-5 min for arrest/bradycardia[1]	0.3 mg	**3 mL**
Amiodarone (150 mg/3 mL) IV/IO for shock resistant V-Fib (or wide-complex tachycardia*)	150 mg	**3 mL**
Lidocaine (100 mg/5 mL) IV/IO for shockable V-Fib (or wide-complex tachycardia*)	30 mg	**1.5 mL**
Atropine (1 mg/10 mL) IV/IO for bradycardia unresponsive to Epinephrine[1]	0.5 mg	**5 mL**
*Adenosine (6 mg/2 mL) IV/IO **1st Dose.** For SVT (HR > 180)	4 mg	**1.3 mL**
*Adenosine (6 mg/2 mL) IV/IO **2nd Dose**. For SVT (HR > 180)	8 mg	**2.6 mL**
Epinephrine IV/IO (1 mg/10 mL) **Push Dose - Dilute 1 mL with 9 mL Normal Saline** = 10 mcg/1 mL	10 mcg	**1 mL (Diluted) IV/IO**
Electrical Therapy	**Initial[2]**	**Repeat[2]**
Defibrillation (pediatric pads preferred) Adult pads may be used anterior/posterior.	**70 J**	**150 J**
*Synchronized Cardioversion[2] for unstable tachycardia	**30 J**	**70-75 J**

Equipment

OPA: **80 mm** NPA: **30 F** BVM: **Adult** Laryngoscope: **2-3 (straight/curved)** iGel: **2.5-3.0** LMA Supreme: **2.5-3.0** King-LT: **2.5-3.0**
ET Tube: **6 (cuffed)** ET Depth: **19-19.5 cm** *No ETI unless unable to ventilate*

Fluid Bolus

Normal Saline **700 mL IV/IO** - **May repeat x 1 PRN**

***CONTACT MEDICAL CONTROL** **[1]CPR if HR < 60 after O2** **[2]May adjust to closest available energy setting**

30-36 kilograms *(65-79 pounds)* / 10-14 Years

CONDITIONS/MEDICATIONS

GREEN

Normal Vitals: HR: 70-110, RR: 16-20, Systolic BP: 90-120 mmHg, Blood Glucose > 60 mg/dl

Condition	Medication - (confirm concentration is as specified)	Dose	Volume
Wheezing	Albuterol Nebulized (2.5 mg/3 mL)	2.5 mg	**3 mL**
	Ipratropium Bromide Nebulized (0.5 mg/2.5 mL if wheezing)	500 mcg	**2.5 mL**
Anaphylaxis	Diphenhydramine IM/IV/IO (50 mg/mL)	40 mg	**0.8 mL**
	Prednisone PO (50 mg tablet)	50 mg	**1 tablet PO**
	Methylprednisolone IV/IO/IM (125 mg/2mL)	62.7 mg	**1 mL**
Anaphylaxis/ Profound Distress	Epinephrine IM (1 mg/mL) ***or*** 1 Epinephrine Authoinjector IM (**Severe symptoms only**)	0.3 mg	**0.3 mL**
Stridor	Racepinephrine 2.25% Nebulized (place 0.5 mL in 3 mL normal saline)	11.25 mg	**3.5 mL**
	Epinephrine (1 mg/mL) nebulized	5 mg	**5 mL**
Seizure	Midazolam IM (5 mg/mL) **Give first if no IV**	3 mg	**0.6 mL IM**
	Midazolam IV (5 mg/mL)	1.5 mg	**0.3 mL**
Fever/Pain	Acetaminophen PO (160 mg/5 mL)	480 mg	**15 mL**
	Ibuprofen PO (100 mg/5 mL)	300 mg	**15 mL**
Hypoglycemia (<60 mg/dL)	D50% (25 g/50 mL) **Give Slow IV**	15 g	**30 mL (D50%)**
	Dextrose 10% (100mg/mL)	15 g	**150 mL**
	Glucagon IM (1 mg/mL)	1 mg	**1 mL IM**
Pain Management	Fentanyl IV/IN (100 mcg/2 mL) For IN, divide dose equally between both nostrils	30 mcg	**0.6**
	Ketamine IV/IO (100 mg/1 mL) **Mix dose in 100 mL NS, administer over 10 minutes**	10 mg	**0.1 mL in 100 mL NS**
	Ketamine IN (100 mg/1 mL) Divide dose equally between both nostrils	30 mg	**0.3 mL**
	Ketorolac IV/IM (15 mg/1 mL)	15 mg	**1 mL IV/IM**
	Morphine IV/IO (10 mg/mL)	4 mg	**0.4 mL**
Narcotic OD	Naloxone IV/IM/IN (2 mg/2 mL) **For IN, divide dose equally between both nostrils**	2 mg	**2 mL**
Open Fracture	Cefazolin (1000 mg/10 mL) Mix 1 gm of medication per 10 mL NS. **Administer IV SLOWLY.**	1 g	**10 mL**
	Cefazolin (1000 mg/10 mL) Mix as above. **Add specific dose to 100 mL NS.**	1 g	**10 mL in 100 mL NS**
	Ceftriaxone (1000 mg/10 mL) Mix 1 gm of medication per 10 mL NS. **Administer IV SLOWLY.**	1.7 g	**17 mL**
	Ceftriaxone (1000 mg/10 mL) Mix as above. **Add specific dose to 100 mL NS.**	1.7 g	**17 mL in 100 mL NS**

MDHHS Michigan Department of Health & Human Services | Bureau of Emergency Preparedness, EMS and Systems of Care

MICHIGAN EMSC State Partnership Program

MI-MEDIC is provided by the Michigan Department of Health and Human Services (MDHHS), Bureau of Emergency Preparedness, EMS and Systems of Care. MI-MEDIC was developed and edited in partnership with Western Michigan University Homer Stryker MD School of Medicine, Division of EMS and Disaster Medicine.

This project is supported by the Health Resources and Services Administration (HRSA) of the US Department of Health and Human Services (HHS) under the EMSC Partnership Grant. This information or content and conclusions are those of the author and should not be construed as the official position or policy of, nor should any endorsements be inferred by HRSA, HHS, or the US Government.

If you have questions or comments about MI-MEDIC, contact: EMS@Michigan.Gov

FST5 Do you need resources related to mental health challenges?
Call 1-833-34-STRONG or go to www.fst5.org

MI-MEDIC by MDHHS, WMed is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
Based on a work at www.michigan.gov/ems.