



Biological & Chemical Oceanography Data Management Office
<http://bco-dmo.org>

**DATA ACCESS TUTORIAL
2016 OCB PI SUMMER WORKSHOP**

Table of Contents

| | |
|---|-----------|
| How to Submit Data | 2 |
| Data access: TEXT-BASED SEARCH | 4 |
| <i>scenario 1: You have a general idea of what you are looking for.....</i> | <i>4</i> |
| Data access: MAP BROWSE | 12 |
| <i>scenario 2: You are interested in data from a particular geographic region.....</i> | <i>12</i> |
| Data access: MAP KEYWORD SEARCH..... | 20 |
| <i>scenario 3: You are interested in data of a particular type from a particular geographic area.....</i> | <i>20</i> |
| Glossary of Terms..... | 23 |
| Acknowledgments..... | 23 |
| Follow BCO-DMO | 23 |



Biological & Chemical Oceanography Data Management Office

<http://bco-dmo.org>

DATA ACCESS TUTORIAL 2015 OCB PI SUMMER WORKSHOP

How to Submit Data

BCO-DMO works with investigators to publish data from research projects funded by the NSF Geosciences Directorate (GEO) Division of Ocean Sciences (OCE) Biological and Chemical Oceanography Sections and the Division of Polar Programs (PLR) Antarctic Sciences (ANT) Organisms and Ecosystems Program. Once published, BCO-DMO also fulfills NSF requirements for long-term preservation by submitting data to the appropriate national data center for archive (e.g., NOAA's National Oceanographic Data Center).

To start the process, please visit our “How to Get Started” page:

<http://www.bco-dmo.org/how-get-started>

Here you will find the necessary forms to contribute metadata related to programs, projects, deployments, and datasets. These forms are available in Rich Text Format (.rtf), making them accessible using any word processing application:

Program: A large coordinated research effort, usually comprising multiple projects generating several datasets. (e.g., OCB, U.S. GEOTRACES, SEES-OA)

Project: A project usually encompasses one or more datasets, and may be part of a larger program (e.g. CoFeMUG is a project affiliated with U.S. GEOTRACES), or could be (and most are) unaffiliated with any program.

Deployment: A specific cruise, mooring, laboratory, or some other unique event of data collection and/or analysis.

Dataset: A collection of values representing scientific observations, measurements, or derivations.

Step 1: Complete Metadata Forms

Use the forms described above to submit new information to the Office.

Step 2: Prepare Data Files

We accept data in any format, however comma or tab-delimited (preferred), or Excel spreadsheets are most common. If the dataset is too large to contribute as an email attachment, contact our office via info@bco-dmo.org for instructions on the best way to contribute your data.

Step 3: Email BCO-DMO

Once completed, metadata forms and data files can be emailed as attachments to the office along with a brief communication explaining the nature of the submission, by addressing the email to: info@bco-dmo.org

You will receive a response from the Office confirming your submission and informing you of the staff assigned to your dataset. BCO-DMO staff members will work with you to publish your data and metadata.

Additional Information:

Also available on the “How To Get Started” page are useful links to additional information on the NSF OCE data policy, submitting data in spreadsheets, data archives, and more. Feel free to contact the Office with any questions or concerns you may have regarding your data submission.

Data access: TEXT-BASED SEARCH

scenario 1: You have a general idea of what you are looking for.

Go to: <http://bco-dmo.org>

| DATABASE | |
|--------------|------|
| Programs | 24 |
| Projects | 239 |
| Deployments | 1695 |
| Datasets | 6451 |
| Instruments | 307 |
| Parameters | 1318 |
| People | 1334 |
| Affiliations | 341 |
| Funding | 47 |
| Awards | 591 |

The DATABASE links in the left navigation area provide an idea of how the data are organized. Data sets are grouped by Program (largest collection), Project (smaller in scope than a Program), Deployment (cruise, mooring, and many other examples), Dataset (a logical collection of data).

One could start with any of those navigation links and search to find the data of interest. If you know you are interested in data from an OCB project (for example, “CoFeMUG”) you may start at the top level “Programs”.

Select Programs from the left navigation area. Enter OCB in the search box. Click the Search button.

Select “Ocean Carbon and Biogeochemistry” from the Program list.

URL: <http://www.bco-dmo.org/program/2015>

Your browser display should look like the image on the next page, showing a brief description of the OCB program.

BCO-DMO
Biological & Chemical Oceanography Data Management Office

HOME DATA RESOURCES ABOUT

DATABASE

| | |
|-----------------|-----------|
| Welcome | |
| Programs | 24 |
| Projects | 238 |
| Deployments | 1695 |
| Datasets | 6449 |
| Instruments | 307 |
| Parameters | 1318 |
| People | 1334 |
| Affiliations | 341 |
| Funding | 47 |
| Awards | 591 |

Program: Ocean Carbon and Biogeochemistry

Affiliated programs: IMBER-US, US SOLAS, NACP-OCB Coastal
 Acronym: OCB
 URL: Program Web Site
 Start date: 2006
 End date:
 Geolocation: Global



▼ Description:

The Ocean Carbon and Biogeochemistry (OCB) program focuses on the ocean's role as a component of the global Earth system, bringing together research in geochemistry, ocean physics, and ecology that inform on and advance our understanding of ocean biogeochemistry. The overall program goals are to promote, plan, and coordinate collaborative, multidisciplinary research opportunities within the U.S. research community and with international partners. Important OCB-related activities currently include: the Ocean Carbon and Climate Change (OCCC) and the North American Carbon Program (NACP); U.S. contributions to IMBER, SOLAS, CARBOOCEAN; and numerous U.S. single-investigator and medium-size research projects funded by U.S. federal agencies including NASA, NOAA, and NSF.

The scientific mission of OCB is to study the evolving role of the ocean in the global carbon cycle, in the face of environmental variability and change through studies of marine biogeochemical cycles and associated ecosystems.

The overarching OCB science themes include improved understanding and prediction of: 1) oceanic uptake and release of atmospheric CO₂ and other greenhouse gases and 2) environmental sensitivities of biogeochemical cycles, marine ecosystems, and interactions between the two.

The OCB Research Priorities (updated January 2012) include: ocean acidification; terrestrial/coastal carbon fluxes and exchanges; climate sensitivities of and change in ecosystem structure and associated impacts on biogeochemical cycles; mesopelagic ecological and biogeochemical interactions; benthic-pelagic feedbacks on biogeochemical cycles; ocean carbon uptake and storage; and expanding low-oxygen conditions in the coastal and open oceans.

GEOSPATIAL ACCESS



Scroll down and expand the Projects section below the “More Information” heading.

Select “Cobalt, Iron and Micro-organisms from the Upwelling zone to the Gyre” (CoFeMUG) from the list of project names.

| |
|--|
| California Current Ecosystem Long Term Ecological Research site (CCE LTER) |
| Carbon Dioxide Dynamics in Mode Water of the North Atlantic Ocean (CarboMODE) |
| Carbon Dioxide Information Analysis Center - Global Ocean CO ₂ (CDIAC Ocean CO ₂) |
| CARIACO Ocean Time-Series Program (CARIACO) |
| Cobalt, Iron and Micro-organisms from the Upwelling zone to the Gyre (CoFeMUG) |
| Coccolithophores of the Patagonian Shelf 2008 (COPAS08) |
| Composition of the plankton community and its contribution to particle flux in the Sargasso Sea (Plankton particle flux) |
| Controls of Ross Sea Algal Community Structure (CORSACS) |

The browser displays the project description page.

URL: <http://www.bco-dmo.org/project/2067>

The screenshot shows the BCO-DMO website interface. At the top, there's a navigation bar with links for HOME, DATA, RESOURCES, and ABOUT US. Below the navigation bar is a sidebar titled "DATABASE" containing a table of statistics:

| DATABASE | |
|--------------|------|
| Programs | 33 |
| Projects | 542 |
| Deployments | 2127 |
| Datasets | 7550 |
| Instruments | 375 |
| Parameters | 1356 |
| People | 1849 |
| Affiliations | 438 |
| Funding | 67 |
| Awards | 1149 |

Below the sidebar, the main content area features the project title "Project: Cobalt, Iron and Micro-organisms from the Upwelling zone to the Gyre". To the right of the title is the project logo, which includes the acronym "CoFeMUG" and the tagline "cobalt, iron and micro-organisms from the upwelling zone to the gyre".

Key project details listed include:

- Acronym/Short Name:** CoFeMUG
- Start Date:** 2005-03
- End Date:** 2008-03
- Geolocation:** South Atlantic subtropical gyre and Benguela upwelling region
- Datasets:** 9
- Collections:** 9
- Deployments:** 1
- Cruises:** 1
- Programs:**
 - Ocean Carbon and Biogeochemistry [OCB]
 - U.S. GEOTRACES [U.S. GEOTRACES]

Under "GEOSPATIAL ACCESS", there is a map showing research routes in the South Atlantic and surrounding oceans.

On the left side, there are sections for "CONTRIBUTE DATA" and "Metadata Forms (.rtf files)".

Scroll down that page and expand the Dataset Collections section.

- ▼ More Information
 - ▶ Funding
 - ▶ **Dataset Collections** (This item is circled in red)
 - ▶ Data Management Plan
 - ▶ Deployments
 - ▶ Project Coordinators

Select the data set of interest from the list. For this example, choose “nutrients and metals”. URL: <http://www.bco-dmo.org/dataset/3233>

Dataset: nutrients and metals

[Get Data](#)
[Map It](#)

Project: Cobalt, Iron and Micro-organisms from the Upwelling zone to the Gyre (CoFeMUG)

Principal Investigator: Dr Mak Saito (Woods Hole Oceanographic Institution, WHOI)

BCO-DMO Data Manager: Shannon Rauch (Woods Hole Oceanographic Institution, WHOI BCO-DMO)

Validated: Yes

Data version: 7 October 2009

Version Date: 03/20/2013

Current State: Final no updates expected

Data URL: <http://www.bco-dmo.org/dataset/3233/data>

More Information

- ▶ [Funding](#)
- ▼ [Dataset Collections](#)

| Dataset Name |
|-----------------------------|
| 16S rRNA clone library |
| cruise_report |
| Dissolved Nitrous Oxide |
| event_log |
| Fe Speciation |
| INVENTORY |
| Metaproteome |
| nutrients and metals |
| Pigments |

- ▶ [Deployments](#)
- ▶ [Project Coordinators](#)

[Expand/Collapse All](#)

▼ Description

Brief Description: Analysis of nutrients, Cobalt (total and labile), dissolved iron, and dissolved Manganese from TM bottle samples.

Analysis of nutrients, Cobalt (total and labile), dissolved iron, and dissolved Manganese of water samples drawn from Trace Metal Rosette (TMR) bottle casts.

Related Publications:

Noble, A.E., C. H. Lamborg, D. C. Ohnemus, P. J. Lam, T. J. Goepfert, C. I. Measures, C. H. Frame, K. L. Casciotti, G. R. DiTullio, J. Jennings, M. A. Saito. 2012. Basin-scale inputs of cobalt, iron, and manganese from the Benguela-Angola front to the South Atlantic Ocean. Limnology and Oceanography, 57(4) 989-1010.
doi:10.4319/lo.2012.57.4.0989

Sohm, J. A., J. A. Hilton, A. E. Noble, J. P. Zehr, M. A. Saito, and E. A. Webb. 2011. Nitrogen fixation in the South Atlantic Gyre and the Benguela Upwelling System. Geophys. Res. Letters. 38: L16608.
doi:10.1029/2011GL048315

From the dataset display page, expand the [Deployments](#) section to see the cruises during which the nutrients and metal data were collected.

- ▶ [Funding Sources](#)
- ▼ [Deployments](#)

| Deployment | Synonyms | Start Date | Platform | Investigator | |
|------------|--------------------|-------------|-----------|--------------------------------|---------------------------|
| KN192-05 | CoFeMUG KN192-5 | 16 Nov 2007 | R/V Knorr | Dr Mak Saito (Chief Scientist) | data info |

- ▶ [Instruments](#)
- ▶ [Parameters](#)

These data were collected on one cruise, KN192-05. If data were collected on multiple deployments, all deployment names would be listed here (e.g. cruises, moorings, floats, gliders, etc.). To see more information about the cruise, including a description and other available data, one could click on the deployment name.

However, we want the data ...

For this dataset there are two choices: [GetData](#) and [Map It](#) displayed near the top of the page. At this point, please click the [GetData](#) button to access these data online.

Browser displays URL: http://data.bco-dmo.org/jg/serv/BCO/CoFeMUG/KN192-5/nutrients_metals.html0 in another window or browser tab depending on the browser configuration.

/BCO/CoFeMUG/KN192-5/nutrients_metals ---- Level 0

[Directory](#) [Documentation](#) [Download & Other Operations](#)

[Level 0](#) [Next Level](#) [Flat Listing](#)

```
# Nutrients and metals from TMR casts
# CoFeMUG cruise KN192-05
# PI: Mak Saito (WHOI)
# Version: 20 March 2013
# Notes: 'lt' = 'less than'; refer to documentation for flag definitions.
=====
cruise_id
-----
KN192-5
```

Click on the blue cruise ID at level 0 to expand the data display. Then, click on a station number to see the data for that station.

/BCO/CoFeMUG/KN192-5/nutrients_metals --cruise_id eq KN192-5,sta eq 20-- Level 2

[Directory](#) [Documentation](#) [Download & Other Operations](#)

[Level 0](#) [Next Level](#) [Flat Listing](#)

```
# Nutrients and metals from TMR casts
# CoFeMUG cruise KN192-05
# PI: Mak Saito (WHOI)
# Version: 20 March 2013
# Notes: 'lt' = 'less than'; refer to documentation for flag definitions.
=====
cruise_id
-----
KN192-5
=====
sta lat lon lon_360 depth_w
-----
20 -17.500 11.250 11.25 720
=====
depth ev_code run_id cast date year mon day time NO3_NO2 NO3_NO2_flag PO4 PO4_flag SiO4 SiO4_flag NO2 NO2_flag NH4 NH4_flag
11 TMR41 MS0822B 41 20071206 2007 12 06 1724 21.90 1 1.431 1 3.12 1 0.786 1 0.175 1
29 TMR41 MS0822B 41 20071206 2007 12 06 1724 22.92 1 1.579 1 3.79 1 0.866 1 0.292 1
70 TMR41 MS0822B 41 20071206 2007 12 06 1724 25.32 1 1.723 1 4.93 1 0.919 1 0.400 1
150 TMR41 MS0822B 41 20071206 2007 12 06 1724 29.09 1 2.056 1 11.35 1 0.696 1 0.200 1
190 TMR41 MS0822B 41 20071206 2007 12 06 1724 30.60 1 1.958 1 10.88 1 0.101 1 0.117 1
239 TMR41 MS0822B 41 20071206 2007 12 06 1724 32.94 1 2.095 1 11.57 1 0.043 1 0.133 1
299 TMR41 MS0822B 41 20071206 2007 12 06 1724 36.13 1 2.258 1 15.23 1 0.054 1 0.108 1
400 TMR41 MS0822B 41 20071206 2007 12 06 1724 39.26 1 2.525 1 18.44 1 0.017 1 0.142 1
600 TMR41 MS0822B 41 20071206 2007 12 06 1724 39.75 1 2.623 1 27.16 1 0.041 1 0.000 1
```

Explanation of buttons in the data system:

| | |
|--|--|
| Directory | displays (returns to) the Data Directory listing for this cruise |
| Documentation | displays the supporting documentation for this dataset |
| Data Display | returns to data display from documentation display |
| Download & Other Operations | options for download, sub-setting and reformatting of data |
| Level 0 | returns to level 0 |
| Next Level | expands the data to the next level of detail |
| Flat Listing | displays one record per line of the current level of data |

Now that we've seen the data, let's look at it on a map. Return to the previous browser window (or tab) with the display of dataset metadata.

URL: <http://www.bco-dmo.org/dataset/3233>

Click the **Map It** button to launch the MapServer GIS for this dataset. The browser opens a new window or tab, and the display should look similar to this for URL: <http://mapservice.bco-dmo.org/mapserver/maps-ol/index.php?datasetId=3233>

The screenshot shows the BCO-DMO MapServer Geospatial Interface. The main area is a map of the southern Atlantic Ocean and southern Africa, featuring bathymetric contours and labels for the Brazil Basin, Angola Basin, and the Rio Grande Fracture Zone. A pink polygon outlines a specific survey route. To the left of the map are three panels: 'Available programs' (listing ASCOS, CAMEO, CoML, etc.), 'Available projects' (listing ACIDIC, Active bacteria in su..., AESOPS, etc.), and 'Available deployments' (listing KN192-05). Above the map are search tools: 'BROWSE map', 'KEYWORD search', 'ADVANCED search', 'Start over', and a 'Quick find: enter a deployment name' input field. To the right, there are two sections: 'Visible deployments' (listing KN192-05) and 'Datasets' (listing 'nutrients and metals' for deployment KN192-05). The top right of the interface includes links for 'Contact', 'Help', and 'NSF Acknowledgment'.

Some things to notice on the map shown on the previous page:

- The KN192-05 cruise track, with the map zoomed in to the area of the cruise.
- Up top, the MapServer is in “BROWSE map” mode.
- Because we launched the MapServer from the text-based data discovery system, the only “Available deployment” (in the right-most panel directly above the map) is KN192-05, the only deployment contributing data to this dataset.
- The “Map options” button (upper right-hand corner of the map panel) provides options for changing the map display (e.g. base map, projection, etc.) and printing the map. Note the small button to maximize the map window above the “Map options” button.

Once again, there are many ways to access additional information from this display:

- Clicking the + box to the left of the KN192-05 cruise ID in the “Available deployments” or “Visible deployments” panels, displays metadata about that cruise including a link to the cruise report if one is available.
- In the “Visible deployments” panel (in the top-right corner of the window), right click on the cruise ID to display available options for that cruise.

Down below (right) in the “Datasets” panel:

- Clicking on the + symbol in the green circle, or anywhere on the row with the dataset name (nutrients and metals), requests that this dataset be ‘mapped’.


Try it ... small colored dots will appear on the map, and the Datasets panel on the right has shifted to a display of “Mapped datasets”, of which there is only one at the moment. The single mapped dataset is listed, with a color-coded dot, the dataset name (nutrients and metals), a number (28) that indicates the number of sampling locations included in this dataset, from the selected cruise (KN192-05).

Once again, we have several ways to get more information: Right-clicking anywhere on the text in the row with the dataset name pops up a menu with several options:


- “View/export mapped dataset” shows a tabular listing of the sampling locations, with options for data export;
- “View mapped dataset on-line” opens the full dataset online;
- “Choose a color” allows you to change the color of the dots on the map;
- “MapServer link to mapped dataset” gives you the ability to save/bookmark the MapServer link to this dataset (for later access)
- “Remove mapped dataset” removes this dataset from the map (removes the dots). Note that unchecking the box to the left of the dataset name temporarily removes the dataset. Checking the box again displays them.

The line underneath the dataset name shows more options/information for each dataset (different options are available depending on the data type).

The MapServer also provides the ability to generate ‘quick view’ plots of the data at a sampling location. On the map, select the dot for station 1 (the western-most point indicated by the red arrow in the following figure), to bring up a dialog box that offers: links to the data from the database and a way to select variables from the dataset to generate a ‘quick view’ X-Y plot. (If the dialog box ever gets in the way, just move it aside.)



Choose ‘Co_tot’ for the X-axis and ‘depth’ for the Y-axis. Click “view and get data” at the bottom of the box to generate the plot on the next page of total Cobalt concentration vs. depth.



Notice once again, several tabs at the top make it easy to view a tabular list of the data in the graph or download the data from the “File output tab”. Close the graph.

(Note: this dataset has the option to plot data from multiple stations, as indicated by the line stating “Plot multiple records by sta on one graph.” under the dataset name in the “Mapped datasets” panel. This function will be demonstrated in part 3 of this tutorial.)

Data access: MAP BROWSE

scenario 2: You are interested in data from a particular geographic region.

Go to: <http://bcodmo.org/> the BCO-DMO home page

At the bottom of the DATABASE column on the left, click on the GEOSPATIAL ACCESS map.



The MapServer system map showing all the deployments from the BCO-DMO database opens in a new window or tab.

| Name | # |
|--------------------------|----|
| ASCOS | 1 |
| CAMEO | 1 |
| CoML | 91 |
| Dimensions of Biologi... | 0 |
| ETBC | 4 |
| FeSynth | 15 |
| GoMX - DHOS | 17 |
| Historical | 11 |

| Name | # |
|---------------------------|----|
| ACIDIC | 3 |
| Active bacteria in sur... | 1 |
| AESOPS | 16 |
| Aleutian Archipelago... | 0 |
| ALEX-GoME | 38 |
| AMT | 0 |

| Name |
|------------------|
| A16N (RB-03-04B) |
| A16N (RB-03-04C) |
| AB_63_1 |
| AB_63_2 |
| AB_63_3 |
| AB_63_4 |
| AB_63_A |
| AB_63_A |
| AB_64_5 |

Map

Visible deployments

Select deployment(s) to view dataset(s). Right-click a row for more options.

- AB_63_1
- AB_63_2
- AB_63_3
- AB_63_4
- AB_63_A
- AB_63_A
- AB_64_5
- AB_64_6
- AB_64_7
- AB_64_8
- ACIDIC-CMEN-GIFET

Datasets

Available datasets


Select dataset(s) to add to your map. Right-click a row for more options.

| Dataset | Deployment |
|---------|------------|
|---------|------------|


A common way to use the MapServer GIS is to define a region of interest on the map.

For example: you are interested in phytoplankton blooms in the North Atlantic.

The colored lines represent cruise tracks; triangular symbols represent fixed sampling sites (e.g. mooring locations or time-series sites). Zoom in to the cruise track just west of Europe (between the Labrador and North Sea in the vicinity of Ireland at 50° N 20° W).


Click the “Zoom in”  button and then click and drag to define an area on the map.

Notice the available map positioning tools shown at right (indicated by the red arrow).



The default mode is Pan, and if using the “Zoom in” button you will need to put the “mapper” in Zoom mode each time if doing multiple zoom actions. Suggestion: once the area of interest has been selected using “Zoom in”, use the zoom tools (+ and - buttons).


Use the various map positioning tools (shown above right) until your map looks something like the screen shot below.




There is a lot of information displayed on this map and in the associated panels. We notice an assortment of cruise tracks (colored lines) and fixed sampling locations

(colored triangles). The map system offers several tools for figuring out what is being shown on the map. The map controls appear in a tool bar above the map.

To find out what cruises these are, use the Query tool (click on the Query button now). Then click on a colored item on the map. For example, click on the cruise track southwest of Ireland (in the image below, this is the green line with the red X on it).



A new “Query results” window will pop-up on the map, identifying the deployment name, platform, location, and dates.




The results of the Query tool indicate that the selected navigation track is from a deployment called “Aircraft_P3_NABE”. The results window also reveals that this track is from a NASA P3 aircraft flight. In the results box, you could click on “single-out deployment” to remove all other deployments from the map and show only the one identified.


But let's find some data...

Use the “Zoom in” tool to zoom in closer to the area around Iceland.

Click the “Query” button and then click on the cruise track southwest of Iceland (in the image below, this is the light green line next to the arrow cursor on the map).



Click on the Query tool, then click on this deployment to identify it.



This deployment is identified as KN193-03, as shown in the image on the left.

Right click on the KN193-03 line in the Visible deployments panel (see image above), and select “View deployment metadata”.

This opens up a new browser window or tab with a view of the deployment metadata/documentation (shown on the next page).

View of KN193-03 deployment (cruise) metadata (documentation) retrieved by the MapServer from the BCO-DMO database.

The screenshot shows the BCO-DMO MapServer interface. At the top, there's a navigation bar with links for HOME, DATA, RESOURCES, and ABOUT US. Below the navigation bar, the main content area has three sections: DATABASE, GEOSPATIAL ACCESS, and CONTRIBUTE DATA.

DATABASE

| | |
|--------------|------|
| Programs | 28 |
| Projects | 352 |
| Deployments | 1916 |
| Datasets | 6943 |
| Instruments | 345 |
| Parameters | 1315 |
| People | 1519 |
| Affiliations | 378 |
| Funding | 59 |
| Awards | 785 |

GEOSPATIAL ACCESS

A world map showing the route of the deployment, which is a series of lines connecting various locations in the North Atlantic and Arctic regions.

CONTRIBUTE DATA

- Getting started**
 - » [How-to Guide](#)
 - » [FAQs](#)
- Metadata Forms (.rtf files)**
 - » [Program Metadata Form](#)

Deployment: KN193-03

[Map It](#)

Deployment: KN193-03

Chief Scientist: Dr Mary Jane Perry (University of Maine, U Maine DMC)

Contact: Dr Ivona Cetinic (University of Maine, U Maine DMC)

Synonyms: NAB08 Process Cruise

Coordinated Deployments: B4-2008
B10-2008
Biofloat_48
SG140
SG141
SG142
SG143
B9-2008

Platform: R/V Knorr

Platform Type: vessel

Start Date: 05/01/2008

End Date: 05/22/2008

Location: subpolar North Atlantic, Iceland Basin, 60.7 to 61.7 degrees N, 25 to 27.7 degrees W

Description

A three-week process cruise on the R/V Knorr operated in the vicinity of five autonomous platforms that had been deployed in early April by another vessel. A total of 10 simultaneous float and CTD calibration profiles were taken to calibrate sensors on the Lagrangian mixed layer float (Biofloat 48) and to validate proxy measurements (i.e., optical attenuation to particulate organic carbon, etc.). One simultaneous Seaglider and CTD calibration profile was

Return to the map (the browser window with this URL address:


<http://mapservice.bco-dmo.org/mapserver/maps-ol/index.php>). Most likely this is in the browser tab that precedes the one you have been looking at with the deployment metadata (that looks like the screen shot above).

Now take the map out of Query mode by clicking on the “Pan” button (to the left of the “Query” button) and then click the “Clear query” button to remove the red X from the map.

Let's see what data the 2008 North Atlantic Bloom Experiment (NAB 2008) investigators have shared from their KN193-03 cruise.

In the “Datasets” panel (in the lower right of the browser window), select the “CTD 1m averaged profiles” dataset from the list of available datasets from this cruise. Notice the dots that appear on the map, which represent the CTD casts.

Use the Zoom + tool to zoom in until the spatial extent looks similar to the image below (some additional dialog windows from the next step have already been opened and are visible in the image below).




This CTD dataset provides the option of making a graph containing data from multiple casts. In the “Mapped datasets” panel, click where indicated to create an aggregate graph by cast (circled in the image above).


A window opens that allows you to choose the casts to include in the graph. Let's make a graph of casts 26, 27, and 28. You can select stations in two ways:

1. Click on the dots on the map. Each selected dot will be highlighted in the aggregation options window; OR
2. Hold down the CTRL key and click on the station names in the aggregation options window.

Casts 26, 27, and 28 are indicated by the arrows in the image below. After selecting the stations (using either method), choose ‘O2_cal’ for the X-axis and ‘depth’ for the Y-axis. The multiple plot options window should like the image below. Then, click the “Graph-it” button.



The resulting graph should look like the one below, where calibrated oxygen from 3 casts is plotted against depth. Each cast is represented by a different color, as indicated in the legend located in the upper right-hand corner.




Close the graph and the aggregation options window.


The data can be downloaded using several different methods:



From the map, one can view the data from any selected point (“Available on-line data at this point”), or one can view all the records in the full data dataset (“Link to full dataset”).



Another option is to right click on the dataset line in the Datasets panel (to the right of the map display).



Right clicking the dataset name brings up the dataset options menu, from which one can export the data. Choose “View/export mapped data”.


In addition to the data table display, one has the option to download the data as tab-separated values (TSV) or KML (Google Earth) formatted files.

| KN193-03 : CTD 1m averaged profiles | | | | | | |
|-------------------------------------|---------------------------|----------------------|---------|------|----------|------|
| Locate on map | On-line link | ID | cast | date | time | |
| center-map | highlight | link | cast=1 | 1 | 20080502 | 1905 |
| center-map | highlight | link | cast=2 | 2 | 20080504 | 1657 |
| center-map | highlight | link | cast=3 | 3 | 20080504 | 1921 |
| center-map | highlight | link | cast=4 | 4 | 20080504 | 2222 |
| center-map | highlight | link | cast=5 | 5 | 20080505 | 0227 |
| center-map | highlight | link | cast=6 | 6 | 20080505 | 0516 |
| center-map | highlight | link | cast=7 | 7 | 20080505 | 1002 |
| center-map | highlight | link | cast=8 | 8 | 20080505 | 1300 |
| center-map | highlight | link | cast=9 | 9 | 20080505 | 1639 |
| center-map | highlight | link | cast=10 | 10 | 20080506 | 0934 |
| center-map | highlight | link | cast=11 | 11 | 20080506 | 1118 |
| center-map | highlight | link | cast=12 | 12 | 20080506 | 1312 |
| center-map | highlight | link | cast=13 | 13 | 20080507 | 0847 |
| center-map | highlight | link | cast=14 | 14 | 20080507 | 1233 |
| center-map | highlight | link | cast=15 | 15 | 20080507 | 1546 |
| center-map | highlight | link | cast=16 | 16 | 20080507 | 2156 |
| center-map | highlight | link | cast=17 | 17 | 20080508 | 0209 |
| center-map | highlight | link | cast=18 | 18 | 20080508 | 0504 |

Data access: MAP KEYWORD SEARCH

scenario 3: You are interested in data of a particular type from a particular geographic area.

The MapServer has a KEYWORD search that is useful for finding certain types of data.



To test out the KEYWORD search function,

1. Click “Start over” in the top tool bar above the search panels (to clear the map and restart with a fresh map), and
2. click the “KEYWORD search” menu item toward the upper left-hand corner of the browser.



Enter something of interest in the “Keyword search string” text entry box.

For example, type in “pigments”.

If you are interested in pigments from only a certain geographic area, you can zoom-in to that area on the map, then choose “Yes” next to “Restrict results to map?”

You may also specify a date range in the minimum and maximum date fields.

Search criteria

Keyword search string (optional): 

Restrict results to current map view? Yes No

Minimum date (optional):

Maximum date (optional):


Results will appear in the datasets panel.

For now, let's just search for "pigments". Click the "Run Search" button. The results appear in the datasets panel. Select "chlorophyll_phaeophytin".

| Datasets | |
|---|---|
| Available datasets | Mapped datasets |
| Search results | |
| Click a row to display corresponding dataset-deployment(s). | |
| Dataset | Description |
| AREAL Summary | Summary of Areal (mixed layer integrated) data |
| bottle_proc | Rosette Bottle Data (nutrients, chl), 2001 and 2003 |
| bottle_summ | Niskin bottle summary product; basic hydrographic data, thorium-234, pigments and nutrients |
| chlorophyll | Chlorophyll data from EN321 and EN325, Georges Bank, 1999 |
| chlorophyll and phaeophytin | pigments; chlorophyll and phaeophytin |
| chlorophyll_phaeophytin | pigments chlorophyll-a and phaeophytin sampled from Niskin bottles |
| chloro_Daly | Chlorophyll data (CTD water bottle data) from LMG0203 |
| chloro_Vernet | Chlorophyll data from bottles, buckets and ice |
| chlor_phaeo | Extracted Chlorophyll and Phaeopigment, Georges Bank, 1995. |
| chl_fluor | Chlorophyll-a and phaeopigments, fluorometric method |
| CTD Profiles | Two decibar-averaged CTD profiles from the Hawaii Ocean Time-Series (HOT) |
| dist-pp | Productivity, PIC, Chl-a and Phaeo Pigments along ship's track |
| HPLC | HPLC Pigments |
| HPLC Pigments | HPLC pigment analyses of CTD collected samples on KN207-03 cruise (NA-VICE). |
| HPLC pigments OC | pigments from HPLC analysis of bottle samples collected aboard Oceanus |
| HPLC pigments WB | HPLC pigments, EDDIES WB cruises |

The map updates to show that these data have been reported from two deployments: OC404-01 and OC404-04. At this point, you can choose a different search result if this was not what you were looking for. Zoom-in to the cruise tracks (if needed).

The cruise tracks are displayed on the map, and the datasets available from both cruises are listed in the “Datasets” panel. Click on the ‘Available datasets’ tab. They are grouped by dataset by default. Choose “deployment” from the “Group by” drop-down menu to change the grouping. (This is more useful for cruises that have many datasets.)



The datasets have been discovered and at this point one can proceed to map the datasets, view the data, or make quick view plots.

The screenshot shows the BCO-DMO MapServer Geospatial Interface with the following components:

- BCO-DMO repository**
- MapServer Geospatial Interface**
- Search criteria** (including Keyword search string: "pigments", Restrict results to current map view: No selected, Minimum date: 01/01/2004, Maximum date: 01/01/2005)
- Available deployments** (listing EDDIES 2004 Survey 1 (OC404-01), EDDIES 2004 Survey 2 (OC404-04), OC404-01, OC404-04)
- Visible deployments** (listing OC404-01 (EDDIES 2004 Survey 1) and OC404-04 (EDDIES 2004 Survey 2))
- Map** (a map of the North American Basin showing cruise tracks for OC404-01 and OC404-04. Labels include Hatteras Plain, Soham Plain, North American Basin, and Bermuda. Coordinates range from 30°N to 55°N and 65°W to 75°W)
- Datasets** (Available data: Mapped datasets | Search results)
 - Group by:** deployment (dropdown menu) | Remove all
 - Select dataset(s):** Right-click a row for... | Deployment
 - Deployment: OC404-01**
 - + chlorophyll_phaeophytin OC404-01
 - Deployment: OC404-04**
 - + chlorophyll_phaeophytin OC404-04

Glossary of Terms

| | |
|-----------|--|
| BCO-DMO | Biological and Chemical Oceanography Data Management Office http://bcodmo.org/ |
| GIS | Geospatial Information System; a map system to display spatial data |
| MapServer | Open Source software for publishing spatial data and providing interactive mapping applications via the Web http://mapserver.org/ |
| OCB | Ocean Carbon and Biogeochemistry research program http://www.us-ocb.org/ |
| US GLOBEC | GLOBAL Ocean ECosystems Dynamics research program http://www.usglobec.org/ |
| US JGOFS | United States Joint Global Ocean Flux Study http://usjgofs.whoi.edu/ |

Acknowledgments

The MapServer interface is a custom implementation of the Open Source MapServer software developed at the University of Minnesota. The BCO-DMO MapServer system is the result of collaboration between programmer Charlton Galvarino (Second Creek Consulting, Columbia, SC) and BCO-DMO staff members. In particular, BCO-DMO marine biology data specialist, Dicky Allison has led this development effort. Funding for this work is provided by the National Science Foundation Division of Ocean Sciences and Division of Polar Programs.

Follow BCO-DMO:



info@bco-dmo.org



@BCODMO



<https://www.youtube.com/user/BCODMO>



