Intelli JIDEA

Default macOS keymap



9 @intellijide



a blog.jetbrains.com/idea

REMEMBER THESE SHORTCUTS

Smart code completion	^☆Space
Search everywhere	Double企
Show intention actions and quick-fixes	7€
Generate code	%N, ^₽
Parameter info	ЖР
Extend selection	↑
Shrink selection	<i>T</i> 1
Recent files popup	ЖE
Rename	մ F6

GENERAL

Open corresponding tool window	жож9	
Save all	ЖS	
Synchronize	ΥZЖ	
Toggle maximizing editor	₩ 습 F12	
Inspect current file with current profile	IOT	
Quick switch current scheme	^,	
Open Settings dialog	₩,	
Open Project Structure dialog	₩;	
Find Action	₩☆A	

DEBUGGING

Step over/into	F8/F7
Smart step into/Step out	쇼F7/ 쇼F8
Run to cursor	₹F9
Evaluate expression	₹F8
Resume program	₩\R
Toggle breakpoint	ЖF8
View breakpoints	₩ 쇼 F8

SEARCH / REPLACE

፠F ፠G/፠☆G
¥G/¥ሉG
70 07 00 11 0
 ≇R
₩ûF
₩ûR
^G
^#G
^ G

EDITING

EDITING	
Basic code completion	^Space
Smart code completion	↑☆Space
Complete statement	፠፞፞፞፞
Parameter info	₩P
Quick documentation lookup	₩J, F1
External Doc	☆ F1
Brief Info	% +mouse
Show descriptions of error at caret	₩F1
Generate code	%N, ^↩
Override methods	^0
Implement methods	^
Surround with	# \T
Comment/uncomment with line comment	% /
Comment/uncomment with block comment	% ₹/
Extend selection	↑
Shrink selection	7.1
Context info	^企Q
Show intention actions and quick-fixes	7.0
Reformat code	#7L
Optimize imports	07^
Auto-indent line(s)	17^
Indent/unindent selected lines	→ I / ଫ →I
Cut current line to clipboard	жx
Copy current line to clipboard	жc
Paste from clipboard	₩V
Paste from recent buffers	₩ûV
Duplicate current line	ЖD
Delete line at caret	#≪
Smart line join	△むJ
Smart line split	% ₽
Start new line	☆
Toggle case for word at caret or selected block	፠企U
Select till code block end/start	[67#\]67#
Delete to word end	∀
Delete to word start	₹⊠
Expand/collapse code block	#+/#-
Expand all	光
Collapse all	光
Close active editor tab	жw

REFACTORING

Сору	F5
Move	F6
Safe Delete	%Delete
Rename	☆F6
Refactor this	^T
Change Signature	% F6
Inline	NZЖ
Extract Method	MZЖ
Extract Variable	V7%
Extract Field	₩\F
Extract Constant	#/C
Extract Parameter	#\r

NAVIGATION

Go to class	жо
00 to class	
Go to file	₩ĠO
Go to symbol	07%
Go to next/previous editor tab	^←/^→
Go back to previous tool window	F12
Go to editor (from tool window)	গ
Hide active or last active window	<u></u> ተወ
Go to line	₩L
Recent files popup	₩E
Recent locations popup	₩ûE
Navigate back/forward	%\←/%\¬
Navigate to last edit location	%
Select current file or symbol in any view	₹F1
Go to declaration	₩B, ₩Click
Go to implementation(s)	#7B
Open quick definition lookup	√Space, %Y
Go to type declaration	^
Go to super-method / super-class	жU
Go to previous/next method	<u>^</u> ↑/ <u>^</u> ↓
Move to code block end/start	[/#T]
File structure popup	₩F12
Type hierarchy	^H
Method hierarchy	₩ûH
Call hierarchy	H7^
Next/Previous highlighted error	F2/ 企F2
Edit source/View source	F4/ж↓
Show navigation bar	₹Home
Toggle bookmark	F3
Toggle bookmark with mnemonic	₹F3
Go to numbered bookmark	^0^9
Show bookmarks	%F3

COMPILE AND RUN

Build project	₩F9
Compile selected file, package or module	光
Select configuration and run/debug	^\R/D
Run/Debug	^R/D
Run context configuration from editor	^
Run anything	Double ^

USAGE SEARCH

Find usages/Find usages in file	\TF7/\#F7
Highlight usages in file	%
Show usages	₩\F7

VCS / LOCAL HISTORY

Commit project to VCS	жK
Update project from VCS	жт
Push commits	₩ûK
'VCS' quick popup	^V

LIVE TEMPLATES

Surround with Live Template	μ7J
Insert Live Template	ЖJ