OXFORD

## Databases and ontologies

# EpimiRBase: a comprehensive database of microRNA-epilepsy associations

# Catherine Mooney<sup>1,\*</sup>, Brett A. Becker<sup>2</sup>, Rana Raoof<sup>1,3</sup> and David C. Henshall<sup>1</sup>

<sup>1</sup>Department of Physiology and Medical Physics, Royal College of Surgeons in Ireland, <sup>2</sup>School of Computer Science, University College Dublin, Dublin, Ireland and <sup>3</sup>Department of Anatomy, Mosul Medical College, Mosul, Iraq

\*To whom correspondence should be addressed.

Associate Editor: Ivo Hofacker

Received on 21 August 2015; revised on 17 December 2015; accepted on 3 January 2016

#### **Abstract**

Summary: MicroRNAs are short non-coding RNA which function to fine-tune protein levels in all cells. This is achieved mainly by sequence-specific binding to 3' untranslated regions of target mRNA. The result is post-transcriptional interference in gene expression which reduces protein levels either by promoting destabilisation of mRNA or translational repression. Research published since 2010 shows that microRNAs are important regulators of gene expression in epilepsy. A series of microRNA profiling studies in rodent and human tissue has revealed that epilepsy is associated with wide ranging changes to microRNA levels in the brain. These are thought to influence processes including cell death, inflammation and re-wiring of neuronal networks. MicroRNAs have also been identified in the blood after injury to the brain and therefore may serve as biomarkers of epilepsy. EpimiRBase is a manually curated database for researchers interested in the role of microRNAs in epilepsy. The fully searchable database includes information on up- and down-regulated microRNAs in the brain and blood, as well as functional studies, and covers both rodent models and human epilepsy.

Availability and implementation: EpimiRBase is available at http://www.epimirbase.eu

Contact: catherinemooney@rcsi.ie

#### 1 Introduction

Epilepsy is one of the most common neurological disorders, affecting ~65 million people worldwide. It is characterised by recurring seizures; abnormal, synchronous firing of groups of neurons within the brain that disrupt sensory, motor and other brain functions (Chang and Lowenstein, 2003; Fisher *et al.*, 2014). Although antiepileptic drugs help control seizures for many patients, there is no cure for epilepsy and about one in three patients are drug resistant. Analysis of brain tissue from patients and rodent models suggests that there are large-scale changes in gene expression within affected brain regions (Pitkänen and Lukasiuk, 2011). Understanding what controls gene expression may open new avenues for treatment or prevention of epilepsy.

MicroRNAs are short non-coding RNAs which function to fine-tune protein levels in all cells. They achieve this mainly by

sequence-specific binding to 3' untranslated regions of target mRNA (Bartel, 2004). The result is post-transcriptional interference in gene expression which reduces protein levels either by promoting destabilisation of mRNA or translational repression (Bartel, 2009). Targeting typically requires a 2–8-nt Watson-Crick base pairing (the so-called 'seed' region) between the 5' end of the microRNA and its mRNA target (Bartel, 2009). This interaction is mediated by proteins of the Argonaute (Ago) family, in particular Ago2 (Czech and Hannon, 2011).

Since 2010, research has emerged that shows microRNAs are important regulators of gene expression in epilepsy. Changes to many different microRNAs have been reported to date, through a combination of animal studies and analysis of human tissue samples. The regulated microRNAs are implicated in controlling levels of proteins involved in processes such as cell death, inflammation, re-wiring of

neuronal networks and other cell functions (Dogini *et al.*, 2013; Jimenez-Mateos and Henshall, 2013). MicroRNAs have also been identified in the blood after injury to the brain and therefore may serve as biomarkers of epilepsy (Gorter *et al.*, 2014; Liu *et al.*, 2010; Wang *et al.*, 2015). A number of functional studies have determined that the manipulation of individual microRNAs can exert a powerful effect on seizures and seizure-induced neuronal death (Jimenez-Mateos *et al.*, 2012; Tan *et al.*, 2013).

As active investigators in this growing area of epilepsy research, we recognised the need for a database to keep track of the rapidly expanding published literature on microRNAs and epilepsy. We have developed EpimiRBase in order to provide complete and up-to-date information on all publications relating to microRNAs and epilepsy. The database contains over 2000 manually curated microRNA entries including up-/down-regulated microRNAs from high-throughput profiling studies of human brain tissue and rodent experimental models, after evoked seizures and in chronic epilepsy; low-throughput expression analysis and functional studies in which microRNAs have been manipulated in seizure models; and microRNA biomarker studies in which microRNAs have been surveyed in biofluids such as blood in epilepsy patients and animal models of epilepsy.

### 2 Implementation

Initial studies for inclusion in EpimiRBase were selected using a PubMed search (date: August 18, 2015) and the search terms 'Epilepsy and microRNA' (returned 104 results) and 'Seizure and microRNA' (returned 63 results). These two lists were cross referenced and duplications were removed. From the remaining list of published studies we selected only those reports that had intentionally investigated a role for microRNA in human epilepsy or an *in vivo* experimental seizure model. We have continued to update EpimiRBase as new publications become available. We apologise in advance to authors of any studies that we may have missed in this version of the database and urge them to contact us to ensure their inclusion in the next release.

MicroRNA names from each publication were mapped to miRBase 21 using the R package miRNAmeConverter. MicroRNAs that could not be unambiguously mapped to miRBase 21, or that were not included in miRBase 21, were removed. We also removed any microRNAs that were not human, mouse or rat (e.g. ebv, kshv, mghy) and novel microRNAs. We incorporated this database into a user-friendly web-based portal to facilitate discovery, browsing and searching for microRNAs which are or may be related to epilepsy. The database is searchable by any of the following parameters: microRNA name, regulation (up/down), type of study (i.e. lowthroughput expression analysis and functional experiments or highthroughput profiling methods), species, publication authors and expression details. Users can input the exact microRNA name (such as mmu-miR-22-3p) or part of a name, for example the numeric portion (such as 22); searches are dynamic and can be partial or complete and become more refined as detail is added. After submitting a query all entries that are related to the user's query are listed and users can sort the entries by any column (Fig. 1). An advanced search is also available where the user can filter the data based on any or all of the above parameters.

Details are provided on the regulation (up or down), the study type (profiling, expression analysis or functional), the species and the microRNA expression patterns (timing of up- or downregulation). We also provide links to the miRBase entry for each



Fig. 1. The EpimiRBase user interface showing results of a search for 'mmumiR-22-3p'

microRNA (Kozomara and Griffiths-Jones, 2014), a PubMed link to the publication associated with each database entry, links to two databases of validated microRNA targets, TarBase (Vlachos et al., 2015) and miRTarBase (Hsu et al., 2014) and a link to a page which provides summary information on the experimental design (by clicking on 'Experimental Details'). Some authors have argued that many of the sequences in miRBase are not derived from bona fide microRNA genes, therefore, we have included a link for each microRNA entry to MirGeneDB, a recently published database of manually curated and highly supported bona fide microRNAs (Fromm et al., 2015). For example, of the 1,881 human microRNAs listed in miRBase, only 523 meet the standards for microRNA annotation in MirGeneDB. The entire EpimiRBase database is available for download in CSV, XML and JSON formats.

Finally, authors are encouraged to submit data from recently published expression analysis, functional and profiling studies to us using the EpimiRBase submissions page. Once approved, the submitted records will be included in the next version of the database and made available to the public.

#### 3 Discussion and conclusion

EpimiRBase is a comprehensive manually curated database of over 2000 microRNA-epilepsy associations from 34 publications to date including 973 unique microRNA (1191 up- and 864 downregulated) from three species: human (161), mouse (849) and rat (1045). We have categorised the microRNA into four study types: expression analysis (41), functional (12), profiling-biofluid (32) and profiling-brain (1970). Information about the current version of the database and the most recent updates and statistics are available from the EpimiRBase website. The development and expansion of EpimiRBase will be ongoing and more publications describing microRNA involvement in epilepsy will be integrated into the database as they become available. We encourage authors of these studies to contact us and submit their data and members of the community to alert us to relevant publications we have not yet included. We hope that biologists and medical researchers who work in the field of epilepsy research will find EpimiRBase a useful addition to their toolbox and the annotations found in EpimiRBase will help them design and prioritise further experimental epilepsy research.

1438 C.Mooney et al.

#### **Funding**

This database was established as part of the EpimiRNA research programme, funded by the European Union Seventh Framework Programme (FP7/2007-2013) under grant agreement no. 602130, and with the financial support of Science Foundation Ireland (SFI/13/IA/1891, SFI/12/RC/2272, SFI/12/COEN/18 and SFI/14/ADV/RC2721) and a fellowship from the Iraqi Ministry of Higher Education and Scientific Research.

Conflict of Interest: none declared.

#### References

- Bartel, D.P. (2004) MicroRNAs: genomics, biogenesis, mechanism, and function. Cell, 116, 281–297.
- Bartel, D.P. (2009) MicroRNAs: target recognition and regulatory functions. *Cell*, **136**, 215–233.
- Chang, B.S. and Lowenstein, D.H. (2003) Epilepsy. N. Engl. J. Med., 349, 1257–1266.
- Czech,B. and Hannon,G.J. (2011) Small RNA sorting: matchmaking for Argonautes. Nat. Rev. Genet., 12, 19–31.
- Dogini, D.B. et al. (2013) MicroRNA regulation and dysregulation in epilepsy. Front. Cell. Neurosci., 7, 172.
- Fisher,R.S. et al. (2014) ILAE official report: a practical clinical definition of epilepsy. Epilepsia, 55, 475–482.
- Fromm,B. et al. (2015) A uniform system for the annotation of human microRNA genes and the evolution of the human microRNAome. Annu. Rev. Genet., 49, 213–242.

Gorter, J.A. et al. (2014) Hippocampal subregion-specific microRNA expression during epileptogenesis in experimental temporal lobe epilepsy. Neurobiol. Dis., 62, 508–520.

- Hsu,S.D. et al. (2014) miRTarBase update 2014: an information resource for experimentally validated miRNA-target interactions. Nucleic Acids Res., 42, D78–D85.
- Jimenez-Mateos, E. and Henshall, D. (2013) Epilepsy and microRNA. Neuroscience, 238, 218–229.
- Jimenez-Mateos, E.M. et al. (2012) Silencing microRNA-134 produces neuroprotective and prolonged seizure-suppressive effects. Nat. Med., 18, 1087–1094.
- Kozomara, A. and Griffiths-Jones, S. (2014) miRBase: annotating high confidence microRNAs using deep sequencing data. Nucleic Acids Res., 42, D68.
- Liu, D.Z. et al. (2010) Brain and blood microRNA expression profiling of ischemic stroke, intracerebral hemorrhage, and kainate seizures. J. Cereb. Blood Flow Metab., 30, 92–101.
- Pitkänen, A. and Lukasiuk, K. (2011) Mechanisms of epileptogenesis and potential treatment targets. *Lancet Neurol.*, 10, 173–186.
- Tan, C.L. et al. (2013) MicroRNA-128 governs neuronal excitability and motor behavior in mice. Science, 342, 1254–1258.
- Vlachos,I.S. et al. (2015) DIANA-TarBase v7. 0: indexing more than half a million experimentally supported miRNA: mRNA interactions. Nucleic Acids Res., 43, D153–D159.
- Wang, J. et al. (2015) Circulating microRNAs are promising novel biomarkers for drug-resistant epilepsy. Sci. Rep., 5, 10201.