

PYTHON

---/---/---

Pseudocode

Lab-12

① int. Print number

$n = 0$

{

while $[n \leq 10]$

{

print n

$n = n + 1$

}

}

② int. Print even numbers

{

for $[i = 0 \text{ to } 50 ; i++]$

{

if $(i \% 2 == 0)$

{

print i

}

}

}

③

int. Print multiplication table

{

number = (input from user) _/_/_

n = 1

while [n > 15]

{

print (~~n * number~~) (number * n)

n = n + 1

}

}

④

int [], int [] read file (num.txt) print int []

{

number [] = read num.txt

print number [*]

l = get length (number [])

for i = 0 to l - 1

{

print (number [i] * 2)

}

}

Ag 18

function check file 2 ()

file 2 = ()

if (file 2 exists)

{
 print "file 2 exist"

}
else (file 2 is readable)

{
 print "readable"

}
else (file 2 is writable)

{
 print "writable"

}
else print "file 2 does not exist"

}

② not count words, lines & characters (file.txt)

{
 if (file.txt exists)
 {
 words = count the words in file.txt
 lines =
 char =

11

{
 print words
 * line
 * char
}

else
 printf does not exist "

}
}
} test contents
}

④ Using ~~read~~ read command enter a filename
using -e command check if file exists.
else mkdir make new directory.

① Using read command enter a filename.

- using -e command check if the file exist
- print / readable or else print file does not exist!
→ inside → check -e → file readable
else file not readable.

→ if check -w → file writable
else file not a "

- else file does not exist.

② - using read command enter a filename

- check -e if file exist.

if yes → wc -l

wc -w

- lines

wc -c

- words

- else file does not exist

③ ls -lS | head -2

list contents of current dir

Sort files in descending order of size

Take first file from sorted dir

Store it as large file

print large file.

Aug 19

① using \$1 & \$2 give variable words & filename
check if the file is empty - if it exists - c

→ grep -n "\$word" -f filename

else "file does not exist"

② using read command input a no. (n)

Initialize i = 1

Check ~~while~~ i = 20

print n x i = \$(n x i)

increment i

③ create disk usage

using df -h get the disk usage

if usage > 80%

print warning

④ find word (string word, string filename)

{ if (file exists)

{

search word in filename

print lines containing the word

}

else

{

print file does not exist

}

② int print multiplication table (int number)

```
{  
    number = (input from user)  
    n = 1  
    while (n <= 20)  
    {  
        print number * n  
        n = n + 1  
    }  
}
```

③ check disk usage()

```
{  
    usage = get current disk usage  
    print "current disk usage: ", usage  
    if (usage > 80)  
    {  
        print "warning"  
    }  
}
```

Page 13

test contents

10/6/12

function del {

echo "enter a del name:"

read del

if [-e \$del]; then

echo "del exist"

ls \$del

else

mkdir new-\$del

echo "new del made"

}
h'

⑤

function divide

int. find maximum (int a, int b)

{

max() =

if [a > b]

{

print [+ the maximum is a]

}

else

{

print [The maximum is b]

}

result = max()

print result.