




Sc Q1 Logic.



Q2 enter number



Q3 enter number



Print "number of words"

Q1 Pseudocode.

```

{
  for (i = 0 to 10)
  {
    Print (i)
  }
}

```

Q2

```

{
  for (i = 0 to 50)
  {
    Print (i)
  }
}

```

Q3

```

{
  Print ("Enter a number:")
  Read (number)
  i = 1
  Until (i > 15)
  {
    Print
    result = number x i
    Print (number, " x ", i, " = ", result)
    i = i + 1
  }
}

```

Q4 Pseudocode

```

{
  Read numbers from "nums.txt"
  Print ("The numbers are:")
  for each i in numbers
  {
    Print (i)
  }
  Print ("Double numbers:")
  for each i in numbers
  {
    double = i x 2
    Print (double)
  }
}

```

Q4 Logic

```

Read numbers from nums.txt
↓
Store in array number
↓
Print "The numbers are:"
↓
Take each number
↓
Display number
↓
more number?

```


YES
↓
Take next number.

NO
↓
Print ("Double numbers:")

↓
Take each number
↓
Calculate i x 2
↓
Display result
↓
more number?

YES NO
↓
Take next number

Q5 logic




Pseudocode

```

{
  divide(10, 3)
}
func divide(num1, num2)
{
  if (num2 = 0) then
  {
    print("cannot divide by zero")
  }
  else
  {
    quotient = num1 / num2
    remainder = num1 % num2
    print("Quotient is :", quotient)
    print("Remainder is :", remainder)
  }
}
  
```


Q6 Maximum(55, 30)



```

{
  maximum_value = Maximum(55, 30)
  print("Maximum value is :", maximum_value)
}
func maximum(num1, num2)
{
  if (num1 >= num2) then
  {
    print num1
    return(num1)
  }
  else
  {
    return(num2)
  }
}
  
```

Q7 logic



Pseudocode

```


{
  check_directory("Testdir")
}
func check_directory(dir)
{
  if (directory does not exist)
  then
  {
    create directory 'dir'
    print("Directory", dir, "does not exist")
  }
  else
  {
    print("Directory", dir, "exists")
  }
}
  
```


Scripts of practice problems + lab 2 → write the pseudocode and.

① draw the logic.


Pseudocode and logic.

Logic Start.



Pseudocode.

```
("Enter filename: ")
"Enter filename: "
Read(filename)
if ("filename exists") then
{
    Print ("File exists")
    if (filename is readable)
    then
    {
        Print ("file is readable")
    }
    else
    {
        Print ("file is not readable")
    }
    if (filename is writable)
    then then
    {
        Print ("File is writable")
    }
    else
    {
        Print ("File is not writable")
    }
}
else
{
    Print ("File is does not exist")
}
}
```



```
Print- ("Enter filename: ")
Read(filename)
if ("file exists") then
{
    lines = Count_lines(filename)
    words = Count Count_words(filename)
    characters = Count_characters(filename)
    Print ("Number of lines:", lines)
    Print ("Number of words:", words)
    Print ("Number of characters:", charac characters)
}
else
{
    Print ("File does not exists")
}
}
```


③ Logic

Display "Contents of the current directory"

↓
List files in directory

↓
Sort files by size

↓
Select the largest file

↓
Display "largest file:"

↓
Display largest file.

Pseudocode

```
{  
  Print ("Contents of the current directory:")  
  List all files in current directory  
  Sort files according to size  
  largest = select largest file  
  Print ("largest file:")  
  Print (largest)  
}
```

④ Logic

Enter the word

↓
Read word

↓
Enter filename

↓
Read filename

↓
Search word in the file

↓
Display matching lines.

{

Print ("Enter word:")

Read (word)

~~the~~
Print ("Enter filename:")

Read (filename)

Search word in filename

Display matching lines
}

⑤ Logic

Enter a number

↓
Read num

↓
 $i = 1$

↓
 $i \leq 20?$

YES

↓
Calculate $num \times i$

↓
Display result

↓
 $i = i + 1$

↓
go back to $i \leq 20$

{

Print ("Enter a number:")

Read (num)

for ($i = 1$ to 20)

{

result = $num \times i$

Print (num, "x", i, "=", result)

}

}