Page No.:
Date:

YOUVA

* LAB 12 :- Pseudo code

⇒ 1) write a shell script to print numbers from 0 to 10.

```
⇒ {
     l = get length (A)
   # i want all elements from 0 to 10
     for i = 0 to l-1
       {
          Print ( A[i])
       }
  }
```

```
⇒ 2) {
       l = getlength (A)          # print only even no from 0 to 50
     for i = 0 to l-1
       {
         if A[i] % 2 == 0
           {
             Print ~~(i)~~ (A[i])
           }
```

```
⇒ 3)  { num = input ()
         i = 1
         repeat this loop :-
         { Print ("num, "x", i, "=", num x i)
              i = i + 1  or  i += 1
         }
            until i > 15
       }
```

⇒4) {

```
create file nums.txt
write 2357 in nums.txt

Read numbers from nums.txt into array ~~for~~ numbers.
l = get length (numbers)
for i = 0 to ~~length (numbers)~~ l-1
 {
   Print (numbers [i])
 }
For i = 0 to ~~length (numbers)~~ l-1
 {
   result = numbers [i] x 2
   Print (result)
 }
}
```

⇒5) {

```
Define function maximum (a,b)
 {
   if a>b
    { Print "Maximum number is :", a
    }
   else
    { Print "Maximum number is :", b
    }
 }
 maximum (44,89)
}
```

Define Function____

⇒7) {

Input directory name

↓

Directory exists?

No ↙ ↘ Yes

Create directory (make new folder) | list files.

↘ ↙

Return result (empty list or file list

}

⇒5) {

Define function divide (a, b)

{

local a = first argument

local b = second argument

if b = = 0

{ Print "the no. is infinite"

}

local quotient = (a/b) computed using bc, scaled to 2 decimal places

local remainder = a%b

Print "Quotient =" Quotient

Print "Remainder =" remainder

}

divide (10, 3)

}

Page No.:
Date:

• Aug 18

⇒1) {
Print "Enter filename:"
Read filename
if file filename exists
{ if filename is readable
{
Print "file is readable"
}
else
{
Print "File is not readable"
}
if filename is writable
{ Print "file is writable"
}
else
{ print "file is not writable"
}
}
else
{
Print "file does not exist"
}
}

⇒2)

→ 2) {

Print "Enter filenam:"
Read filenam

if file filename exists using -e
{
~~Local~~ line count = count of lines in filename using wc -l
~~Local~~ word count = count of words in filename using wc -w
charcount = count of characters in filename using wc -m

Print "Lines =" linecount
Print "word =" wordcount
Print "characters =" charcount
}
else
{ Print "File does not exist"
}
}

⇒ 3) 1) list all files and directories in the current directry = ls
2) initialize largest_~~to~~file = " " and largest_size = 0.
3) For each item in the current directory ⇒ using for loop ⇒ *
· check whether the item is a file. ⇒ -f
· if it is a file, get its size ⇒ stat -c%s (filename)
· if its size is greater than largest_size :-
→ Set largest_size = filesize
→ set largest_file = filename
4) Display the list of contents of the current directory
5) Display largest_file and largest_size.

19 Aug

①

→1) Read word & filename

2) use grep to search for word in filename

3) print, the matching lines.

→ ② 1) Read num

2) Set i = 1

3) Repeat while i <= 20:

° calculate num x i

- print the result

- increment i by 1

4) done

→③ 1) Get the current disk usage of the root (/) directory.

2) Store the disk usage percentage in a variable called usage

3) Remove the % symbol from the usage value

4) Display the current disk usage

5) Check whether usage is greater than 80.

6) if usage > 80:

→ Displays "Warning : Disk usage is above 80%!"

7) otherwise: Do not display any warning.