LakeLife

BRAND / INTERFACE / SYSTEM BEHAVIOR

One LakeLife. Every screen. Every state.

The product design handbook
and Claude Code build reference.

Internal builder edition · 17 October 2026
Source snapshot fe9e145
LakeLife.ai

01 / START HERE

One reference. Clear authority.

Use this book to build a consistent LakeLife experience across homeowners, crews, park offices, residents and operations. The companion UI reference demonstrates layouts and states using synthetic data. It does not connect to the application or move money.

AUTHORITY	HOW THE BUILDER SHOULD USE IT
Product-owner direction + AGENTS.md / CLAUDE.md	Preserve the non-negotiable rules and the approved technology stack. Ask before expanding product scope.
lakelife.html	Original identity, component language and visual intent. Its sample names, rates, automation and payment states are historical demonstrations, never behavior requirements.
Current code + migrations	Existing routes, components, guards and implemented extensions. Read the latest source before editing; do not rebuild from an older diagram.
Beta launch plan	Core architecture and business constraints. Treat its old launch dates, provider pricing and historical status as background.
This handbook	A source-linked implementation guide. “Reference” examples and “Recommendation” guidance are not proof of shipped behavior.

> Apply NO-REGRESSION-CONTRACT.md first. The old brief’s universal 30% margin is superseded on crew-priced work. Preserve newer pricing, fee snapshots, manual seasonal confirmation and Architecture A. This handoff never authorizes restoring removed behavior.

AGENTS.md; CLAUDE.md; lakelife.html; lakelife-beta-launch-plan.md; source snapshot fe9e145

02 / READING MAP

Find the decision you are building.

The handbook is organized from visual foundations to screen behavior, then to the server rules and checks that keep the interface truthful.

PART	USE IT FOR
Foundations / pp. 4-15	Identity, tokens, type, spacing, role access and navigation.
Components / pp. 16-23	Buttons, fields, tables, dialogs, feedback, states, mobile and accessibility.
Role experiences / pp. 24-40	Homeowner, crew, park office, resident and operations screen contracts.
System behavior / pp. 41-49	Data ownership, guarded writes, photo proof, pricing, payments and message delivery.
Build handoff / pp. 50-55	Acceptance checks, phased implementation, known differences and a ready-to-use Claude Code prompt.

Companion files

START-HERE.md — Builder entry point with the handoff prompt and reading order.

UI reference — `reference/index.html`. Clickable role and state reference. Switch screens, toggle states, open an accessible example dialog and inspect a phone-width view.

Tokens + inventory — design-tokens.json / .css, route-inventory.csv, screen-contracts.json and acceptance-checklist.csv.

Editable sources — The complete book is provided as HTML and Markdown. Flow diagrams include editable Mermaid source. All artwork and fonts are bundled.

Companion files are documentation artifacts. No application behavior is changed by opening them.

03 / BRAND FOUNDATION

Calm enough to trust. Clear enough to act.

LakeLife keeps the details of property care and park work understandable. The interface should answer: where am I, what is true, what needs me and what happens next?

Local and capable	Use familiar property language: your park, your lake home, crew, service, total, photos and office. Name Big Long, Pretty and Big Turkey Lakes when relevant.
Specific reassurance	Show the exact next step and its consequence. “Request received. Your date is not confirmed yet” is stronger than an unexplained success animation.
One main action	Give each task area a clear primary action. Keep supporting actions quiet and destructive actions separated from routine progress.
Truth before decoration	A missing read is not zero. A queued message is not delivered. A bill is not collected money. Completion requires its evidence.

Brand voice: “See the price before anything is charged.”
“Add the remaining photos to finish this job.”
“Ask your office to review this payment record.”

> Keep the current approved public headline in its current context. The prototype’s homeowner tagline and the app’s newer public headline are not interchangeable instructions to overwrite page copy.

lakelife.html; src/app/page.tsx; src/app/layout.tsx; src/components/Brand.tsx

04 / TRUST AND ACCESS

Five experiences. Permission from the server.

EXPERIENCE	ALLOWED INFORMATION	MUST STAY OUTSIDE THIS VIEW
Homeowner	Own properties, all-in service totals, requests, approvals, photos and billing.	Crew cost, platform margin and other households.
Assigned crew	Own jobs/routes, scope, own rate/payout, permitted day-of-job access.	Customer price, platform margin, another crew's work or future access codes.
Park owner / manager	Own park's lots, resident records, park charges and permitted visit information.	Other parks, household optional-service prices, crew rates and platform margin.
Resident	Own linked tenancy/account, payments, receipts, reported issues and optional care.	Neighbors' balances, office-wide records and internal economics.
Operations	Authorized operational, financial and exception data needed to run LakeLife.	Unnecessary secret exposure, raw payment-card data and unrestricted public exports.

> **These are experiences, not five new users.role values.** The current account roles are owner, vendor and ops; park access uses park_members, and resident access uses linked park records. Preserve these boundaries.

A role switcher in the prototype is a demonstration control. It must never become a production authorization mechanism. Remove forbidden fields before they cross the server-to-client boundary.

AGENTS.md rules 1 and 3; src/app/portal/page.tsx; src/app/park/data.ts; src/app/parks/my-data.ts; src/app/vendor/data.ts

05 / VISUAL TOKENS

Keep the lake palette.

Deep water

`--ink · #0A2430`

Dusk lake

`--deep · #0F3648`

Open water

`--teal · #137A8C`

Shallow water

`--aqua · #BFE3E8`

Morning mist

`--mist · #F3F8F9`

Buoy gold

`--sun · #E9B44C`

USE	TOKEN / RULE
Page and content	Mist background, white cards, ink headings, text body and sub secondary copy.
Primary action	Teal with white text; teal-dark on hover. Gold with ink is a deliberate invitation accent.
Boundaries	Line for card dividers and borders. Check visibility of interactive boundaries separately.
Single source	Use existing CSS variables and Tailwind mappings. Do not add another palette in a new page or import the snapshot as a competing theme.

> The token files in this package are a captured reference. The live source of truth remains src/app/globals.css. Existing tests reject undefined token references and inline fallback palettes.

src/app/globals.css; src/lib/design-system-holds.test.ts

06 / SEMANTIC COLOR

Color supports the words.

MEANING	EXISTING TOKENS	USAGE
Success / settled	–mint, –ink-good, –ok	Only after the underlying result is confirmed. Add a text label.
Attention / review	–sun-soft, –notice-line, –notice-text	A reason, consequence and next action; use .ll-notice.
Danger / uncertain money	–danger, –alarm-bg	Errors, irreversible consequences or money requiring investigation.
Neutral / unavailable	–slate-soft, –sub, –line	No current action, unavailable feature or quiet completed notice.

MEASURED SOLID-COLOR PAIR	RATIO	NORMAL TEXT ≥ 4.5
Body on white	12.96:1	Pass
Secondary on white	4.80:1	Pass
White on teal	5.01:1	Pass
Ink on gold	8.48:1	Pass
Success on white	4.25:1	Fails; adjust pairing
Warning on white	3.44:1	Fails; adjust pairing
Gold on white	2.25:1	Fails; adjust pairing

> Do not assume a token name guarantees contrast. In particular, gold and warning text on white need another pairing for small text. Use existing darker text tokens where they pass; preserve the brand hue as an accent.

Ratios were computed from the listed colors; opacity, gradients, focus rings and actual component backgrounds require separate checks. This is not a conformance audit.

src/app/globals.css. Accessibility basis: W3C contrast guidance.

07 / TYPOGRAPHY

Friendly display. Readable instructions.

Bricolage Grotesque

Manrope

APPLICATION USE	CURRENT BASELINE / SUGGESTED USE
Public hero	Bricolage 800; original 30-46 px responsive scale. Preserve current page-specific headline sizing.
App page title	Bricolage 700-800; current app commonly 24-26 px. Keep one h1.
Section / card title	Bricolage 700-800; typically 17-20 px.
Body	Manrope 15 px, line-height 1.55 in globals.css.
Field input	16 px minimum in current controls to avoid focus zoom on mobile.
Field label / metadata	Current label 12.5 px / 700; use sparingly and verify contrast.
Button / status	Button 14 px / 800. Pill 11.5 px / 800, short label only.

> Use the next/font variables already defined in layout.tsx. A document headline size is not an application token. Do not copy the PDF's large display type into a dense operations screen.

src/app/layout.tsx; src/app/globals.css; lakelife.html

08 / LAYOUT AND SPACING

A shared rhythm across every role.

PATTERN	MEASURED SOURCE VALUE
Main container	.wrap: max-width 1200 px; horizontal padding 24 px; bottom space 80 px.
Top bar	64 px desktop height; dark ink; z-index 50. Mobile spacing tightens at 640 px.
Standard card	14 px radius; 1 px line border; 20 px padded content.
Primary control	10 px radius; button padding 11 × 20 px; compact controls still min-height 44 px.
Status / subtab	99 px radius. Status is information; subtab is navigation.
Dialog	18 px radius; current shared modal max-width 420 px; task-specific booking can override.
Depth	Soft card shadow; stronger modal shadow. Overlay at 100; toast at 200.

Recommended composition

01

Orient

Page name, property or park context and relevant status.

02

Prioritize

Task that needs action, followed by supporting detail.

03

Resolve

Visible next step and a durable result or recovery path.

Use a practical 4/8/12/16/20/24/32/48 px spacing scale when extending the UI. This is a recommended consistency scale, not a claim that every existing screen already uses it.

src/app/globals.css; src/components/ParkToday.tsx; src/components/ops/OpsToday.tsx

09 / IDENTITY AND IMAGERY

Reuse the original mark. Let the work be real.



Mark geometry	Use Logo, LOGO_SUN and LOGO_WAVES from Brand.tsx. Keep the 34 × 34 viewBox, original sun and both waves. Do not redraw or approximate it in each screen.
Wordmark	Download the full lockup from brand-assets/index.html. Bricolage 800. White “Lake”, gold “Life” on the dark header. Keep a dark backing when placing this treatment on light surfaces.
Wave motif	Use Waves and its shared path constants at hero boundaries. Keep busy dashboards quiet; repeating large waves inside every card weakens hierarchy.
Service illustrations	Reuse the original house, winterization, pier, lift, boat, water-toy, mowing and housekeeping artwork. These explain service categories and are not evidence of completed jobs.
Job photos	Show actual authorized job evidence with meaningful labels. Treat device file time as device time, not verified capture time. Keep images private and signed at the server.

> Reference screenshots in this book contain synthetic examples or original prototype demo data. They are not live customer records or proof of service availability.

src/components/Brand.tsx; src/lib/photos.ts; assets bundled from the existing brand guide

10 / LOGO MASTER ARTWORK

The full logo belongs in the handoff.



This is the existing marketing lockup: the gold sun over two waves, followed by white “Lake” and gold “Life” in Bricolage Grotesque 800. Reuse it as one recognizable identity.

ASSET	USE
lakelife-logo.svg / .png	Full logo on ink or another approved dark brand surface. SVG embeds the existing font; PNG supports tools that ignore embedded fonts.
lakelife-logo-on-ink.svg / .png	Full logo with dark backing for light documents, presentations and partner material.
lakelife-mark.svg / .png	Original standalone sun-and-wave mark where the LakeLife name is already present.
src/components/Brand.tsx	Keep Logo, TopBar and Waves as the shared application implementation. Do not duplicate or redraw the geometry.

Clear space

Keep at least one sun diameter around the lockup, matching the earlier marketing guide. Preserve proportions and the one-line wordmark.

Do not substitute

No generic lake icon, emoji logo, alternate font, shadow, outline or AI-redrawn version. Use the supplied master artwork.

Prior brand guide logo-use page; prior launch-kit social artwork; assets/lakelife-logo.svg; ASSET-HANDOFF.md

11 / SERVICE ILLUSTRATION LIBRARY

Keep the little designs people recognize.

Eight original drawings, each with its original soft art background. The earlier marketing pack used six; winterization and water toys complete the prototype family.




Spring / home care

`house.svg / .png`




Fall winterization

`snow.svg / .png`




Pier service

`pier.svg / .png`




Boat lifts

`lift.svg / .png`




Boat care / storage

`boat.svg / .png`




Water toys

`toys.svg / .png`



Lawn care

`mow.svg / .png`



Housekeeping

`clean.svg / .png`

WHERE	HOW TO APPLY IT
Service discovery	Pair the illustration with the service name, scope, actual total/quote state and the action. Keep the complete drawing visible.
Onboarding / helpful empty states	Use the relevant service art to orient people. Preserve current service applicability and availability.
Marketing and print	Reuse the same SVG or PNG and colors. Keep job evidence separate: an illustration never stands in for a completed-work photo.

> All eight SVGs retain original geometry and colors. The manifest maps filenames, source backgrounds and hashes. Avoid mixing these drawings with a new stock-icon style.

lakelife.html / ART; earlier brand-guide assets; brand-asset-manifest.json; brand-assets/index.html

12 / EMOJI VOCABULARY

Small cues. The same familiar voice.

Preserve the emojis already used by LakeLife. Their meaning comes from the adjacent words and the actual state of the task.

🌷 Spring opening	❄️ Winterization	🧹 Housekeeping	🌱 Lawn care	🪟 Window washing	🌨️ Snow removal
🛠️ Pier service	⚓ Boat lift	🌊 PWC lift / friendly sign-off	🛥️ Boat storage	🏍️ Jet ski storage	🛶 Water toys
📍 Lake / place	🏠 Your house	📷 Photos / photo count	🔑 Authorized access	🎉 Onboarding complete	⚠️ Attention with a reason

Use with meaning

Keep service/category choices consistent. A camera supports a photo requirement; a pin supports the lake/place label; a wave can add warmth to an appropriate saved-state message.

Keep the words

Emoji rendering varies by operating system. Keep labels and state explanations readable; hide decorative glyphs from assistive technology when equivalent text is present.


> Do not use a celebration to imply settlement, completion or delivery before the system confirms it. Do not replace the LakeLife logo or the service SVG family with emoji.

src/components/ProfileWizard.tsx; VendorStopCard.tsx; ParkToday.tsx; lakelife.html; exact codepoints in emoji-map.json

13 / MARKETING-TO-PRODUCT CONTINUITY

Carry the visual family into every experience.





Earlier marketing material

BRAND INGREDIENT	PRODUCT TRANSLATION
Logo	Use the same sun, waves and wordmark in the shared dark header.
Small drawings	Carry the service illustrations into discovery and relevant onboarding surfaces.
Emoji cues	Keep the established labels, camera/photo cue, location pin and restrained wave warmth.
Wave borders	Use the original layered wave at major hero/page boundaries. Use the thin repeating wave sparingly; leave dense money tables clear.

Visual guidance only. Preserve current availability, prices, permissions and backend state rules.

Unchanged marketing example: brand-assets/marketing-examples/03-homeowner.png; original assets; ASSET-HANDOFF.md

14 / NAVIGATION

Put people in their own workspace.

EXPERIENCE	CURRENT ENTRY	NAVIGATION CONTRACT
Park member	/portal → /park/today	Membership is checked before crew-invite conversion; show their park identity.
Resident with linked eligible stay	/portal → /parks/my	Include ended-stay money access where current code supports it.
Operations	/portal → /ops	Operational access is server-authorized.
Crew	/portal → /vendor	Today, Schedule, Open jobs, Availability, Rates, Crew, Earnings, Customers.
Homeowner	/portal → /book	Book services, My requests, Approvals, Messages, Billing, Property profile.

Park navigation stays grouped

Today · Renters · Money · On site · Lots & rates · Park setup


Use the existing second-row pills for grouped screens. Every page keeps its route and its title. “Load the roll” stays reachable after onboarding; the import tool is not only an empty-state action.

> Current routing has moved the park landing to Today even though an older ParkNav comment still describes /park as the default. Executable routing wins for the current behavior. Keep selected navigation, URL and page heading aligned.

src/app/portal/page.tsx; src/components/OwnerNav.tsx; src/components/VendorNav.tsx; src/components/ParkNav.tsx

15 / BUTTONS AND ACTIONS

A verb, an object and a visible result.



Reference component sheet using the existing palette, type and control shapes.

STATE	REQUIRED BEHAVIOR
Default / hover / focus	Use .ll-btn variants; preserve visible keyboard focus and a readable label.
Busy	Keep the action identifiable: “Saving changes…” or “Recording payment…”. Disable duplicate submission without hiding progress.
Blocked	Explain why next to the control. Do not leave a disabled action with no path forward.
Success	Show the saved result in the record. Toasts can confirm, but cannot be the only evidence of a money action.
Destructive	State what will change and what remains. Re-check authorization and current state on the server.

src/app/globals.css; src/lib/design-system-holds.test.ts; reference/index.html#components

16 / FORMS AND VERIFICATION

Make each field feel answerable.

Labels	Keep a persistent label, optional helper and specific error. Placeholder text is an example, not the label. Use the existing .ll-field structure and styling.
Input behavior	Use the appropriate input type, autocomplete and inputMode. Preserve user input when a server action fails. Show errors beside the field and focus the first invalid field after submit.
Verification	Use the shared CodeBoxes component. It handles paste, backspace, autocomplete and the completed-code callback. Do not copy six independent inputs into a new form.
Before first booking	A working email and SMS-verified mobile are required. Explain the remaining step; never infer verification from a field merely containing a value.
Save behavior	One coherent form, one scoped save action. Show pending and saved states. If a second action has a separate consequence, label it as a separate task.

Recommended error: “Enter a mobile number we can text.”
Recommended recovery: “We couldn’t verify that code. Check the six digits or request a new code.”

> Phone numbers may be stored in machine format but should display in the established readable format. Avoid technical provider errors in customer copy; keep diagnostic detail in authorized logs.

src/components/CodeBoxes.tsx; src/components/VerifyPanel.tsx; src/components/TextOptIn.tsx; src/app/api/verify/start/route.ts; src/app/api/verify/check/route.ts

17 / CARDS, TABLES AND MONEY

Keep the decision beside the record.

PATTERN	CONTRACT
Service card	Service name, relevant scope, one customer total or truthful quote state, and a booking action. Do not show a $0 fallback for unavailable pricing.
Task card	Who/what needs attention, why, consequence and the single next useful action. Order by actionable urgency.
Financial row	Amount, currency/context, time period, source/status and a clear action. Right-align comparable amounts; use tabular numerals.
Dense table	Stable headings, readable row boundaries and a real mobile strategy. Preserve the record identity when actions wrap.
Summary total	Compute from authoritative data and label the period. “Could not load” is different from “$0”.
Empty record	Say what is absent and how to create or request it. Use a separate error state when data could not be read.

> A resident-facing statement cannot include other households. The claim-slip print style must isolate the requested slip and exclude dashboard controls, other names, balances and unrelated records.

Recommended table handling on phones: switch key records to stacked cards, or give a genuine data table an explicitly labeled horizontal scroll region. Avoid shrinking text until the full desktop table fits.

src/components/BookingGrid.tsx; src/components/ClaimSlip.tsx; src/components/ParkStatements.tsx; src/lib/must-read.ts; src/app/globals.css

18 / DIALOGS AND FEEDBACK

Never lose the task behind a message.

MOMENT	INTERFACE CONTRACT
Dialog opens	Give it a name, move focus inside, keep focus within the modal and provide a visible close control.
Dialog closes	Restore focus to the trigger when appropriate. Escape and backdrop behavior must respect a write already in progress.
Waiting for a write	Prevent repeated submit; keep “Saving…” tied to that action. Do not navigate away before showing a durable result.
Read failure	Explain that the record could not be loaded and offer retry. Do not render fabricated empty rows or zero totals.
Write failure	Preserve input, explain whether anything changed and provide a safe retry or a reconciliation step.
Unknown money result	Tell the user the payment status needs checking. Avoid a blind retry that could create another charge.

Recommended read error: “We couldn’t load this record. Try again.”
Recommended uncertain payment: “We’re checking this payment. Please don’t submit another payment yet.”

The reference dialog demonstrates keyboard containment and focus return. Audit real dialogs individually; the presence of role="dialog" alone does not prove accessible behavior.

src/components/TakePayment.tsx; src/components/AuthModal.tsx; src/components/BookingGrid.tsx; W3C modal-dialog pattern

19 / STATE VOCABULARY

Different objects need different status words.


OBJECT	CURRENT / USEFUL STATES	DO NOT COLLAPSE
Job	requested, scheduled, in_progress, complete, paid, cancelled. Holds/no-show/stand-down also affect eligibility.	Requested ≠ scheduled. Complete ≠ financially settled in every related ledger.
Correction flag	pending, approved, declined.	A crew proposal is not a changed property profile.
Offline payment report	Reported, reviewed/confirmed, disputed as applicable to the current record.	A report is not money transferred through the app.
Online payment	Submitted / in flight, settled, failed or returned as supported by the payment record.	Submission ≠ settlement; a return can change the balance again.
Photo upload	Selected locally, uploading, stored, failed.	A local thumbnail is not an uploaded server record.
Message	Accepted/queued, delivered, failed/undelivered, held.	An API acceptance is not delivery.
Data loading	Loading, loaded empty, loaded data, failed, partial where explicitly supported.	A failed query is not empty success.

> These are display semantics across several objects, not a replacement database enum. Map each label to the actual source fields and use one authoritative transition path per object.

supabase/migrations/0001_schema.sql; 0019_delight_cancel_nickname_ics.sql; src/app/vendor/actions.ts; src/lib/sms-receipts.ts; src/app/parks/rent-capability.ts

20 / RESPONSIVE BEHAVIOR

Build for a thumb and a full desk.



Initial phone viewports for a homeowner and crew member. Scrollable full-height references are included. All values are synthetic.

PHONE / FIELD USE	DESK / OFFICE USE
Task and identity first; actions remain reachable without horizontal page scrolling.	Use a readable 1200 px maximum content width and stable alignment.
Inputs stay at 16 px; controls target at least 44 px height as a LakeLife usability goal.	Use density for comparison, not for hiding status or action consequences.
Stack card columns; allow navigation to wrap intentionally.	Keep related financial rows and the controlling action together.
Respect reduced motion and avoid decorative movement during work.	Support keyboard navigation, zoom, long labels and large amounts.

src/app/globals.css; reference/index.html. Suggested review widths: 375, 390, 768, 1280 and 1440 px.

21 / ACCESSIBILITY

Readable. Reachable. Recoverable.

REVIEW AREA	ACCEPTANCE TARGET
Text contrast	At least 4.5:1 for normal text and 3:1 for large text. Measure actual rendered pairings.
Touch targets	LakeLife target: 44 px controls where practical. WCAG 2.2 AA target-size criterion uses 24 × 24 CSS px or permitted spacing/other exceptions.
Keyboard	Logical order, visible focus, semantic controls and complete modal handling. Never require pointer-only interaction.
Structure	One descriptive h1; meaningful headings; associated labels; status text in addition to color.
Validation	Specific errors with recovery. Announce changing results without forcing repeated screen-reader interruptions.
Motion and reflow	Respect prefers-reduced-motion; review zoom and narrow widths without losing actions or content.
Images	Describe meaningful job evidence; decorative logo/waves can be hidden from assistive technology when the adjacent name conveys identity.


> Treat WCAG 2.2 AA as the recommended review target. This guide does not certify the app. Record any existing mismatch and repair it with the smallest change that preserves the brand.

For long operations pages, include a practical way to reach the main content and ensure a task link visibly moves to the destination it opened.

W3C contrast; W3C target size; W3C dialogs. Reviewed 17 October 2026.

22 / VISUAL BASELINE

The original cockpit still leads.



Historical visual sample only. Names, amounts, dates and “Autopay Active” do not describe current capability.

Preserve

Dark top bar, sun-and-wave identity, Bricolage display, Manrope body, mist page, white cards and teal actions.

Translate carefully


Current routes, guards and runtime states supersede prototype shortcuts. Do not restore its fixed prices, role switcher or “Autopay Active” state. Seasonal Autopilot proposes a visit; the customer must tap to book.

> Use the screenshot for visual styling only. Its capability and payment labels are explicitly historical. The supplied reference screens are intentionally labeled and use synthetic fixtures.

lakelife.html; reference/screens/prototype-home.png

23 / HOMEOWNER / BOOK SERVICES

Start with the property. Offer relevant care.




Reference composition for /book. Synthetic property and illustrative prices; no production data.

CONTRACT	BUILDER GUIDANCE
Entry / context	Require the correct signed-in owner and selected property. Show property identity before service selection.
Main action	Choose an applicable service. Preserve menu, negotiated park and crew-priced modes; show a total only when one exists. Never render pending price as $0.
States	Needs verification; needs property details; loading; no applicable service; unavailable quote; ready; read failure.
Recovery	Send the customer to the exact missing profile or verification step. Preserve the intended service where current navigation supports it.

src/app/book/page.tsx; src/components/BookingGrid.tsx; src/components/PropertySwitcher.tsx; src/lib/pricing.ts

24 / HOMEOWNER / BOOKING

A request is the first committed step.



Reference crew-priced request, with price pending and an explicitly unconfirmed date.

01

Review

Service, scope, property, current pricing status and available date choices. Crew offers may be available; a request may also await a quote.

02

Validate

Account, property, service rules, season and capacity are checked by the server.

03

Request

Show the actual result. “Request received” until scheduling is confirmed.

> Selected days create separate requests. Explain the count before submitting; preserve selections and explain any server rejection.

src/components/BookingGrid.tsx; src/app/book/actions.ts; src/lib/booking.ts; src/lib/lake-gate.ts

25 / HOMEOWNER / REQUEST DETAIL

Keep the promise and the evidence together.

01

Requested

The request exists; a crew/date may still need confirmation.

02

Scheduled / in progress

Show the confirmed visit and current task status.

03

Complete

The server accepted completion with required evidence.

04

Payment record

Show the actual invoice/payment state separately.


DISPLAY AREA	REQUIRED CONTENT
Identity	Service, property, request/visit identifier and relevant date.
Timeline	Readable status events with date/time context. Do not fabricate progress when a background process is delayed.
Work evidence	Authorized completion-photo gallery; useful shot labels where available. Distinguish missing evidence from a failed image load.
Exceptions	Pending correction, held work, cancellation or missing assignment remains visible with a next step.
Money	Customer total and their payment record; no crew cost or margin.
Actions	Only actions allowed in the current state, rechecked on the server. Explain cancellation/reschedule consequences before committing.

> Use date-only service dates without timezone drift. Use the Indiana lake-day helper for operational eligibility; the product owner's desktop timezone must not determine a crew's access day.

src/app/requests/[id]/page.tsx; src/lib/photos.ts; src/lib/booking.ts; src/app/vendor/actions.ts

26 / HOMEOWNER / APPROVALS

Show the change before asking for approval.



Reference correction review. Example section counts and totals are synthetic.

SHOW TOGETHER	ENFORCE TOGETHER
Current value → proposed value, crew explanation and relevant evidence.	Authenticate owner access to this flag and property.
Show the actual repricing outcome, including retained agreed prices, holds and accepted extras; never promise every job recalculates.	Re-read pending status and calculate from authoritative service rules.
Approve and decline actions with clear consequences.	Required: profile change and repricing are atomic. Current code separates them; see the implementation-gap register.
Decision result and updated record.	Handle already-decided and concurrent submissions without applying another change.

src/app/approvals/actions.ts; supabase/migrations/0011_lock_flag_photo_writes.sql and later amendments; AGENTS.md rule 6

27 / HOMEOWNER / PROFILE AND BILLING

Collect what the service actually needs.


Property profile	Group address/lake, home details, pier/lift equipment, boats/toys, lawn and access. Preserve existing wizard components and applicability rules; do not ask for every possible service field at once.
Price-changing details	Explain which counts affect the quote. Save the profile through its authorized action. A crew flag cannot silently bypass the homeowner approval flow.
Access information	Keep gate and door information out of list previews, analytics, logs and public messages. Server rules decide when an assigned vendor can receive it.
Payment method	Use hosted tokenization. Display a safe description such as brand and last four digits, not sensitive account data. A saved token does not prove live charging is enabled.
Invoices and receipts	Label due, paid, failed, refunded or processing according to the actual financial record. Keep mandatory receipt policy distinct from optional reminders; a policy does not prove delivery.

> Current code includes more services and pricing cases than the original five-model description. Reuse the service applicability and pricing engine; do not invent a second calculator in the interface.

src/app/profile/page.tsx; src/components/ProfileWizard.tsx; src/components/PaymentMethods.tsx; src/app/billing/page.tsx; src/lib/pricing.ts; src/lib/notifications.ts

28 / CREW / TODAY

The next stop should be obvious.




Reference /vendor task view. The displayed crew amount is synthetic and is not a customer price.

PRIORITY	CONTRACT
Orient	Crew identity, work date and assigned stops. Keep the stop number, address and scope together.
Act	Directions, job details, photo capture and completion actions use readable labels and touch-friendly controls.
Know the boundary	Show the crew's own quote, fee deduction and net payout where applicable. Omit customer_price and margin from payloads, exports, HTML and client state.
Handle trouble	Explain blocked access, held work, missing evidence and unavailable data. Keep safe recovery visible.

src/app/vendor/page.tsx; src/app/vendor/data.ts; src/components/VendorNav.tsx; AGENTS.md rules 1-3

29 / CREW / COMPLETION EVIDENCE

Photos are part of completing the job.



Reference photo gate. "2 of 3 uploaded" is illustrative; actual requirements come from service data.

UI BEHAVIOR	BACKEND MEANING
Show stored count and required count.	Read authoritative job_photos and service requirements; include package-leg requirements.
Keep uploading / failed separate from stored.	A selected local file does not count toward completion.
Explain why completion is unavailable.	The server and database enforce photo and held-work gates even if a client bypasses a disabled button.
Show a durable completed result.	Completion may initiate later work; it is not proof that a payment or payout has settled.

src/app/vendor/actions.ts completeJob / uploadJobPhoto; src/app/vendor/photo-evidence.test.ts; supabase/migrations/0050_enforce_rules_in_db.sql; 0084; 0146

30 / CREW / SCHEDULE AND EARNINGS


Separate capacity, work and money.

Schedule	Use the existing calendar and dated job detail. A future job cannot be completed early. Show holds and unavailable periods without implying the crew has accepted new work.
Availability	Open, blocked and booked have different meaning. Saving a block needs a visible result; a failed save cannot leave a permanently successful-looking cell.
Open jobs	Describe the real action: claim, accept, propose or decline as the implementation allows. Revalidate capacity, coverage and insurance when a job is taken.
Rates	The crew edits its own rates through the existing controlled flow. Never show platform margin, customer price or a suggested rate reverse-engineered from the customer total.
Earnings	Show earned, held, approved, sent or settled according to actual payout records. A downloadable batch or a completed job does not automatically mean funds arrived.
Crew and customers	Preserve existing onboarding/import workflows. A crew invitation must not accidentally overwrite a park member's identity or grant access to unrelated properties.

src/app/vendor/schedule/page.tsx; availability/actions.ts; rates-actions.ts; earnings-data.ts; src/app/portal/page.tsx

31 / PARK OFFICE / TODAY

Lead with what needs the office.




Reference /park/today layout. Synthetic task counts and money summary.

AREA	CONTRACT
Park identity	Show the current park and live/not-published state. Keep a notices-held banner visible across the park area when applicable.
Needs you	Actionable tasks before money on the phone. Each action should take the user to the actual relevant record.
Money context	Use the correct period and distinguish collected money from in-flight payments.
Shared action	Preserve the existing TakePayment doorway across park navigation; recording offline payment is a distinct action from online collection.

src/components/ParkToday.tsx; src/components/ParkNav.tsx; src/app/park/today/page.tsx; src/components/TakePayment.tsx

32 / PARK OFFICE / RENT ROLL

A row is a household and a record.



Reference rent roll with synthetic households, balances and record states.

SHOW	PROTECT
Lot, resident, tenancy context, balance and record confidence.	Scope every read to the authorized park; do not expose neighboring parks.
A clear path to the household's charges, payments and account invitation.	A resident need not have logged in for the office to administer the existing record.
Useful status and date context beside an amount.	Keep reported payments separate from confirmed payments and settlement.
A focused slip/statement print action.	Print only the intended household artifact; never the entire rent roll.

src/components/ParkRentRoll.tsx; src/app/park/data.ts; src/components/ClaimSlip.tsx; src/app/globals.css print rules

33 / PARK OFFICE / OFFLINE PAYMENT

Record what happened. Confirm the right amount.

01

Identify

Select the correct household and lot; show current account context.

02

Record

Enter amount, method, date and relevant reference through the existing form.

03

Review

Confirm the scope and consequences before the record is committed.

04

Receipt

Show the durable result and offer the authorized receipt/print route.

FAILURE CASE	REQUIRED BEHAVIOR
Resident says “I already paid”	Treat it as a report for office review. Do not imply the app transferred money.
Double click or retry	Use existing idempotency/uniqueness controls; avoid adding a second financial record.
Submission uncertain	Keep context, show a reconciliation route and do not instruct a blind repeat.
Wrong household	Require correction through the actual money-action path; no ad hoc client-side ledger edits.
Dialog closes during write	Preserve the in-flight result path. Current TakePayment blocks inappropriate close behavior while busy.

> Keep commercial policy and accounting behavior in the established server functions. The UI is a clear view and controlled entry point into those rules, not a separate ledger.

src/components/TakePayment.tsx; src/components/IPaidForm.tsx; src/app/park/money-actions.ts; src/app/park/ledger-actions.ts

34 / PARK OFFICE / SHARED COSTS

Make the allocation explainable.

01

Source cost

Amount, category, period and the existing source-note fields.

02

Allocation

Eligible lots and the configured allocation rule.

03

Charges

Review each resulting lot amount before the allowed commit.

04

Statement

Show each resident their own charge and explanation.

DESIGN RULE	IMPLEMENTATION CONSEQUENCE
Explain the basis	Show the source amount and allocation method where the office reviews it. Do not invent invoice attachments if the workflow only stores a source note.
Use the correct population	Shared-cost allocation and LakeLife software-fee eligibility answer different questions; do not reuse one lot-count helper for both.
Reconcile cents	The sum of allocated charges must match the intended amount under the existing rounding policy.
Keep fee streams separate	LakeLife's park-platform invoice is a park-owner obligation, not an automatically added resident charge.
Expose partial failure	A failed allocation/read must not look like a valid zero-cost result. Preserve a safe review/retry path.

> Illustrative arithmetic: a $300 shared cost split equally across 20 eligible lots is $15 per lot. This example does not define the park's real allocation rule.

src/components/ParkCosts.tsx; src/app/park/cost-actions.ts; src/lib/park-platform-fee.ts

35 / PARK OFFICE / SETUP AND IMPORT

A clear start without hidden sends.

STEP	UI AND STATE CONTRACT
Park setup	Show identity, configuration and notice-hold state. Separate “not published” from an error.
Lots and rates	Support the existing bulk setup workflow. Keep lot lifecycle, service status and rate changes visible.
Load the roll	Show source data, proposed matches, conflicts and corrections before committing the import. Keep the tool reachable after initial setup.
Who lives here	Administer known residents even when they have no app account. Do not invent an account to represent a tenancy.
Who can open this park	Use the existing owner/manager invitation and membership controls. Show pending, accepted and failed states truthfully.
Resident invitations	Use the correct household link and actual delivery status. A successful click is not proof that an email or text arrived.
Readiness	Show actionable blockers and name the next required task. Lift notice holds only through the established authorized action.


Recommended principle: setup should still be useful if a resident never opens the app. Office records and account access are related but separate.

> The older park blueprint contains proposed phases and competitor claims. Use current code for shipped behavior; do not implement every historical idea as part of this design handoff.

src/components/ParkNav.tsx; ParkImportRead.tsx; ParkReadiness.tsx; src/app/park/import; src/app/park/people/page.tsx; docs/park-experience-blueprint.md

36 / RESIDENT / MY LOT

Their bill. Their updates. Their choices.




Reference /parks/my account. Synthetic lot, bill and reported issue.

PRIORITY	CONTRACT
Own account	Verify the linked resident/tenancy and show the correct lot. Keep ended-stay financial access where current code supports it.
Payment clarity	Show bill breakdown and available methods. Separate report, in-flight payment and settlement.
Issue clarity	Show the status and recorded resolution. A QR reporting route exists only after the park installs its actual sticker.
Optional services	Keep separate from rent. Office may see visit, service and timing; it does not see what the resident paid for optional care.

src/components/RenterHome.tsx; src/app/parks/my-data.ts; src/app/parks/claim/page.tsx; src/app/portal/page.tsx

37 / OPERATIONS / HOME

Make the exception impossible to miss.



Reference operations console. All counts and alerts are synthetic.

PRIORITY	CONTRACT
Needs you today	Present the actionable task before long lower-page panels; a button should visibly open and move to its destination.
Health	Show payment, communication and data-read problems as distinct states. Never replace a failed read with a reassuring zero.
Work areas	Preserve Jobs, Calendar, Dispatch, Revenue & margin, Lake conditions, Routing, Crews, Messages and Parks.
Financial detail	Internal totals and margin are operations-only. Redact them from every lower-permission response and export.

src/app/ops/page.tsx; src/components/ops/OpsToday.tsx; OpsTabs.tsx; OpsShell.tsx; src/app/ops/money-rail-data.ts

38 / OPERATIONS / DISPATCH AND JOBS

The action should explain what it will change.

Job board	Filter without losing record identity. Show request/schedule state, assigned crew, property, date and active blockers. Open the same canonical job detail for follow-up.
Assignment	Explain coverage, availability, capacity, valid insurance and season constraints. The server revalidates all relevant rules when the assignment is committed.
Held work	Show the reason and the person/action needed to resolve it. A margin issue is internal; the crew and customer receive only the explanation appropriate to their task.
Routing	Keep stop order and the list usable when the map fails. Do not equate a generated route with a message delivered to a crew. Preserve per-lake and seasonal constraints.
Job file	Place scope, status, evidence, corrections and financial records in a traceable order. Keep the distinction between work completion, customer charge and crew payout.

> The original prototype uses Leaflet as a demonstration layer. The approved stack specifies Google Maps JS SDK and Directions API. Do not substitute a new mapping stack to match the demo implementation.

src/components/ops/JobBoard.tsx; JobFile.tsx; NeedsAttention.tsx; RouteBuilder.tsx; src/lib/router.ts; AGENTS.md

39 / OPERATIONS / MONEY AND DELIVERY

Unknown is a real state.

SIGNAL	WHAT THE OPERATOR NEEDS
Processor unavailable	A clear platform-level reason and the next setup/check step; do not blame a resident's bank or card.
Park merchant not ready	Show the owner's setup requirement in the authorized office/ops context; residents receive a simpler payment-method message.
Payment in flight too long	Amount/age/context and a safe investigation link. Do not count it as settled money.
Unread processor event	An actionable exception with event identity and processing state; no duplicated financial side effects on replay.
Message delivery failure	Channel, useful failure reason and allowed recovery. "Accepted" does not mean "delivered".
Notice hold	Make the hold visible across relevant screens. Do not silently send around it.
Read failure	Explicit unavailable/partial state. Never present failed money reads as zero owed, zero risk or zero outstanding work.

Backend visual rule: every alarm has a reason, scope and next action. Every summary links to its underlying records. A dashboard should help someone finish a task, not merely display colored totals.

src/app/ops/money-rail-data.ts; src/app/parks/rent-capability.ts; src/lib/must-read.ts; src/lib/sms-receipts.ts; src/components/ops/OpsPaymentSetup.tsx

40 / SYSTEM ARCHITECTURE

The interface asks. The server decides.

Role-specific Next.js UI

Homeowner · Crew · Park office · Resident · Operations

Authorized server actions and route handlers

Session → ownership/membership → input → current state → business rule

Supabase

Postgres rules + transactions
Auth + scoped access
Private Storage + signed URLs

External services

Hosted payment processor
Twilio Verify / Messaging
Resend · Google Maps

Durable record and observed outcome

Persisted state → authorized view → customer confirmation / operational follow-up

BOUNDARY	CONTRACT
Browser	No service-role credentials, payment secrets, raw card data or forbidden role fields.
Server	Authorize before privileged reads/writes and photo signing. Validate state again at commit time.
Database	Enforce key invariants even if a client bypasses UI checks; preserve migration-owned constraints.
Providers	Treat webhooks, delivery receipts and settlement events as evidence; authenticate and deduplicate them.

Approved stack: AGENTS.md. Current boundaries: src/lib/supabase/server.ts; src/lib/payments-server.ts; src/app/api; supabase/migrations.

41 / DATA RELATIONSHIPS

One record can power several safe views.

DOMAIN	RELATIONSHIP / VIEW BOUNDARY
Identity	users account role; park_members authorizes the park office; linked park renter/stay records identify resident access.
Property care	properties → property_profile, boats/toys → jobs → job_photos and flags. Scope through ownership or assignment.
Service rules	services drives pricing, required photos and service behavior. The UI must not own a separate rate list.
Crew work	vendors + availability → assignments/routes → job evidence and allowed completion.
Park records	parks → lots, resident records and reservations → charges, payment records and statements. Scope by park and household.
Financial records	Charges, invoices, payments, refunds and payouts have separate lifecycles. Never infer one state solely from another.
Communications	Notification preferences/holds govern sending; provider events describe the observed delivery outcome.

> This is a conceptual map, not a migration proposal. Use the current schema and migrations for exact table names, constraints and relationships. Do not recreate the July schema from scratch.

With a Supabase service-role client, RLS is bypassed. The existing park loader therefore checks the session/membership and explicitly scopes each query. A UI filter is not a replacement for that boundary.

src/app/park/data.ts; src/app/parks/my-data.ts; src/app/vendor/data.ts; supabase/migrations; src/lib/photos.ts

42 / ACTION CONTRACT

Every mutation needs a clear answer.

01
Prove

Authenticate the session and authorization for the specific record.

02
Check

Validate input, capability, current state and business constraints.

03
Commit

Use the required transaction and replay/duplicate protection.

04
Return

Provide a truthful result that the UI can display and reconcile.

OUTCOME	UI RESPONSE
Committed	Refresh the authoritative record and show a persistent success state.
Rejected before change	Explain the precise corrective action; keep the user's input.
Read failed	Do not guess eligibility, money or identity from missing data. Offer retry without a misleading zero.
Already applied	Return or recover the existing outcome; do not duplicate side effects.
Outcome uncertain	Keep the action in a checking/reconciliation state; do not claim success or invite a blind retry.

Adapt the existing server-action result types. Keep authorization, commit/replay handling and role-safe responses in their current shared boundaries; do not add a parallel mutation layer.

> Notifications are a separate observed outcome. A saved record can coexist with a failed notification; show that distinction to the person who can act on it.

src/lib/must-read.ts; src/app/book/actions.ts; src/app/vendor/actions.ts; src/app/park/money-actions.ts; src/lib/charge-gate.ts

43 / EVIDENCE AND ACCESS

Make privacy and proof survive a direct request.

INVARIANT	ENFORCEMENT / INTERFACE CONSEQUENCE
Photo gate	Completion and payout eligibility depend on server-counted evidence and current service/package requirements. Database triggers remain the final guard.
Held work	A held, no-show or stood-down job cannot be completed merely because photos exist. Explain the blocking condition.
Private images	Authorize before minting a signed URL. Current shared photo URL TTL is 3600 seconds; do not place bearer URLs into public messages or cached pages.
Day-of-job codes	Only the assigned vendor, for the valid scheduled day and live assignment, can receive the decrypted access information. Use the Indiana operational date.
Encrypted at rest	Current gate encryption is server-side AES-256-GCM. Door-code and bank-secret keys are separate. Never ship encrypted blobs or keys as UI props.
Evidence integrity	Keep stable photo IDs and distinguish device file time from verified capture claims. An upload-row count does not itself prove every image can currently be displayed.

> Verify direct server and database paths, not only button states. Include denied-role, wrong-record, future-day, missing-photo, held-job and storage-read-failure cases in tests.

src/lib/gate.ts; src/lib/photos.ts; src/app/vendor/data.ts; src/app/vendor/actions.ts; supabase/migrations/0050_enforce_rules_in_db.sql; 0084; 0146

44 / PRICING AND SEASONS

Current pricing. One operational calendar.

RULE	BUILD CONTRACT
Service pricing	Keep current pricing modes. Menu/property math uses pricing.ts; crew quotes use platform-fee.ts with frozen job fee percentages. Preserve negotiated park rates and accepted add-ons.
Model naming	The project brief uses sqft_band shorthand; the current code enum is per_sqft_band. Do not rename stored values from a prose label.
Price visibility	Customer sees their price when known, otherwise pending quote. Crew sees own quote, own fee and payout; never customer price or margin.
Corrections	The required approval outcome is atomic profile change + repricing. Current implementation gap is documented; this guide does not authorize a repair.
Season window	Respect actual per-lake ice-out and pull deadline; pull deadline is estimated hard freeze minus eight days.
Dates	Use YYYY-MM-DD date semantics and todayLakeDate() for Indiana operations. Avoid browser/UTC slicing that shifts eligibility.
Scheduled processing	Verify the deployment schedule against the intended local-time behavior, including daylight-saving changes. A cron string alone is not proof of an 8 pm local run.

> No fixed 30% margin on crew-priced work. Do not restore margin-floor filtering or higher-margin ranking on that path. Keep menu-path rules. Never seed fixture dollars or reprice sold work from today's fee settings.

src/lib/pricing.ts; src/lib/platform-fee.ts; src/lib/dispatch.ts; src/lib/crew-priced-eligibility.ts; src/app/approvals/actions.ts; migration 0174; decision ad26455

45 / PAYMENTS

Capability first. Settlement later.

01

Capability

Platform processor readiness + park switch + approved receiving account + allowed method.

02

Submit

Hosted token/authorized method and a stable operation key; show in-flight state.

03

Observe

Verify and deduplicate provider events; reconcile the actual outcome.

04

Reflect

Update the right ledger/view and show settled, returned, failed or still checking.

AUDIENCE	APPROPRIATE EXPLANATION
Resident	“This park isn’t taking online rent yet. Use the payment method your office gives you.”
Park owner	Show the actual missing setup/capability and next action. Do not expose unnecessary platform secrets.
Operations	Show platform readiness, merchant capability, unread events and payments that require reconciliation.
Crew	Show its own payout status; do not reveal the customer charge or platform economics.

> Card charging/refunds and bank tokenization still include mocks. Rent submission also calls the guarded mock charge adapter; real receiving-account routing and settlement need verification. Architecture A settles to each recipient’s own account; no pooled LakeLife rent balance. Flags, screens and unit tests are not live-payment proof.

src/lib/payments.ts; src/lib/payments-server.ts; src/lib/charge-gate.ts; src/app/parks/rent-capability.ts; src/app/api/processor/webhook/route.ts; migration 0191

46 / NOTIFICATIONS

Saved, sent and delivered are three different facts.

01

Event

Booking, service reminder, completion, approval, receipt or seasonal event.

02

Eligibility

Account destination, channel preference, consent and park notice hold.

03

Attempt

Provider accepts or rejects; preserve a useful attempt record.

04

Receipt

Verified callback updates delivered/failed/waiting; operator can follow up.

DESIGN RULE	CONSEQUENCE
Receipts	Email receipts stay always-on under the project rules; do not accidentally place them behind an optional reminder toggle.
Customer copy	Say “sent” only for the corresponding actual send state, and “delivered” only with delivery evidence.
Failure visibility	A core action can succeed while its notification fails. Tell the authorized operator what needs follow-up.
Photo links	Link to an authorized portal route, not a long-lived public evidence URL.
Retry	Respect existing hold/consent logic and avoid duplicate reminders from event replay.

Current NOTIF_DEFS includes text + email for booking, day-of-service reminders, completion and approvals, with email for receipts and seasonal reminders. Use the current definitions rather than the older prototype channel wording.

src/lib/notifications.ts; src/lib/notif-gate.ts; src/lib/recipient-gate.ts; src/lib/sms-receipts.ts; src/app/api/twilio/status/route.ts; src/app/api/resend/webhook/route.ts

47 / CROSS-ROLE JOURNEY

Follow one job across the whole system.

STEP	CUSTOMER	CREW	OPERATIONS / SYSTEM
1 / Request	Review scope and price or pending quote; submit the requested date.	No implied confirmed assignment.	Authorize; validate profile, season, price and availability; create request.
2 / Schedule	See confirmed scheduling when it exists.	Receive assigned job and own scope/rate.	Validate crew eligibility and capacity; persist assignment.
3 / At property	Respond if a correction needs approval.	Access only permitted day-of-job details; report a discrepancy.	Hold affected work where required; preserve the approval boundary.
4 / Evidence	See authorized work photos after they exist.	Upload required evidence and request completion.	Count server records; enforce photo/hold/date rules.
5 / Money	See actual customer charge/payment state.	See actual own payout state.	Reconcile financial events; completion does not fabricate settlement.
6 / Follow-up	Review result or report a problem.	Respond through the supported cure/dispute path.	Keep evidence and the financial record traceable.

> The companion Mermaid flow separates work state from financial state and shows where the server rechecks each decision. It is a conceptual flow, not a replacement for current state-machine code.

diagrams/service-journey.mmd; src/app/book/actions.ts; src/app/vendor/actions.ts; src/app/approvals/actions.ts; src/lib/charge-gate.ts

48 / CROSS-ROLE JOURNEY

Follow a park bill to a trustworthy record.

STEP	OFFICE	RESIDENT	SYSTEM CONTRACT
1 / Prepare	Reconcile lots, households, starting balances and rules.	May not yet have an account.	Office records exist independently of login.
2 / Bill	Review scheduled charges and shared-cost allocation.	View own breakdown when connected.	Use the correct park/household scope and charge rules.
3 / Pay or report	Record/confirm offline payment, or support enabled online methods.	Pay through an enabled method or report a payment already made.	Report ≠ transfer; in-flight ≠ settled.
4 / Reconcile	Review mismatches, returns and outstanding items.	See actual record changes and receipts.	Provider events and authorized office actions determine state.
5 / Support	Correct through the existing action path.	Ask the office about a specific charge or report.	Keep an auditable record; no ad hoc client ledger edits.
6 / Move out	Complete the supported closeout process.	Retain access to relevant final money records.	Do not redirect ended stays away from their financial record.

> A LakeLife platform fee belongs to the park-owner relationship. A resident's optional service purchase belongs to that household. Keep both separate from shared park expense allocation.

diagrams/park-money-journey.mmd; src/app/park/data.ts; money-actions.ts; ledger-actions.ts; src/app/parks/my-data.ts; src/app/portal/page.tsx

49 / ACCEPTANCE CHECKS

Test the boundary, then review the screen.

AREA	MEANINGFUL ACCEPTANCE CHECK
UI-02 / Responsive	No clipped actions or horizontal page overflow; intended data-table scrolling is labeled.
UI-03 / Keyboard	Visible focus, logical order, focus containment/return and operable controls.
UI-04 / Data state	Explicit error, never a fabricated zero or empty success.
AUTH-01 / Role access	Server denies access and returns no forbidden fields.
AUTH-02 / Data projection	No customer price or margin in any crew-visible payload.
JOB-01 / Photo gate	Server/database reject; no payout eligibility release.
PRICE-01 / Pricing	Current service data drives math; no hardcoded rate fallback.
PRICE-02 / Approval atomicity	Required target: no partial profile/price commit; mark existing gap until fixed.
MONEY-02 / Replay	At most one intended financial side effect.
PRINT-01 / Privacy	Only intended slip content prints; no other household data.

The companion acceptance-checklist.csv includes all 18 scenarios, starting conditions and expected results, with blank result/evidence fields for Claude Code to fill during implementation.

> This documentation task does not claim the application passed these scenarios. After implementation, run relevant existing tests and record the actual outcomes. Avoid tests that merely mirror new markup.

Relevant existing suites: src/lib/pricing.test.ts; booking.test.ts; gate.test.ts; charge-gate.test.ts; must-read.test.ts; design-system-holds.test.ts; src/app/vendor/photo-evidence.test.ts; src/app/api/processor/webhook/route.test.ts

50 / IMPLEMENTATION ORDER

Work in small, reviewable phases.

PHASE	SCOPE	DONE WHEN
1 / Establish baseline	Read project instructions and this handoff; inspect current screens and routes; map gaps.	Screenshots and a short source-backed gap list exist; no accidental product expansion.
2 / Shared visual corrections	Use existing tokens/components; fix proven spacing, contrast, focus and responsive defects.	Changes are consistent across affected roles and pass relevant tests.
3 / Role flows	Improve the selected high-value task with all loading, empty, busy, blocked and failure states.	The owner can complete the task and understand its result on phone and desktop.
4 / Backend integrity	Only under an authorized backend task: address a verified gap without changing agreed prices, fee snapshots or payment architecture.	Direct-path tests prove the invariant, including failure and concurrent attempts.
5 / End-to-end review	Walk a homeowner job and a park bill through all relevant roles.	State, money, evidence, access and notification behavior match the source of truth.
6 / Handoff	Summarize change, browser review steps, test results and remaining limitations; commit milestone.	The product owner has a concrete reviewable result and no unsupported “done” claims.

> Do not deploy, publish, switch live payments on or send resident notices merely because this guide describes them. Implement within the actual work authorization and environment controls.

AGENTS.md / CLAUDE.md ways of working; current package.json test/build scripts

51 / IMPLEMENTATION-GAP REGISTER

Resolve differences without losing the brand.

PRIORITY / EVIDENCE	CURRENT OBSERVATION	BUILDER RESPONSE
P1 / approval atomicity	approveFlag calls apply_flag_change, then reprices jobs in application code. A retry path acknowledges partial progress.	Required rule 6 is broader than the current transaction. Report the gap; repair only within an authorized backend task. Do not claim the invariant is met.
Review / active navigation	Prototype main tabs use a gold underline; current owner/park navigation uses teal.	Preserve current consistent navigation while documenting the deliberate difference; do not restyle opportunistically.
Review / public headline	Prototype tagline differs from the current public page/metadata headline.	Keep approved copy in context. Ask the owner before a global message replacement.
Review / modal and focus	Some dialogs declare semantics; this does not establish complete focus handling.	Audit each real modal and correct verified issues using shared behavior.
Review / contrast	Some existing gold/warning pairings fail normal-text contrast on white.	Use tested existing darker pairings or propose a minimal semantic-token correction.
Verify / nightly schedule	The launch plan says 8 pm; vercel.json contains 0 0 * * * for nightly.	Verify provider timezone and daylight-saving behavior against intended Indiana operations.
Verify / live capability	Mock payment code and capability checks coexist.	Validate the real deployment and merchant setup; do not infer readiness from a button.

This is a targeted source review for a design handoff, not a complete security, accessibility or production-readiness audit. Findings are not fixes.

src/app/approvals/actions.ts:112 onward; migration 0159 apply_flag_change; lakelife.html; globals.css; layout.tsx; vercel.json; payments-server.ts

52 / FINAL HANDOFF

Give Claude Code the whole package.

Start with these files

- START-HERE.md for the implementation prompt and reading order.
- LakeLife-Product-Design-Handbook.md for searchable rules and source pointers.
- reference/index.html for interactive role layouts and state examples.
- design-tokens.json, route-inventory.csv and screen-contracts.json for structured references.
- acceptance-checklist.csv and diagrams/*.mmd for verification and flow details.

Use the repository as the authority

Current owner direction, executable code, tests, migrations and recorded later decisions govern behavior. Older briefs and the prototype cannot restore superseded behavior. This package governs no runtime behavior and authorizes no new feature.

Ask for a concrete milestone

> “Read NO-REGRESSION-CONTRACT.md and CLAIMS-AUDIT.md first. Compare this handoff with current code and decisions. Preserve existing behavior. Implement only the specifically authorized change; report conflicts instead of restoring historical behavior.”

All role-screen compositions in the reference are synthetic design examples. Only the explicitly labeled prototype capture is a capture of lakelife.html. No application code, live data, payment configuration or customer messaging was changed for this handoff.

Audited 17 October 2026 from repository snapshot fe9e145. External accessibility sources are linked on the relevant pages.

53 / NO-REGRESSION CONTRACT

Preserve the platform already built.

Use current owner direction, executable behavior, migrations, tests and recorded later decisions. The original prototype governs visual identity only. A design example never authorizes restoring an old feature.

KEEP	DO NOT REINTRODUCE
Crew quote + frozen fees	A universal 30% margin, fresh fee settings on sold work, or margin-floor routing on crew-priced jobs.
Menu and negotiated park prices	A blanket conversion of all services to crew pricing, or an assumption that all park jobs use one pricing model.
Price pending when unquoted	A $0 fallback, invented total or universal price-before-booking claim.
Customer taps to book a seasonal visit	Autonomous booking or automatic-payment promises from the prototype.
Recipient-owned settlement accounts	Pooled rent or a return to LakeLife-originated ACH files.
Real gates and current role access	Live flags turned on for a demo, fake paid states, extra account roles or client-only privacy.
Existing evidence and delivery boundaries	Completion without proof, instant payouts, or queued messages described as delivered.

Scope: compare first. Implement only the specifically authorized task. Keep existing tests and guards; report a conflict rather than silently choosing an older design. See NO-REGRESSION-CONTRACT.md.

Audit baseline fe9e145 / 17 October 2026. Full evidence: CLAIMS-AUDIT.md and claims-register.csv.

54 / CLAIMS AUDIT

What we can say. What still needs proof.

AREA	SUPPORTED WORDING / LIMIT
Customer pricing	See the price before anything is charged. Some requests await a crew quote.
Park onboarding	Ask for a guided walkthrough. Agree the setup scope, fee and supported workflow.
Payment capability	Use only the methods actually enabled for this park. Mocks and flags are not real-money proof.
Work evidence	Required completion photos form the work record; they do not guarantee quality or payout arrival.
Changes and approval	A proposed correction requires homeowner approval. Full profile-plus-price atomicity is an identified gap.
Availability and delivery	Confirm local service capacity and current lake dates. Do not promise a text or a fixed payout clock.

Correction: older price-before-booking copy and 30% margin economics were inaccurate. The marketing books, pitch, captions, graphics and forecast have been aligned with the current source.


Evidence: 27 focused test files / 666 tests passed locally. These include unit, mocked and source-scanning tests. They do not establish deployed payment capability, real delivery, production access or all end-to-end scenarios.

Unchanged: application code, schema, configuration and production data. Preserve original logo, waves, illustrations and emoji while keeping claims tied to current evidence.

Audit baseline fe9e145 / 17 October 2026. Full evidence: CLAIMS-AUDIT.md and claims-register.csv.

AUDIENCE AND SCENE GUIDE

The right picture for the right place.



Mobile homes

Long, low roof. Skirting, porch and steps.



RVs

Wheels, hitch and a compact trailer profile.



Lake homes

The original house illustration for homeowners.

Use the mobile home and RV together for general park-owner and renter materials. Use one alone only when the actual housing type is known. Artwork never assigns an account type or changes permissions.



Approved illustrative scene: warm sun, simple shoreline and a seasonal aluminum pier. Generated artwork; not a real customer property or proof of completed work.

Keep the family together. Use the original LakeLife logo, teal, gold and wave details. Housekeeping keeps its cleaning illustration. Service icons describe the service, not the resident. Keep images proportional and text labels visible.