PREPARING FOR THE AMC 10?

Join fantastic instructors and top-scoring students in our **online AMC 10 Problem Series course**.

CHECK SCHEDULE

2019 AMC 10B Problems

2019 AMC 10B (Answer Key)

Printable version: | AoPS Resources (http://www.arto fproblemsolving.com/Forum/resources.php?c=182& cid=43&year=2019) • PDF (http://www.artofproblem solving.com/Forum/resources/files/usa/USA-AMC_ 10-2019-43)

Instructions

- 1. This is a 25-question, multiple choice test. Each question is followed by answers marked A, B, C, D and E. Only one of these is correct.
- You will receive 6 points for each correct answer, 2.5 points for each problem left unanswered if the year is before 2006, 1.5 points for each problem left unanswered if the year is after 2006, and 0 points for each incorrect answer.
- No aids are permitted other than scratch paper, graph paper, ruler, compass, protractor and erasers (and calculators that are accepted for use on the SAT if before 2006. No problems on the test will require the use of a calculator).
- 4. Figures are not necessarily drawn to scale.
- 5. You will have **75 minutes** working time to complete the test.

1 • 2 • 3 • 4 • 5 • 6 • 7 • 8 • 9 • 10 • 11 • 12 • 13 • 14 • 15 • 16 • 17 • 18 • 19 • 20 • 21 • 22 • 23 • 24 • 25

Contents

- 1 Problem 1
- 2 Problem 2
- 3 Problem 3

- 4 Problem 4
- 5 Problem 5
- 6 Problem 6
- 7 Problem 7
- 8 Problem 8
- 9 Problem 9
- 10 Problem 10
- 11 Problem 11
- 12 Problem 12
- 13 Problem 13
- 14 Problem 14
- 15 Problem 15
- 16 Problem 16
- 17 Problem 17
- 18 Problem 18
- 19 Problem 19
- 20 Problem 20
- 21 Problem 21
- 22 Problem 22
- 23 Problem 23
- 24 Problem 24
- 25 Problem 25
- 26 See also

Alicia had two containers. The first was $\frac{5}{6}$ full of water and the second was empty. She poured all the water from the first container into the second container, at which point the second container was $\frac{3}{4}$ full of water. What is the ratio of the volume of the first container to the volume of the second container?

(A)
$$\frac{5}{8}$$

(B)
$$\frac{4}{5}$$

(C)
$$\frac{7}{8}$$

(D)
$$\frac{9}{10}$$

(A)
$$\frac{5}{8}$$
 (B) $\frac{4}{5}$ (C) $\frac{7}{8}$ (D) $\frac{9}{10}$ (E) $\frac{11}{12}$

Solution

Problem 2

Consider the statement, "If n is not prime, then n-2 is prime." Which of the following values of n is a counterexample to this statement?

(A) 11

(B) 15 **(C)** 19 **(D)** 21 **(E)** 27

Solution

Problem 3

In a high school with 500 students, 40% of the seniors play a musical instrument, while 30% of the non-seniors do not play a musical instrument. In all, 46.8% of the students do not play a musical instrument. How many non-seniors play a musical instrument?

(A) 66

(B) 154 **(C)** 186 **(D)** 220

(E) 266

Solution

All lines with equation ax+by=c such that a,b,c form an arithmetic progression pass through a common point. What are the coordinates of that point?

(A) (-1,2) (B) (0,1) (C) (1,-2) (D) (1,0) (E) (1,2)

Solution

Problem 5

Triangle ABC lies in the first quadrant. Points A, B, and C are reflected across the line y=x to points A^\prime , B^\prime , and C^\prime , respectively. Assume that none of the vertices of the triangle lie on the line y=x. Which of the following statements is <u>not</u> always true?

- (A) Triangle A'B'C' lies in the first quadrant.
- (B) Triangles ABC and A'B'C' have the same area.
- (C) The slope of line AA' is -1.
- (**D**) The slopes of lines AA' and CC' are the same.
- (\mathbf{E}) Lines AB and A'B' are perpendicular to each other.

Solution

Problem 6

There is a real n such that $(n+1)! + (n+2)! = n! \cdot 440$. What is the sum of the digits of n?

(A) 3

(B) 8 **(C)** 10 **(D)** 11 **(E)** 12

Solution

Problem 7

Each piece of candy in a store costs a whole number of cents. Casper has exactly enough money to buy either 12 pieces of red candy, 14 pieces of green candy, 15 pieces of blue candy, or n pieces of purple candy. A piece of purple candy costs 20 cents. What is the smallest possible value of n?


(A) 18

(B) 21 **(C)** 24 **(D)** 25 **(E)** 28

Solution

Problem 8

The figure below shows a square and four equilateral triangles, with each triangle having a side lying on a side of the square, such that each triangle has side length 2 and the third vertices of the triangles meet at the center of the square. The region inside the square but outside the triangles is shaded. What is the area of the shaded region?



(A) 4 (B)
$$12 - 4\sqrt{3}$$
 (C) $3\sqrt{3}$ (D) $4\sqrt{3}$ (E) $16 - 4\sqrt{3}$

(C)
$$3\sqrt{3}$$

(D)
$$4\sqrt{3}$$

(E)
$$16 - 4\sqrt{3}$$

Solution

Problem 9

The function f is defined by

$$f(x) = \lfloor |x| \rfloor - |\lfloor x \rfloor|$$

for all real numbers x, where r denotes the greatest integer less than or equal to the real number r. What is the range of f?

$$(A)\{-1,0\}$$

(B) The set of nonpositive integers

$$(\mathbf{C})\{-1,0,1\}$$

$$(\mathbf{D})\{0\}$$

(E) The set of nonnegative integers

Solution

Problem 10

In a given plane, points A and B are 10 units apart. How many points C are there in the plane such that the perimeter of $\triangle ABC$ is 50 units and the area of $\triangle ABC$ is 100 square units?

(A) 0

(B) 2 **(C)** 4 **(D)** 8 **(E)** infinitely many

Solution

Problem 11

Two jars each contain the same number of marbles, and every marble is either blue or green. In Jar 1 the ratio of blue to green marbles is 9:1, and the ratio of blue to green marbles in Jar 2 is 8:1. There are 95 green marbles in all. How many more blue marbles are in Jar 1 than in Jar 2?

(A) 5

(B) 10

(C) 25

(**D**) 45

(E) 50

Solution

Problem 12

What is the greatest possible sum of the digits in the base-seven representation of a positive integer less than 2019?

(A) 11

(B) 14 **(C)** 22

(D) 23

(E) 27

Solution

Problem 13

What is the sum of all real numbers x for which the median of the numbers 4,6,8,17, and x is equal to the mean of those five numbers?

(A) -5 **(B)** 0 **(C)** 5 **(D)** $\frac{15}{4}$ **(E)** $\frac{35}{4}$

Solution

Problem 14

The base-ten representation for 19! is 121,675,100,40M,832,H00, where T , M , and H denote digits that are not given. What is T+M+H?

(A) 3

(B) 8 **(C)** 12 **(D)** 14 **(E)** 17

Solution

Problem 15

Right triangles T_1 and T_2 have areas 1 and 2, respectively. A side of T_1 is congruent to a side of T_2 and a different side of T_1 is congruent to a different side of T_2 . What is the square of the product of the other (third) sides of T_1 and T_2 ?

(A) $\frac{28}{3}$ (B) 10 (C) $\frac{32}{3}$ (D) $\frac{34}{3}$ (E) 12

Solution

Problem 16

In $\triangle ABC$ with a right angle at C, point D lies in the interior of \overline{AB} and point E lies in the interior of \overline{BC} so that AC=CD,DE=EB , and the ratio AC:DE=4:3 . What is the ratio AD:DB?

(A) 2:3 (B) $2:\sqrt{5}$ (C) 1:1 (D) $3:\sqrt{5}$ (E) 3:2

Solution

Problem 17

A red ball and a green ball are randomly and independently tossed into bins numbered with positive integers so that for each ball, the probability that it is tossed into bin k is 2^{-k} for $k=1,2,3,\ldots$. What is the probability that the red ball is tossed into a higher-numbered bin than the green ball?

(A)
$$\frac{1}{4}$$
 (B) $\frac{2}{7}$ (C) $\frac{1}{3}$ (D) $\frac{3}{8}$ (E) $\frac{3}{7}$

Solution

Problem 18

Henry decides one morning to do a workout, and he walks $rac{3}{4}$ of the way from his home to his gym. The gym is 2kilometers away from Henry's home. At that point, he changes his mind and walks $\frac{3}{4}$ of the way from where he is back toward home. When he reaches that point, he changes his mind again and walks $\frac{3}{4}$ of the distance from there back toward the gym. If Henry keeps changing his mind when he has walked $\frac{3}{4}$ of the distance toward either the gym or home from the point where he last changed his mind, he will get very close to walking back and forth between a point A kilometers from home and a point B kilometers from home. What is |A-B|?

(A)
$$\frac{2}{3}$$
 (B) 1 (C) $1\frac{1}{5}$ (D) $1\frac{1}{4}$ (E) $1\frac{1}{2}$

Solution

Problem 19

Let S be the set of all positive integer divisors of $100,\,000$. How many numbers are the product of two distinct elements of S?

(A) 98

(B) 100 **(C)** 117 **(D)** 119

(E) 121

Solution


Problem 20

As shown in the figure, line segment \overline{AD} is trisected by points B and C so that

AB=BC=CD=2. Three semicircles of radius $1, {
m AEB}, {
m BFC},$ and ${
m CGD},$ have their diameters on $\overline{AD},$ and are tangent to line EG at E,F, and G, respectively. A circle of radius 2 has its center on F. The area of the region inside the circle but outside the three semicircles, shaded in the figure, can be expressed in the form

$$\frac{a}{b} \cdot \pi - \sqrt{c} + d,$$

where a,b,c, and d are positive integers and a and b are relatively prime. What is a+b+c+d?



(A) 13 (B) 14

(C) 15

(D) 16

(E) 17

Debra flips a fair coin repeatedly, keeping track of how many heads and how many tails she has seen in total, until she gets either two heads in a row or two tails in a row, at which point she stops flipping. What is the probability that she gets two heads in a row but she sees a second tail before she sees a second head?

(A)
$$\frac{1}{36}$$

(B)
$$\frac{1}{24}$$

(A)
$$\frac{1}{36}$$
 (B) $\frac{1}{24}$ (C) $\frac{1}{18}$ (D) $\frac{1}{12}$ (E) $\frac{1}{6}$

(D)
$$\frac{1}{12}$$

(E)
$$\frac{1}{6}$$

Solution

Problem 22

Raashan, Sylvia, and Ted play the following game. Each starts with \$1. A bell rings every 15 seconds, at which time each of the players who currently have money simultaneously chooses one of the other two players independently and at random and gives \$1 to that player. What is the probability that after the bell has rung 2019 times, each player will have \$1? (For example, Raashan and Ted may each decide to give \$1 to Sylvia, and Sylvia may decide to give her her dollar to Ted, at which point Raashan will have \$0, Sylvia will have \$2, and Ted will have \$1, and that is the end of the first round of play. In the second round Rashaan has no money to give, but Sylvia and Ted might choose each other to give their \$1 to, and the holdings will be the same at the end of the second round.)

(A)
$$\frac{1}{7}$$

(B)
$$\frac{1}{4}$$

(A)
$$\frac{1}{7}$$
 (B) $\frac{1}{4}$ (C) $\frac{1}{3}$ (D) $\frac{1}{2}$ (E) $\frac{2}{3}$

(D)
$$\frac{1}{2}$$

(E)
$$\frac{2}{3}$$

Solution

Problem 23

Points A(6,13) and B(12,11) lie on circle ω in the plane. Suppose that the tangent lines to ω at A and B intersect at a point on the x-axis. What is the area of ω ?

(A)
$$\frac{83\pi}{8}$$
 (B) $\frac{21\pi}{2}$ (C) $\frac{85\pi}{8}$ (D) $\frac{43\pi}{4}$ (E) $\frac{87\pi}{8}$

(B)
$$\frac{21\pi}{2}$$

(C)
$$\frac{85\pi}{8}$$

(D)
$$\frac{43\pi}{4}$$

(E)
$$\frac{87\pi}{8}$$

Solution

Problem 24

Define a sequence recursively by $x_0=5$ and

$$x_{n+1} = \frac{x_n^2 + 5x_n + 4}{x_n + 6}$$

for all nonnegative integers n. Let m be the least positive integer such that

$$x_m \le 4 + \frac{1}{2^{20}}.$$

In which of the following intervals does m lie?

(B)
$$[27, 80]$$

(D)
$$[243, 728]$$

(A)
$$[9, 26]$$
 (B) $[27, 80]$ (C) $[81, 242]$ (D) $[243, 728]$ (E) $[729, \infty]$

Solution

How many sequences of 0s and 1s of length 19 are there that begin with a 0, end with a 0, contain no two consecutive 0s, and contain no three consecutive 1s?

(A) 55

(B) 60


(C) 65

(D) 70

(E) 75

Solution

See also



The problems on this page are copyrighted by the Mathematical Association of America (http://www.maa.org)'s

American Mathematics Competitions (http://amc.maa.org).

Gindov nhm2

Retrieved from "https://artofproblemsolving.com/wiki/index.php? title=2019_AMC_10B_Problems&oldid=112501"

Copyright © 2020 Art of Problem Solving