## Index

| A  | C  | continuous, 144, 165, 322, 325, 341             |
|--|--|---|
| Absolute value, 306                      | Calculators                                  | curves of best fit for, 344–53                  |
| Addition                                 | fractional operations on, 14                 | discrete, 143, 322, 323–24, 341                 |
| of fractions, 4                          | graphing, 145, 199, 240, 243–44, 265–66,     | interpretation of, 322–29                       |
| of mixed numbers, 8–10, 13–14,           | 324, 430, 478–79                             | outliers, 357–58                                |
| 16–18, 37                                | order of operations with, 33                 | reasoning about, 354–62                         |
| of polynomials, 102-12, 130              | rational number operations on, 50, 59        | representing, with lines of best fit, 330–39    |
| of rational numbers, 50–51               | Cartesian coordinate system, 138–39          | in scatter plots. See Scatter plots             |
| Algebraic expressions                    | Celsius, conversion to Fahrenheit, 48        | trends, 331, 333–35, 346–48<br>Decimals         |
| binomials, 105                           | Centroid, 410–11                             | with exponents, 88                              |
| evaluation of, 33-34, 73-74, 86-88       | Chapter reviews, 65-67, 128-32, 182-84,      | rational numbers as, 43, 59–60                  |
| finding missing terms, 106-7, 116        | 248–51, 307–10, 373–75, 416–19, 482–85       | Degree of a term, 77                            |
| in fraction form, 34                     | Chapter self-tests, 68, 133-34, 185, 252,    | Delta, 153                                      |
| modeling, 76-80, 113-14                  | 311–12, 376–77, 420, 486                     | Denominators                                    |
| monomials, 105, 113-18                   | Chapter tasks, 69, 135, 186, 253, 312, 378,  | common, 4, 5, 9, 22, 215–16                     |
| polynomials, 102-12                      | 421, 487                                     | lowest common, 13                               |
| multiplication of, 113-18                | Coefficients, 77                             | Dependent variables, 142                        |
| simplifying, 119–27                      | Collinear points, 276                        | Diagonal properties, 399–401, 416               |
| representing relations with, 143         | Common denominators, 4, 5, 9                 | Diagrams, representing products using, 114      |
| simplifying, 86, 105–6, 107, 119–27, 128 | division of mixed numbers using, 22          | Direct variations, 150–51, 161                  |
| trinomials, 105                          | solving equations with, 215–16               | Discrete data, 143, 322, 323–24, 341            |
| with two variables, 86–88                | Composite shapes, 434-41, 459                | Displacement, 368, 373                          |
| writing, 76–77, 105–6                    | Computer spreadsheets, 120                   | Distance, from point to a line, 306             |
| Algebraic reasoning, 107, 120            | Concave polygons, 391                        | Distance problems, 88–89, 363–64                |
| Algebraic terms, 77, 78                  | Cones  | Distributive property, 114–16, 121–24, 129, 130 |
| Algebra tiles, 102-7, 113, 121, 128      | slant height of, 444                         | Division  |
| Analytic geometry                        | surface area of, 452-54, 459                 | of mixed numbers, 20–30, 38–39                  |
| equation of a line, 260-71, 285-94       | volume of, 461–65, 482                       | of powers, 83–91                                |
| parallel lines, 295–305                  | Conjectures                                  |   |
| perpendicular lines, 295–305             | about polygons, 411–13                       | E   |
| slope of a line, 272–80                  | about quadrilaterals, 399, 402–8             |   |
| Angle properties                         | based on numeric examples, 84–85             | Equations                                       |
| of parallel lines, 385                   | confirming, 404, 406                         | See also Linear equations                       |
| of polygons, 391–96                      | counterexamples and, 402, 404, 407           | equivalent, 206, 215–16, 226–27                 |
| Angles                                   | forming and testing, 402, 411–12             | of lines, 260–63, 281–82                        |
| concave, 391                             | rejecting, 354–57, 360, 404                  | determining, 307–8, 317–18                      |
| convex, 391                              | revising, 403, 405                           | forms of, 264–71                                |
| exterior, 384–85, 391, 397               | supporting, 357–59, 403                      | graphing, 165–69                                |
| interior, 384-85, 388-90, 397, 416       | testing, 373, 402, 405, 406, 411–12          | parallel, 295–96                                |
| straight, 384                            | verifying, 354–57                            | perpendicular, 295–96                           |
| Area                                     | Continuous data, 144, 165, 322, 325, 341     | problem-solving using, 289–90                   |
| See also Surface area                    | Convex polygons, 391, 397                    | using points to determine, 285–94               |
| of composite shapes, 434–41, 459         | Coordinate system, Cartesian, 138–39         | for lines of best fit, 342                      |
| of rectangles, 428–33, 458               | Counterexamples, 402, 404, 407               | of nonlinear relations, 175                     |
| of squares, 78–79                        | Cubes  | problem-solving strategies for, 192-93,         |
| Area models, 5, 23–24, 28, 38            | surface area, 424                            | 213–23  |
| calculating products with, 72            | volume of, 78, 144, 424                      | problem-solving using, 193, 267-68, 332-33      |
| of polynomials, 113–14, 129              | Cumulative review, 187–89, 379–81, 488–90    | rearranging, 234–35                             |
| D  | Curves of best fit, 344–53, 356–57, 359, 373 | with variables on both sides, 213-19, 225-26    |
| В  | Cylinders optimum measures of, 474–81, 483   | writing, 145, 332-33                            |
| Balancing equations, 192, 199            | surface area of, 425                         | Equilateral triangles, 387                      |
| Base, 424                                | volume of, 73, 425                           | Equivalent equations, 206, 215–16, 226–27       |
| BEDMAS (memory aid), 33                  | volume of, /J, 42)                           | Equivalent fractions                            |
| Bimedians, 410, 412-13                   | D  | addition of mixed numbers using, 8-9            |
| Binomials, 105                           |  | subtraction of mixed numbers using, 11, 14      |
| Brackets (), 24, 33-34, 78               | Data   | Expanded form, 83–84                            |
| Break-even point, 242                    | conjectures about, 354-60, 373               | Exponent principles, 85–89, 94–95, 100, 123     |

616 Index

| Exponents, 25  | of lines, 150–56, 162, 260–63, 265, 273,            | interpreting solutions of, 196–204, 224                       |
|--|---|---|
| See also Powers  | 274, 301–2  | problem-solving using, 200, 208                               |
| expressions with, 83–89  | of lines of best fit, 330–39                        | solving   |
| fractions with, 87   | of nonlinear relations, 174, 178, 364–65            | with algebra, 199   |
| Expressions  See also Algebraic expressions                                    | problem-solving using, 239–47, 335–36,<br>476–77    | graphically, 239–47   |
| evaluation of  | reasoning about, 366–67                             | by graphing, 198  |
| integer, 31–34, 39   | representing relations with, 143, 144–45            | with inverse operations, 205–12, 225                          |
| with rational numbers, 48–53,  | table of values and, 167–68                         | using table of values, 196                                    |
|  | Greater than > symbol, 46                           | systems of, 239–47  |
| 57–62, 65  | Guess-and-test strategy, 214, 230–31                | verifying solutions of, 225                                   |
| with two variables, 86–88  | 3,7   | Linear relations, 150–51, 161                                 |
| order of operations with, 31–34, 39  | H   | equations representing, 264–71                                |
| with powers, 32–33, 39, 83–89, 92–98, 100 simplifying, 83–84, 92–98, 100       | Heat, 473   | equivalent, 164–71  |
| Exterior angles, 384–85, 391, 397  | Heptagons, 389, 397                                 | graphs of, 164–69, 173, 182, 197, 198, 224 in human body, 172 |
| Extrapolate, 173, 331  | Hexagons, 389, 438                                  | identifying, 176  |
| Entrapolities, 173, 331  | Horizontal lines, 262                               | vs. nonlinear relations, 173–81                               |
| F  | Hypotenuse, 97, 425, 442, 443, 445                  | properties of, 152–59   |
| Eastern finding missing 116  | 71  | rate of change of, 152–55, 162                                |
| Factors, finding missing, 116  |   | representing, 142–49  |
| Fahrenheit, conversion Celsius, 48 First difference, 152                       | Imperial units, 13–14, 19                           | scatter plots representing, 139–41                            |
| Formulas   | Improper fractions                                  | solving   |
| distance, 88   | addition of mixed numbers using, 10                 | using inverse operations, 230–38                              |
| hypotenuse of right triangle, 445  | division of mixed numbers using, 38–39              | for a variable, 230–38, 248                                   |
| for length of leg of right triangle, 445                                       | multiplying mixed numbers using, 21, 24, 37         | table of values representing, 139–41                          |
| perimeter of a polygon, 439  | subtraction of mixed numbers using, 12              | Lines   |
| perimeter of a rectangle, 120  | Inches, 19  | distance from a point to, 306                                 |
| simple interest, 234–35  | Independent variables, 142, 165                     | equations of, 260–63, 281–82                                  |
| slope, 274, 275  | Inspection, 192                                     | determining, 307-8, 317-18                                    |
| surface area, 424–25, 454, 470   | Integer expressions                                 | forms of, 264–71  |
| temperature conversion, 48   | evaluation of, 31–34, 39                            | graphing, 165–69  |
| velocity, 368  | order of operations with, 31–34                     | problem-solving using, 289–90                                 |
| volume, 73, 424-25, 463, 464, 470  | Integers, 44  | using points to determine, 285–94                             |
| Fraction patterns, 7   | Intercepts, 165–67, 168–69                          | graphs of, 150–56, 162, 273, 274                              |
| Fractions  | Interest, simple, 234–35                            | parallel, 257, 295–305, 308                                   |
| addition of, 4   | Interior angles, 384–85, 388–90, 397, 416           | perpendicular, 257, 295–305, 308                              |
| equivalent, 8–9, 11, 14  | Interpolate, 144, 331                               | point of intersection of two, 241, 249                        |
| with exponents, 87   | Inverse operations                                  | points of, 285–94   |
| improper, 10, 12, 21, 24, 37–39  | isolating variables with, 257                       | slope of, 152, 162, 260–63, 267, 272–81                       |
| multiplication of, 5   | solving equations with, 215–19, 225–26              | Lines of best fit, 330-42, 354-55, 357-58                     |
| rational numbers as, 60  | solving linear equations using, 205–12, 225, 230–38 | Logical reasoning, 192  |
| subtraction of, 5 Fraction strips, 4, 5  | Isolating terms, 206                                | Lowest common denominator (LCD), 13                           |
| Traction strips, 4, )  | Isosceles trapezoid, 400, 417                       |   |
| G  | isosecies trapezoia, 100, 117                       | M   |
|  | K   | Measurement   |
| Google, 99   |   | of composite shapes, 434-41                                   |
| Googol, 99   | Kassner, Edward, 99<br>Kites, 399, 400, 417         | of cones, 461–65  |
| Googolplex, 99   | Kites, 399, 400, 41/                                | of length, 13–14, 19  |
| Graphing calculators, 33, 145, 177, 199, 240, 243–44, 265–66, 324, 430, 478–79 | L   | optimum measures, 428-33, 474-81, 483                         |
| Graphs   |   | of pyramids, 461–65   |
| See also Scatter plots   | Large numbers, 88–89, 99                            | of rectangles, 428–33   |
| of continuous data, 325  | Least common multiple (LCM), 9                      | of spheres, 466–72  |
| of curves of best fit, 344–53  | Length measurements, 13–14, 19                      | of surface area, 448–57                                       |
| describing situations using, 363–72, 373                                       | Less than < symbols, 46                             | using Pythagorean theorem, 442–47                             |
| of discrete data, 323–24   | Like terms, 103, 109 Linear equations               | of volume, 461–72   |
| drawing, 192   | See also Equations                                  | Median, 340, 404, 407   |
| estimating values with, 144–45   | defined, 197  | Memory aids, 33   |
| of linear relations, 164–69, 173, 182, 197,                                    | determining number of solutions to, 243             | Metric system, 19   |
| 198, 224   | and the state of solutions to, 219                  |   |

NEL Index 617

| Mid-chapter reviews, 37–40, 100–101,               | 0  | representation of, up to degree 3, /6–82                                  |
|--|--|---|
| 160–63, 224–29, 281–84, 341–43,                    | Octagons, 389, 392                           | representing as equivalent power, 92–93                                   |
| 397–98, 458–60                                     |  | with same base, 93-94, 100  |
| Midpoints, 402, 409, 417                           | Operations                                   | simplifying, 93–95, 100   |
| Midsegments, 402-4, 407, 409, 417                  | order of, 31–34, 39, 51–52, 59               | Principles, 84  |
| Mixed numbers                                      | with rational numbers, 48–53                 | exponent, 85-89, 94-95, 100, 123  |
| addition of, 8-10, 13-14, 16-18, 37                | Opposites, 41–42                             | zero, 102   |
| division of, 20-30, 38-39                          | Optimum measures, 428–33, 474–81, 483        | Prisms  |
| multiplication of, 20-30, 37-38                    | Ordered pairs, 140, 150-51, 230-31           | optimum measures of, 474-81, 483  |
| powers of, 25                                      | Order of operations, 31–34, 39, 51–52, 59    | surface area of, 449–50, 454  |
| renaming, 37, 38–39                                | Outliers, 357–58                             | Problem-solving strategies  |
| subtraction of, 11–18, 37                          | _  | to add mixed numbers, 8–10, 37  |
| Models   | P  | algebraic, 332–33   |
| of algebraic expressions, 76–78, 113–14            | Paper folding, 75                            | to determine slope, 273–77  |
| algebra tiles, 102–7, 113, 121, 128                | Parallel lines, 257, 295–305                 | to divide mixed numbers, 22–23, 26, 38–39                                 |
| area, 5, 23–24, 28, 38, 72, 129                    | angle properties of, 385                     | for equations, 192–93, 213–23   |
| of polynomials, 102–7                              | equations of, 295–96, 299–300, 308           | to evaluate expressions with two variables,                               |
| of powers, 100                                     | slope of, 297–300                            | 86–88   |
| Monomials, 105, 113–18, 129                        | Parallelograms, 400, 403, 407, 417           | for expressions with exponents, 84–89                                     |
|  | Partial variations, 150–51, 161              |   |
| Movement problems, 363–68                          | Patterns                                     | graphing linear equations, 239–47<br>guest-and-test strategy, 214, 230–31 |
| Multi-digit numbers, multiplication of, 72         | See also Trends                              | e <i>e.</i>   |
| Multiplication                                     |  | modeling, 23–24, 38   |
| of fractions, 5                                    | fraction, 7                                  | to multiply mixed numbers, 20–21, 23–24,                                  |
| of mixed numbers, 20–30, 37–38                     | linear relations and, 141                    | 37–38   |
| of multi-digit numbers, 72                         | Pentagons, 389, 421                          | to solve linear equations, 205–12   |
| of polynomials by mononomials, 113–18              | Perfect square, 74                           | subtraction strategy, 437   |
| of powers, 83–91                                   | Perimeter (2/ /1 /52)                        | to subtract mixed numbers, 11–12, 37                                      |
| using area models, 72                              | of composite shapes, 434–41, 459             | using graphs, 335–36, 476–77  |
| NI.  | of rectangles, 120, 428–33, 458              | visualization, 468–69   |
| N  | Perpendicular lines, 257, 295–305            | Products  |
| Natural numbers, 44                                | equations of, 295–96, 300–301, 308           | See also Multiplication   |
| Negative decimal bases, evaluation of expressions  | slope of, 297–301                            | calculating, with area model, 72  |
| with, 59–60  | Pictures, representing relations with, 142   | exponent principle for, 89, 94–95, 100                                    |
| Negative fraction bases, evaluation of expressions | Point of intersection, 239, 241, 248–49      | Properties  |
| with, 60   | Points                                       | of angles, 385  |
| Negative reciprocals, 297, 299, 302                | collinear, 276                               | distributive, 114–16, 121–24, 129, 130                                    |
| Negative slope, 262                                | coordinates of, 138-39                       | of linear relations, 152–59   |
| Nets, 449–50                                       | distance from line to, 306                   | Pyramids  |
| N-gons, 389–90, 416                                | of a line, 272-77, 282, 285-94, 317-18       | slant height of, 444  |
| Nonlinear relations, 173–81                        | median, 340                                  | surface area of, 448-52, 454, 459   |
| equations of, 175                                  | Polygons                                     | volume of, 461-65, 482  |
| evaluation of, 182                                 | angle properties of, 391–96                  | Pythagorean theorem, 425, 442-47, 459                                     |
| graphs of, 174, 178, 364–65                        | interior angles of, 388-90, 397              |   |
| identifying, 176                                   | properties of, 410–15, 417                   | Q   |
| slopes of, 178                                     | Polynomials                                  | Quadrants, 138–39   |
| table of values and, 174                           | addition of, 102–12, 130                     | Quadrilaterals, 389   |
| Number lines                                       | defined, 106                                 |   |
|  | finding missing terms, 106–7                 | centroid of, 413  |
| addition of fractions on, 4, 13                    | modeling, 102–7                              | diagonals of, 399–401, 416  |
| division of mixed numbers using, 22                | multiplication of, by monomials, 113–18, 129 | irregular, 400  |
| mixed numbers on, 13, 22                           | simplifying, 119–27, 130                     | midsegments of, 402–4, 417  |
| rational numbers on, 41–42, 44, 57                 | subtraction of, 102–12, 130                  | properties of, 399–408  |
| subtraction of fractions on, 5, 13                 | Positive slope, 262                          | Quotients   |
| Numbers  | Power-of-a-power principle, 94, 95, 100      | See also Division   |
| See also Mixed numbers; Rational numbers           | Powers                                       | exponent principle for, 89, 100   |
| integers, 44                                       | division of, 83–91                           | <b>B</b>  |
| multi-digit, 72                                    | evaluation of expressions with, 32–33, 39    | R   |
| natural, 44  | modeling, 100                                | Rate of change, 152, 153-55, 162, 275, 363-64                             |
| opposite, 41–42                                    | multiplication of, 83–91                     | in nonlinear relations, 365   |
| whole, 44  |  | velocity, 368   |
|  | power of a power, 92–98                      | 77  |
|  | of rational numbers, 57–64                   |   |

618 Index

| Rational numbers                           | Slant height, 444, 448                    | centroid of, 410–11                       |
|--|---|---|
| addition of, 50-51                         | Slope, 152–55, 162                        | equilateral, 387                          |
| as decimals, 43, 59-60                     | determining, 267, 282, 286, 287, 289      | hypotenuse of, 425, 442, 443, 445         |
| defined, 41                                | finding equation of a line from, 287, 317 | midsegments of, 407, 409                  |
| evaluating expressions with, 48-53, 65     | formula for, 274, 275                     | properties of, 410–15                     |
| as fractions, 60                           | of a line, 260-63, 272-80, 281            | Pythagorean theorem, 442–47               |
| on number lines, 41–42, 44, 57             | of nonlinear relations, 178               | right, 425, 438, 444                      |
| operations with, 48–53                     | of parallel lines, 297–98, 299–300        | Trinomials, 105                           |
| order of operations with, 51–52, 59        | of perpendicular lines, 297–98, 298–99,   | ,   |
| powers of, 57–64                           | 300–301                                   | U   |
| reciprocals of, 256                        | representing rate of change, 363–64       |   |
| Reasoning                                  | Solution to system of equations, 239, 243 | Units of measurement, 13–14, 19           |
| See also Conjectures                       | Spheres, 466–72, 483                      | M   |
| about data, 354–62                         | Spreadsheets, 120                         | V   |
| about perpendicularity, 298–99             | Square roots, 79, 100                     | Variables                                 |
| * *  | _ ^                                       | conjectures about, 354-57                 |
| about properties of polygons, 410–15       | Squares<br>area of, 78–79                 | dependent, 142                            |
| about quadrilateral properties, 402–8, 416 |   | independent, 142                          |
| algebraic, 107, 120                        | diagonals of, 400                         | isolating, 206, 215–16, 257               |
| to determine equation of a line, 287, 288  | midsegments of, 407, 417                  | relations between, 142–49, 160            |
| logical, 192                               | perfect, 74                               | solving for, in a linear relation, 230–38 |
| problem-solving using, 85, 93–94, 121–22   | Straight angles, 384                      | solving for, in terms of other variables, |
| using graphs, 273, 274, 301–2, 366–67      | Substitution strategy, 177                | 232–34, 248                               |
| Reciprocals                                | Subtraction                               | Variations                                |
| division of mixed numbers using, 23        | of fractions, 5                           |   |
| negative, 297, 299, 302                    | of mixed numbers, 11–18, 37               | direct, 150–51, 161                       |
| of rational numbers, 256                   | of polynomials, 102-12, 130               | independent, 165                          |
| Rectangles                                 | Subtraction strategy, 437                 | partial, 150–51, 161                      |
| area of, 428-33, 458                       | Surface area                              | Velocity, 368, 373                        |
| diagonals of, 400                          | of cones, 452–54, 459                     | Vertical lines, 262                       |
| midsegments of, 407, 417                   | of a cylinder, 425                        | Visualization strategy, 468–69            |
| perimeter of, 120, 428–33, 458             | formula for, 424–25                       | Volume                                    |
| Relations                                  | heat and, 473                             | of a cone, 461–65, 482                    |
| See also Linear relations                  | optimum, 474-75, 476-81, 483              | of a cube, 78, 144, 424                   |
| direct, 150-51                             | of right pyramids, 448–52, 454, 459       | of a cylinder, 73, 425                    |
| evaluation of, 173–78, 182                 | of a sphere, 466–72, 483                  | formula for, 424–25                       |
| nonlinear, 173–81, 182                     | Systematic trial, 192                     | optimum, 474-81, 483                      |
| partial, 150–51                            | System of linear equations, 239–47        | of a pyramid, 461–65, 482                 |
| between variables, 142–49, 160             | 1,  | of a sphere, 466-72, 483                  |
| Review                                     | T   |   |
| Chapter reviews, 65–67, 128–32, 182–84,    |   | W   |
| 248–51, 307–10, 373–75, 416–19,            | Table of values, 139–42, 153–54, 162,     | Whole numbers, 44                         |
| 482–85                                     | 167–68, 341                               | Word association charts, 74               |
| Cumulative review, 187–89, 379–81, 488–90  | of discrete data, 323                     | Word problems                             |
| Mid-chapter reviews, 37–40, 100–101,       | of nonlinear relations, 174               | solving with linear equations, 200, 208   |
| 160–63, 224–29, 281–84, 341–43,            | to solve linear equations, 196            |   |
| 397–98, 458–60                             | Technology                                | use equations to solve, 193, 218–19       |
|  | calculators, 14, 33, 50, 145              | X   |
| Rhombus, 400, 407                          | graphing, 33, 145, 177, 199, 240, 243-44, | ^   |
| Right pyramids, 448–52, 454, 459           | 265–66, 324, 430, 478–79                  | X-axis, 138-39                            |
| Right triangles, 425, 438, 444             | spreadsheets, 120                         | X-intercept, 153, 165-69, 199             |
| Run, 153                                   | Temperature problems, 41–42, 48–49, 52    |   |
| c  | Terms                                     | Y   |
| 5  | isolating, 206                            | Y-axis, 138–39, 260                       |
| Scatter plots                              | like, 103, 109                            |   |
| conjectures and, 360                       | Trapezoids, 400, 412-13                   | Y-intercept, 150, 165–69, 262, 265, 281   |
| curves of best fit, 344–48                 | Trends, 331, 333–35, 346–48               | determining, 267, 286–89, 300, 301        |
| lines of best fit, 330-39, 342             | conjectures about, 354-61                 | finding equation of a line from, 317      |
| plotting data on, 322-25, 341              | Triangles                                 | Z   |
| representing relations with, 139–41        | angles of, 384–85, 389                    | <b>~</b>                                  |
| Simple interest, 234–35                    | bimedians of, 410                         | Zero principle, 102                       |
| A .  |   |   |

NEL Index 619