StockYard

Inventory and sales, made for makers who outgrew spreadsheets.

Nicholas Moppert
Software Engineering Capstone · Southern Careers Institute · Fall 2026
github.com/BDNIKKO/stockyard

A self-running presentation · about 8 minutes · sound on

THE PROBLEM

Spreadsheets break. Enterprise tools overcharge.

Solo makers selling on Etsy, at markets, and from their own sites hit a wall once inventory grows.

1

Counts drift

Sell a mug at a craft fair and Etsy still shows it in stock. Someone has to fix it by hand.

2

Profit is a guess

Revenue is easy to see. What each channel actually earns after cost of goods is not.

$50

Per month, for features they'll never touch

The usual escape from the spreadsheet is a heavy platform built for businesses ten times the size.

THE SOLUTION

One place for stock, sales, and the numbers

Every capability from the proposal's MVP shipped.

Product catalog

- SKU, photo, cost, price, stock
- Edit any time
- Archive without losing history

Sales ledger

- Log product, channel, quantity, price
- Stock drops automatically
- Filter by date and channel

Your own channels

- Etsy, markets, direct, pop-ups
- Rename or add anytime
- Starter set on sign-up

Dashboard

- Month revenue, units, profit
- Channel breakdown chart
- Low-stock restock list

Private by design


- Secure sign-up and login
- Stays signed in on reload
- Shops can't see each other

Works anywhere

- Phone, tablet, desktop
- Breakpoints at 480, 768, 1024

PRODUCT TOUR

StockYard in action



1 The month at a glance

Revenue, units and profit for the month, which channel earns the most, and what needs restocking.

2 A catalog that stays honest

Photo, cost, price and stock for every product. Low stock is flagged, and old products are archived, never deleted.

3 Sales in seconds

Pick a product and a channel, and stock drops automatically. The ledger filters by date and channel.

4 Pocket-sized, too


The same app on a phone: nothing spills off the screen, tables wrap, and the chart stays readable.

Try it yourself: stockyard-ucr9.onrender.com · create an account in seconds

ARCHITECTURE

Layered, simple to run

A React single-page app talks JSON over HTTP to a layered Spring Boot API backed by PostgreSQL.



Java 21 · Spring Boot 3.5 · Spring Security + JWT · DTO records · OpenAPI docs · Docker Compose · GitHub Actions CI

CODE WALKTHROUGH · ONE REQUEST, END TO END

Logging a sale

SALECONTROLLER.JAVA → SALESERVICE.JAVA (TRIMMED)

```java
@PostMapping
public SaleResponse record(@AuthenticationPrincipal MakerPrincipal me,
                           @Valid @RequestBody SaleRequest req) {
    return service.record(me.id(), req);
}

@Transactional
public SaleResponse record(Long makerId, SaleRequest req) {
    Product product = products.findByIdAndMakerId(req.productId(), makerId)
        .orElseThrow(() -> ApiException.notFound("Product"));
    // channels are looked up the same way

    if (products.decrementStock(product.getId(), makerId, qty) == 0) {
        throw ApiException.conflict("Not enough stock for " + sku);
    }

    Sale sale = new Sale(maker, product, channel, qty, price);
    // the Sale constructor copies today's unit cost
    return SaleResponse.of(sales.save(sale));
}
```

1 The controller stays thin

Spring Security hands it the signed-in maker, and **@Valid** rejects bad input before any business logic runs. Everything else is delegated.

2 Ownership on every lookup

Products and channels are fetched by id **and** maker. Someone else's product simply doesn't exist for you: a 404, never a data leak.

3 One guarded statement decides

The database lowers stock only if enough remains. Zero rows updated means the sale is refused with a 409. No read-then-write race.

4 Ledger in the same transaction

The sale copies the unit cost at that moment, then saves. **@Transactional** makes stock and ledger commit together, or not at all.

CODE WALKTHROUGH · SECURITY

Stateless JWT authentication

SECURITYCONFIG · JWTAUTHFILTER · JWTSERVICE (TRIMMED)

```
.sessionManagement(s → s.sessionCreationPolicy(STATELESS))
.addFilterBefore(jwtFilter, UsernamePasswordAuthenticationFilter.class)
.authorizeHttpRequests(a → a
    .requestMatchers("/api/auth/register", "/api/auth/login").permitAll()
    .requestMatchers("/api/**").authenticated()
    .anyRequest().permitAll())

// JwtAuthFilter
String header = request.getHeader(HttpHeaders.AUTHORIZATION);
if (header ≠ null && header.startsWith("Bearer ")) {
    jwt.parse(header.substring(7)).ifPresent(principal →
        SecurityContextHolder.getContext().setAuthentication(auth));
}

// JwtService
Jwts.builder().subject(String.valueOf(makerId))
    .claim("email", email)
    .expiration(Date.from(now.plus(ttl)))
    .signWith(key).compact();
```

1 No server sessions

Nothing is remembered on the server between requests. Each request carries its own proof of identity, so the API scales and restarts cleanly.

2 A filter checks every call

It reads the Bearer token, verifies the signature and expiry, and puts the signed-in maker into the security context.

3 Locked by default

Only sign-up and login are open. Every other **/api** route requires a valid token; everything else is just the React app.

4 Signed, expiring tokens

Tokens carry the maker id and an expiry, signed with a secret from the environment. Passwords are stored only as BCrypt hashes.

CODE WALKTHROUGH · DATABASE

A schema that protects itself

V1__INIT.SQL · FLYWAY MIGRATION (EXCERPT)

```
CREATE TABLE sales (
    id BIGINT GENERATED BY DEFAULT AS IDENTITY PRIMARY KEY,
    maker_id   BIGINT NOT NULL REFERENCES makers(id) ON DELETE CASCADE,
    product_id BIGINT NOT NULL REFERENCES products(id),
    channel_id BIGINT NOT NULL REFERENCES channels(id),
    quantity   INTEGER NOT NULL CHECK (quantity > 0),
    unit_price NUMERIC(12,2) NOT NULL CHECK (unit_price ≥ 0),
    unit_cost  NUMERIC(12,2) NOT NULL CHECK (unit_cost ≥ 0),
    sold_at TIMESTAMP WITH TIME ZONE NOT NULL  ...
);

CREATE INDEX idx_sales_maker_date ON sales(maker_id, sold_at);

-- products table
stock INTEGER NOT NULL CHECK (stock ≥ 0),
CONSTRAINT uq_products_maker_sku UNIQUE (maker_id, sku)
```

1 Normalized and linked

Each sale points to its maker, product and channel with foreign keys. No duplicated names, no orphan rows.

2 Rules live in the database

No negative stock or prices, quantity above zero, one SKU per maker. Even a bug in the app can't write bad data.

3 Cost is snapshotted

Each sale stores the cost at the time. Edit a product's cost later and last month's profit stays correct.

4 Indexed for the questions we ask

Maker plus date range is exactly how the dashboard and ledger filter. Flyway applies this same schema in every environment.

CODE WALKTHROUGH · FRONT END

From API to a responsive chart

DASHBOARD.JSX · DASHBOARD.MODULE.CSS · TOKENS.CSS

```
useEffect(() => {
  api.get('/api/dashboard').then((r) => setData(r.data))
     .catch((e) => setError(describeError(e).message));
}, []);

const chartData = data.channels.map((c) => ({
  name: c.channelName, Revenue: Number(c.revenue),
  Profit: Number(c.revenue) - Number(c.cost),
}));

<ResponsiveContainer width="100%" height="100%">
  <BarChart data={chartData}>
    <Bar dataKey="Revenue" fill="#6f9a7c" />
    <Bar dataKey="Profit"  fill="#d98a4e" />

.chart { height: 240px; }
@media (min-width: 480px) { .chart { height: 280px; } }
@media (min-width: 768px) { .chart { height: 320px; } }
/* tokens.css */ --color-sage: #5c7a66; --color-orange: #d98a4e;
```

1 One shared API client

The page just calls the API. An Axios interceptor already attached the token and handles expired sessions in one place.

2 Shape data for the chart

The server sends totals; the page derives profit per channel and hands Recharts a simple list.

3 Charts that resize

The chart fills a container whose height changes by breakpoint, so it never clips on a phone.

4 Tokens, not a UI library

CSS Modules over shared design tokens. The whole green-and-orange re-theme was a handful of variables.

CODE WALKTHROUGH · PROOF

Tests that try to break it

SALESFLOWTEST.JAVA (SIMPLIFIED)

```
// 10 in stock. Sell 8.
send(post("/api/sales"), token, sale(productId, channelId, 8), 201);

// Only 2 left. Selling 3 must fail.
send(post("/api/sales"), token, sale(productId, channelId, 3), 409);

assertThat(product.get("stock").asInt()).isEqualTo(2);
assertThat(send(get("/api/sales"), token, null, 200)).hasSize(1);

assertThat(dash.get("revenue")).isEqualByComparingTo("144.00");
assertThat(dash.get("profit")).isEqualByComparingTo("112.00");

// Another shop tries to sell this product
send(post("/api/sales"), otherMaker, sale(productId, theirChannel, 1), 404);
```

```
Tests run: 3, Failures: 0, Errors: 0  ·  BUILD SUCCESS
```

1 A normal sale works

Ten units in stock, eight sold: the request succeeds with a 201.

2 Overselling is refused

Asking for three when two remain returns a 409 Conflict.

3 And nothing changed

Stock is still two and the ledger still has one entry. A failed sale leaves no trace.

4 The math is right

8 sold at $18 is $144 revenue; with a $4 cost, $112 profit. The dashboard matches to the cent.

5 Shops stay separate

A second maker can't sell the first maker's product: 404. Isolation is tested, not assumed.

QUALITY AND DELIVERY

Containerized, automated, one command to run

Anyone can run it

- **docker compose up --build**
- Open localhost:8080
- Postgres included

Ready to host

- Single Docker image
- Render blueprint in the repo
- Secrets from environment

Automated checks

- Backend tests with Maven
- Front-end production build
- GitHub Actions on every push

REFLECTION

What changed, and what I learned

Proposal	What I shipped	Why
Azure App Service + Static Web Apps	One Docker image, Render blueprint	Anyone can run or view it without cloud credentials
Caching layer for reads	Aggregates computed in PostgreSQL	Fast enough at this scale; less to maintain
Azure Blob image storage	Local disk behind a storage class	Simple now; one class to swap later

Lesson: push consistency into the database, ship the simplest architecture that works, and keep the docs honest about what's real.

StockYard

Know what you have. Know what you sold. Know where it sold.

Thanks for watching.

Live: **stockyard-ucr9.onrender.com**

github.com/BDNIKKO/stockyard

Nicholas Moppert · moppertn@gmail.com

Next up: restock alerts · CSV import · public catalog page · tags