

# Weekly Fish and Water Operations Outlook 12/26/2023 – 1/1/2024

## **Water Project Operational Intent for Week**

• Monthly Delta Outflow and Rio Vista flow for December greater than 4,500 cfs; E/I ratio not to exceed 0.65.

#### **Forecasted Weather**

• Dry with morning fog at start of week. Increasing chances for rain and snow in the mountains into this weekend.

#### **Tables**

Table 1: Anticipated weekly operational ranges by tributary. Environmental and fish conditions updated by respective watershed groups at varying intervals that may not coincide with the weekly range of Water Operations

Tributary/Division	Anticipated Weekly Ranges	Related Environmental and Fish Conditions
Clear Creek	<ul> <li>Current Release: 200 cfs</li> <li>Anticipated Weekly Range of Releases: 200 cfs</li> </ul>	<ul> <li>Spring-run Chinook salmon fry are emerging and rearing.</li> <li>Fall-run Chinook salmon eggs are incubating.</li> <li>Late fall-run Chinook Salmon adults are migrating and will soon be spawning.</li> <li>Adult O. mykiss are migrating and spawning. Eggs are incubating, and juveniles are rearing.</li> <li>(Updated 12/6/2023)</li> </ul>
Sacramento River	<ul> <li>Shasta Storage: 3.062 MAF</li> <li>Current Release: 5,000 cfs</li> <li>Anticipated Weekly Range of Releases: 5,000 cfs.</li> </ul>	Adult fall-run Chinook salmon spawning has likely completed. Late fall-run Chinook adults are now starting to spawn as well as continuing to migrate and hold prior to spawning.     Fall-run redds are in various stages with the earliest redds nearing emergence,

		while later ones have eggs incubating in the gravel.  • Juvenile fall run (yolk-sac fry and fry) are being captured in low numbers at RBDD  (Updated 12/18/2023)
Feather River	<ul> <li>Oroville Storage: 2.384 MAF</li> <li>Current Release: 1,750 cfs</li> <li>Anticipated Weekly Range of Releases: 1,750 cfs.</li> </ul>	<ul> <li>Fall-run Chinook salmon adult spawning is nearing completion. Redds are being observed in both the HFC and LFC.</li> <li>O. mykiss juveniles are rearing. Adults are migrating upstream.</li> <li>Adult green sturgeon are still holding in the LFC.</li> <li>Spring-run Chinook salmon adults have completed spawning. Eggs are incubating in gravel. Fry are beginning to emerge and migrate downstream.</li> <li>(Updated 12/18/2023)</li> </ul>
American River	<ul> <li>Folsom Storage: 465 TAF</li> <li>Current Release: 2,000 cfs</li> <li>Anticipated Weekly Range of Releases: 2,000 cfs</li> </ul>	<ul> <li>O. mykiss juveniles are rearing.</li> <li>Adult fall-run Chinook salmon are spawning. Eggs are incubating in gravel.</li> <li>Fry are beginning to emerge. (Updated 12/19/2023)</li> </ul>
Stanislaus River	<ul> <li>New Melones Storage: 1.976 MAF</li> <li>Current Release: 200 cfs</li> <li>Anticipated Weekly Range of Releases: 200 cfs</li> </ul>	<ul> <li>O. mykiss - Adult and juveniles present</li> <li>Fall-run Chinook salmon adults are spawning. Eggs are incubating in gravel.</li> <li>(Updated 12/4/2023)</li> </ul>
Delta	<ul> <li>Freeport: 12,000 to 20,000 cfs</li> <li>Vernalis: 1,000 to 1,750 cfs</li> <li>Delta Outflow index: 5,000 to 10,000 cfs</li> <li>Combined Exports: 5,600 to 11,400 cfs</li> <li>JPP: Current 3,600 cfs, Range 3,600 cfs to 4,200 cfs</li> <li>CCF: Current 5,500 cfs, Range 2,000 cfs to 7,200 cfs</li> <li>Expected Daily OMR Index Values: -5,000 cfs to -9,000 cfs</li> <li>DCC Gates: Closed on 11/27</li> <li>X2 is greater than 81 km</li> <li>Tides: Transitioning from Spring to Neap tide</li> </ul>	<ul> <li>Adult O. mykiss present</li> <li>Adult and juvenile Green Sturgeon present</li> <li>Delta Smelt sub-adults and adults (size-based) are present in the lower Sacramento River.</li> <li>Longfin Smelt sub-adults and adults have been detected in Suisun Marsh and Bay, Grizzly Bay, San Pablo Bay, and at Chipps Island. Sub-adult LFS have also been detected at the Confluence and Lower Sacramento River. Water temperatures (&lt;14C) are now conducive for LFS spawning. LFS population scale migration is ongoing and spawning has started.</li> <li>(Updated 12/19/2023)</li> </ul>

Table 2a-b: WY 2024 relevant Fish and Environmental Criteria and Status in 2019 Reclamation LTO Action Cumulative loss for the duration of 2019 Biological Opinion began upon signature of ROD, 2/19/2020.

Table 2a: WY 2024 Salmonid Current Loss and Delta Smelt Abiotic Conditions. Additional Real-Time OMR Restrictions and Performance Objectives (4.10.5.10.2, 4.10.5.10.3) and Onset of OMR Management (4.10.5.10.1). Genetic identification of salmon is not used in calculating loss, but results are included in the Assessment as they

# become available. \* TBD – no draft JPE produced, ITL and performance thresholds are TBD $\,$

Species/run	Threshold	Current Status	Weekly Trend	Updated
Green sturgeon	WY 2024 salvage = 74	WY 2024 salvage = 0 (0%)	No change expected	12/26/2023
Natural winter-run Chinook Salmon	WY 2024 loss = TBD* (50% of 1.17% of JPE)	WY 2024 loss = 0 (0%)	No change expected	12/19/2023
Natural Steelhead	Dec 1 – Mar 31 = 707; (50% of 1,414) Apr 1 – June 15 = 776 (50% of 1,552)	WY 2024 loss = 0.68 Dec 1 – Mar 31 = 0.68 (0.096 % of the 50% threshold) Apr 1 – June 15 = 0(0% of the 50% threshold)	No change expected	12/26/2023
Sacramento River Hatchery winter-run Chinook salmon	WY 2024 loss = TBD* (50% of 0.12% of JPE)	WY 2024 loss = 0 (0%)	No change expected	12/26/2023
Battle Creek Hatchery winter-run Chinook salmon	WY 2024 loss = TBD* (1% of JPE)	WY 2024 loss = 0 (0%)	No change expected	12/26/2023
Proposed Action Hatchery yearling spring-run Chinook salmon surrogates	> 0.5% of each release group	WY 2024 loss = 0 (0%)	No change expected	12/26/2023
Delta Smelt	After Dec. 1: Running 3-day avg. flows at Freeport > 25,000 cfs AND Running 3-day avg. turbidity at Freeport => 50 FNU	Freeport 3-day avg. Flow = 18680.97 cfs; Turbidity = 38.38 FNU	Slight increase in response to precipitation	12/26/2023
Delta Smelt	Daily avg. Turbidity at OBI=>12 FNU	OBI Daily Average = Not relevant	Not relevant	11/27/2023
Delta Smelt	Daily avg. Temperature at CCF > 25°C for three consecutive days	CCF daily avg. Temperature = Not relevant	Not relevant	11/27/2023

### Table 2b. 10-Year Salmonid Cumulative Loss

Species/run	Threshold	Current Status	Updated
Natural winter-run Chinook salmon	Loss = 8,738	Cumulative loss = 368.95 (4.2%)	12/26/2023
Hatchery winter-run Chinook salmon	Loss = 5,356	Cumulative loss = 6.71 (0.13%)	12/26/2023
Natural steelhead	Loss = 6,038 (Dec 1 – Mar 31) Loss = 5,826 (Apr 1 – June 15)	Cumulative loss = 1576.53 (26.1%, Dec 1 – Mar 31) 976.75(16.8%, Apr 1 – June 15)	12/26/2023

Table 3a: Relevant Water Year 2024 Fish Criteria and Status for Listed Fish under the SWP Long-Term Incidental Take Permit.

Table 3a: Chinook Salmon

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comments
OMR Mgmt. triggered (8.3.2)	Jan. 1 - Jun. 30 (when ≥ 5% of spring-run or winter- run in Delta)	Not in effect	5% of the Winter-run or Spring-run population in Delta	N/A	N/A	12/26/23	Will be in effect January 1.
Winter-run yearly loss (8.6.1)	Nov. 1 - Jun. 30	In effect	TBD (based on LAD Winter-run; WY 2024 JPE)	N/A	N/A	12/18/23	
Winter-run discrete daily loss (8.6.2)	Nov. 1 - Dec. 31	In effect	12/1-12/31: loss of 26 fish /day of unclipped LAD older juvenile (Winter-run, Yearling fall-run, and Late fall-run)	Max Older Juvenile discrete daily loss observed last week = 0	Possible salvage of LAD older juveniles in the upcoming week	12/18/23	No salvage of LAD older juveniles during the previous week. Will not be in effect as of January 1.
Mid and late season Winter- run daily loss threshold (8.6.3)	Jan 1 – May 31	Not In effect	TBD (Based on LAD Older Juvenile)	N/A	N/A	12/26/23	Will be in effect beginning January 1.
Spring-run surrogate protection (8.6.4)	Feb. 1 - Jun. 30	Not in effect	TBD		N/A	9/29/23	Will be updated when in effect

Table 3b: Delta Smelt

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comment s
Integrated Early Winter Pulse Protection ('First Flush') (8.3.1)	Dec. 1 - Jan. 31	In effect	Freeport daily	Freeport 3-day avg. Flow = 18680.97 cfs; Turbidity = 38.38 FNU	Slight increase in response to precipitation	12/26/23	N/A

			[three-day Freeport turbidity running avg >=50 FNU OR Smelt Monitoring Team recommendation ]				
Turbidity Bridge Avoidance (8.5.1)	Dec. 15 - Apr. 1	Not in effect	Occurs after the Integrated Early Winter Pulse protection or February 1 whichever comes first until April 1 -avg. OBI turbidity>12 FNU	N/A	N/A	11/27/23	N/A
Larval and/Juvenile Delta smelt Protection (8.5.2)	Nov. 1 – Jun. 30	In effect, not triggered	- If 5-day cum. salvage of juv.DS>= 1 [average 3-yr FMWT index + 1], then -5000 OMR - If DS in SLS/20mm or 3-d temp at Jersey Point >= 12C, and SLS/20mm Secchi for 12 south delta stations <= 1m, then -3500 OMR	Current 5-day salvage = 0  3-day SJJ temp= 11.35 °C  Average Secchi Depth = 166 cm (as of 12/18)	N/A	12/26/23	N/A

Table 3c: Longfin Smelt

Action	Timeframe	Current Action Status	Threshold(s)	Current Relevant Data	Weekly Trend	Last Updated	Comment s
Early Adult Protection (8.3.3)	Dec. 1 - Feb. 28	In effect	-Cum. salvage > [most recent FMWT/10] = 46 fish (SeptDec. Index) OR -Smelt Monitoring Team determines high likelihood of LFS movement into high-risk areas	Cumulative salvage = 0	N/A	12/26/23	N/A

OMR Mgt. for Adults (8.4.1)	Onset of OMR mgmt -Feb. 28	Offramped	-Smelt Monitoring Team recommendation	N/A	N/A	12/19/23	N/A
Larval and Juvenile Longfin Smelt Entrainment Protection (8.4.2)	Jan 1 – Jun 30	Not in effect	-LFS larvae or juveniles in >=4 SLS or 20 mm stations in central and south Delta, OR -LFS catch/tow >5 larvae or juveniles in >=2stations	N/A	N/A	11/27/23	N/A
High Flow OMR Off- Ramp for Longfin Smelt (8.4.3)	Based on the status of 8.3.3, 8.4.1, & 8.4.2	In effect, not triggered	-Sac. R. at Rio Vista>55,000, OR SJR at Vernalis >8,000	Rio Vista = 7,000 – 15,000 cfs SJ = 1,000 – 1,750 cfs	N/A	12/18/23	N/A

Table 4: Fish monitoring gear efficiency and disruptions. Status Categories: [1] Active (ongoing sampling), [2] Partial Interruption (some sampling interruptions), [3] Interrupted (sampling fully suspended), [4] Not Active (sampling not scheduled)

Monitoring survey	Region	Notes (as of 12/26/2023)	Status
SWP regular counts, CWT reading	Delta	Active	1
SWP larval sampling	Delta	Not Active	4
CVP regular counts, CWT reading	Delta	Active	1
CVP larval sampling	Delta	Not Active	4
Smelt Larval Survey	Delta	Active	1
LEPS	Delta	Not Active	4
20mm Survey	Delta	Not Active	4
Fall Mid-water Trawl	Delta	Not Active	4
Summer Townet Survey	Delta	Not Active	4
Bay Study	Delta	Active	1
DJFMP- Chipps and Sacramento Trawls	Delta	Active	1
DJFMP- Seines	Delta	Active	1
EDSM	Delta	Active	1
EMP	Delta	Active	1

Monitoring survey	Region	Notes (as of 12/26/2023)	Status
Mossdale	Delta	Active	1
USGS Flow monitoring	Delta	Active	1
Red Bluff Diversion Dam Rotary Screw Trap (RST)	Sacramento River	Active	1
Knights Landing RST	Sacramento River	Active	1
Tisdale RST	Sacramento River	Active	1
GCID RST	Sacramento River	Not Active	4
Yuba River (Hallwood) RST	Yuba River	Active	1
Redd dewatering and stranding surveys	Sacramento River	Active	1
Sacramento Carcass and Redd Surveys	Sacramento River	Active	1
Lower Sacramento RST	Sacramento River	Active	1
Feather River (upper DWR) RST	Feather River	Active	1
Feather River (lower CDFW) RST	Feather River	Active	1
SJRRP CDFW Field Monitoring	San Joaquin River	Active	1
SJRRP USBR Field Monitoring	San Joaquin River	Active	1
Stanislaus Fish Weir	Stanislaus River	Active	1
American River Carcass/Redd Surveys	American River	Active	1
Caswell RST	Stanislaus River	Not Active	4
Wallace Weir	Cache Slough	Active	1
Butte Creek RST/Diversion Trap	Butte Creek	Active	1