

# Course Generator - V4.00

Pierre Delore

© 2008-2018 Pierre Delore (pierre@TechAndRun.com), CC BY-NC

## Contents

<b>Introduction</b>	<b>2</b>
Author's Note . . . . .	3
Personal data protection . . . . .	4
<b>The principle</b>	<b>5</b>
What is a GPX file? . . . . .	5
The CGX format . . . . .	6
The operating principle of Course Generator . . . . .	6
Use cases . . . . .	7
<b>The GUI</b>	<b>8</b>
<b>Menus</b>	<b>9</b>
"File" Menu . . . . .	9
"Edit" Menu . . . . .	11
"Display" Menu . . . . .	12
"Tools" Menu . . . . .	12
"Parameters" Menu . . . . .	13
"Help" Menu . . . . .	13
<b>The Toolbar</b>	<b>14</b>
<b>The Status bar</b>	<b>14</b>
<b>Tabs</b>	<b>15</b>
"GPS data" tab . . . . .	15
"Profile" tab . . . . .	17
"Statistics" tab . . . . .	18
"Analysis" tab . . . . .	18
"Analysis>Time/Distance" tab . . . . .	18
"Analysis>Speed" tab . . . . .	19
"Analysis>Speed/Slope" tab . . . . .	19
"Summary" tab . . . . .	20

<b>Using Course Generator</b>	<b>21</b>
Load a track . . . . .	21
Set up a track . . . . .	22
Set the speed/slope curve . . . . .	22
Set the terrain difficulty . . . . .	25
Set the fatigue coefficient . . . . .	27
Set the refueling times . . . . .	28
Set the recovery times . . . . .	29
Set the cut-off times . . . . .	29
Indicators or tags . . . . .	30
Calculate the track time . . . . .	31
Save the track . . . . .	32
 <b>Advanced use of Course Generator</b>	 <b>32</b>
Find a GPS point . . . . .	32
Find the high and low points of the track . . . . .	33
Change the altitude of a point on the track . . . . .	33
Merge two tracks . . . . .	34
Save part of the track . . . . .	34
Export tags as waypoints . . . . .	35
Copy the contents of a cell . . . . .	36
Generate a mini roadbook . . . . .	36
Presentation . . . . .	36
The types of mini roadbook . . . . .	37
The toolbar . . . . .	39
Set the size of the mini roadbook . . . . .	40
Configure the mini roadbook . . . . .	40
Configure each label . . . . .	44
Set the display format for labels . . . . .	45
Showing day and night times . . . . .	47
Reverse track direction . . . . .	47
Set a new starting point on a looped track . . . . .	47
The general parameters of Course Generator . . . . .	48
Import and export marked points . . . . .	49
Analyzing data after a race . . . . .	50
Using the map features . . . . .	51
 <b>Useful tools</b>	 <b>52</b>
Altitude correction . . . . .	52
Removing unnecessary points . . . . .	52

## Introduction

**Course Generator** allows you to process your GPS files in order to :

- Calculate your travel time by having previously adjusted the parameters corresponding to the nature of the terrain and your abilities,
- Calculate your times at each point of the track,
- To add on the course the nature of the terrain, your fatigue coefficient over time, refueling or rest periods and comments,
- Define cut-off time (an indicator will show you an overrun),
- To define recovery coefficients,
- To define the night periods and the associated efficiency decline,
- To select the decline of performance according to the altitude,
- View your track on a map (OpenStreetMap, OpenTopoMap, etc...),
- To generate a mini-roadbook with the profile of your track and annotations on the waypoints (name, time, altitude, Elevation gain ...),
- To generate a report in text format (CSV),
- Get statistics on the track (HTML format),
- Reverse the direction of the track,
- Set a new starting point for a loop track,
- Insert a track at the beginning or at the end of another track,
- To extract part of the track,
- To save the modified track, containing calculated track times, in GPX format. This will allow you, for example, to use the “Virtual Partner” function of GARMIN GPS,
- Save the track in CGX format which is the backup format of **Course Generator** in order to be able to exchange tracks while keeping the ground data, markers, the comments ...

And many other things...

Writing conventions have been adopted in this manual. They are detailed below.

- “*File* > *Open GPX*” indicates that it is necessary to select the “File” menu then select, in this menu, “Open GPX”. This allows to simply describe a sequence of manipulation to be done with the mouse.
- “[*CTRL + O*]” indicates one or a series of keys to activate in order to trigger an action. For example [CTRL + O] indicates that it is necessary to press the CTRL key while at the same time press the O key.

## Author’s Note

I created **Course Generator** in 2008 to help me prepare for my first 100km Ultramarathon trail race. I improved the software based on my needs. A small article in *Ultrafondu* (French magazine) allowed me to start making it known and I then made it grow with the user feedbacks. It has evolved enormously and many times, I have rewritten it to fit my needs. Each time it was a challenge and like the races that I ran, it was an adventure that made me grow (knowledge, questioning, open-mindedness ...).

**Course Generator** does not pretend to give you totally accurate results. Too

much depends on you and external conditions. Consider this software as a help to prepare your futur adventures.

You notice that I didn't use the term "race" because for me the "adventure" approach of a race, as hard as it is, has always allowed me to go through with its positive approach (not to mention the chrono anyway:) ).

The development of **Course Generator** has been and continues to be an adventure.

If you like this software you can contribute in different ways:

- By donating, by going to **Course Generator** website. This allows me to pay for hosting the site, tools and books allowing me to continue the adventure. The development of the application is done on my free time.
- By advertising. By choice, I am not very active on forums and social networks to use my free time to improve the software. If you have the opportunity, do not hesitate to talk about **Course Generator**. Twitter, Facebook, forums and also Reddit which if it is little used in France is a tool widely used in English-speaking countries.
- By feedbacks on the software. Bugs, documentation corrections and requests for improvements are welcome.
- By participating in the translation of the software into another language. It's simple, I send you a text file with English texts and you translate them into the target language by following a few simple rules.
- By participating in software development. Nothing very complicated, you have to know the Java language, Git and Github. Since version 4, **Course Generator** is Open Source and hosted on Github ([github.com/patrovite/Course\\_Generator](https://github.com/patrovite/Course_Generator)) so that other people can improve the software with me. The subject is vast, there is still plenty to do.

Go on an adventure with **Course Generator**.

Pierre DELORE

## Personal data protection

The software collects information about your hardware and software configuration in the logs. These data are in the 'logs' directory which can be accessed via the menu "Tools> Open the"Speed/Slope" folder". Nothing exits from your computer. It is only in case of problem that I will ask you to send me the 'logs' files.

## The principle

To work, **Course Generator** needs, as input, data containing a sequence of GPS points representing a track.

This data can be:


- A file in GPX format. This file contains the data of a track that has been created or downloaded on websites,
- A file in CGX format which is the recording format of **Course Generator**.

## What is a GPX file?

The GPX format is a standard cartographic data exchange format created by GARMIN. These data are either from a GPS or from a software or website.

It allows to exchange:

- Waypoints. These are GPS points, containing latitude, longitude and altitude, which is associated with information such as a name or symbol. The number of waypoints is usually limited on GPS (often 500 waypoints on GARMIN GPS).
- Routes. They consist of a set of waypoints. They are therefore limited by the number of waypoints that can contain a GPS.
- Tracks. A track consists of a set of GPS points (and not waypoints). Each GPS point contains at least the latitude and longitude of the point. Altitude and recording time are generally included in each point.



Wikipedia source

When opening a GPX file, **Course Generator** only read tracks. Other type of data are ignored.

## The CGX format

The CGX format is the native format of **Course Generator**. It allows in addition to the latitude, longitude and altitude, to store all specific data of **Course Generator**. This includes for example: ground difficulty, aid station, comments, mini-roadbook data ... This format allows you to exchange a track with a complete set of information about it.

## The operating principle of Course Generator

The diagram below shows the operating principle of **Course Generator**.





Figure 1: Principle of operation

## Use cases

The following use cases could be considered (non-exhaustive list):

- Prepare a race. After downloading the race GPS track you will adjust your parameters, adjust the terrain “quality”, indicate the aid station and the planned downtime, add comments and many other things. Finally, **Course Generator** will calculate your time of passage for each point of the track. This will allow you to have your time at each point of the track, statistics (for example time spent at more than 2000m at night) and generate a mini-roadbook.
- For a race direction to share the track in which they would have indicated for the terrain “quality”, the aid station, the cut-off times.
- Generation of a GPX file with pre-calculated time data to use the GARMIN GPS virtual partner. This allows to have a virtual partner running with you. If you have chosen the right parameters, you will be able to run at his side. This function also displays your position and the partner’s position on the track and on the track profile. It gives you the remaining track time as well as the remaining distance. It’s very convenient to manage your effort. The screenshot below shows you the profile view in virtual partner mode on a Forerunner 205/305. The dark point is you and the clear point is the virtual partner.



**Do I need to own a Garmin GPS device to use Course Generator?**

No! But it's a plus if you want to use the virtual partner feature. That's what pushed me to create **Course Generator** (even though now I almost don't use this feature anymore).

## The GUI

Upon starting the software, the following window is displayed :

The software's GUI is made of (from top to bottom):

- A ribbon on top of the window.
- A toolbar containing the most used tools.
- Several tabs giving access, for a given course, to the profile, data, summary, statistics and analysis.
- A map.
- A footer showing quick important information.






Figure 2: Main GUI

## Menus

### “File” Menu

- **Open GPX** : Loads a GPX format file. Keyboard shortcut: [MAJ+CTRL+O].
- **Open CGX** : Loads a CGX format file. Keyboard shortcut: [CTRL+O].
- **Recent GPX files** : Displays a list of the last 5 GPX files that have been loaded. Clicking on one of those files will load them again.
- **Recent CGX files** : Displays a list of the last 5 CGX files that have been loaded. Clicking on one of those files will load them again.
- **Save as CGX** : Saves the course data in CGX format. All the course data (difficulty, fatigue coefficient, aid station time...) will be saved. Keyboard shortcut: [CTRL+S].
- **Save as GPX** : Saves the course data in GPX format. Warning! Only latitude, longitude and altitude data will be saved.
- **Save as CSV** : Saves the course data in CSV format. The saved file can be opened by a spreadsheet such as Excel or LibreOffice Calc.
- **Import a GPX file** : Imports a GPX file at the beginning or end of the current course















	Open GPX	Ctrl+Maj-O
	Open CGX	Ctrl-O
	Recent GPX files	▶
	Recent CGX files	▶
<hr/>		
	Save as CGX	Ctrl-S
	Save as GPX	
	Save as CSV	
<hr/>		
	Import a GPX file	
	Import a CGX file	
	Save selection as CGX	
	Save selection as GPX	
	Save selection as CSV	
<hr/>		
	Import points	
	Export points	
<hr/>		
	Export tags as waypoints	
<hr/>		
	Exit	Alt-F4

Figure 3: File Menu

- **Import a CGX file** : Imports a CGX file at the beginning or end of the current course.
- **Save selection as CGX** : Saves the selected line(s) in a CGX file. All the course data (difficulties, fatigue coefficient, aid station time....) will be saved.
- **Save selection as GPX** : Saves the selected lines in a GPX file. Warning! Only latitude, longitude and altitude data will be saved.
- **Save selection as CSV** : Saves the selected lines in a CSV file. The saved file can be opened by a spreadsheet such as Excel or LibreOffice Calc.
- **Import points** : Imports waypoints as CGP format.
- **Export points** : Saves the selected waypoints in a CGP file.
- **Export tags as waypoints** : Saves the selected tags as waypoints in a GPX file. This allows to benefitate, when using a GPS device, additional information on top of the course.
- **Exit Course Generator** : Exits **Course Generator**. Keyboard shortcut: [Alt+F4].

## “Edit” Menu




Figure 4: Edit Menu

- **Copy** : Copies the selected line in the clipboard. Keyboard shortcut: [CTRL+C].
- **Search a point...** : Searches a GPS point using longitude and latitude coordinates. The closest point found will be returned. Keyboard shortcut: [CTRL+F].
- **Mark the current position** : Sets a mark on the selected line. If the line already has a mark, the mark will be deleted. Keyboard shortcut: [F6].

- **Go to the next mark** : Locates and selects the next mark. Keyboard shortcut: [F7].
- **Go to the previous mark** : Locates and selects the previous mark. Keyboard shortcut: [Ctrl+F7].

## “Display” Menu




Figure 5: Display Menu

- **Generate mini roadbook** : Opens a window and displays the course's mini roadbook.

## “Tools” Menu




Figure 6: Tools Menu

- **Find Min/Max** : Determines the highest and lowest course points.
- **Reverse track** : Reverse the course direction.
- **Define a new start**: For a given course as a loop, sets the selected point as the start of the course.
- **Estimate track time** : Compute the estimated time for each of the course's points. Keyboard shortcut: [F5].
- **Open the “Speed/Slope” folder** : Opens the folder containing the speed curve files in File Explorer.




Figure 7: Parameters Menu

### “Parameters” Menu

- **Track settings...** : Opens the dialog to configure the course settings. Keyboard shortcut: [F9].
- **Speed/Slope curves...** : Opens the dialog to choose, create, modify or delete a speed/slope curve.
- **Course Generator settings...** : Opens the dialog to change the main settings of **Course Generator**.

### “Help” Menu




Figure 8: Help Menu

- **Help** : Displays this current document.
- **Check for update** : Check if a **Course Generator** update exists.
- **Support the author...** : This menu opens your web browser and displays a webpage where a donation can be made to the author in order to support him continue developing **Course Generator**.
- **Course Generator webpage...** : This menu opens your web browser onto the main webpage of **Course Generator**.
- **About...** : Displays the copyright and version information of **Course Generator**.

## The Toolbar



Figure 9: Main Toolbar

- : Loads a GPX file format course
- : Loads a CGX file format course
- : Saves a CGX file format course
- : Undo the last command
- : Searches for a specific GPS location
- : Searches the previous mark
- : Searches the next mark
- : Displays the mini road-book
- : Displays the speed/slope curve
- : Displays the course settings window
- : Displays the global terrain difficulty settings window
- : Displays the global fatigue coefficient settings window
- : Computes the course estimated time









## The Status bar

Located at the bottom of the main GUI, it displays the general information related to the software status and the course.

69.853 miles | 30440 feet | 30469 feet | 28:36:29 | Default | Cut-off time | Modified | Ok | Online | Miles|Feet | 229.0 MB

Figure 10: Status Bar

- 32,005 km : Total distance.
- 530 m : Total elevation gain.
- 986 m : Total elevation loss.
- 03:25:16 : Total estimated time.

-  **Run\_10km\_h** : Chosen ‘speed/slope’.
-  **Cut-off time** : Indicates that a cut-off time has been exceeded for a specific course location. Clicking on it will bring the specific line into focus.
-  **Modified** : The course has been modified. It is recommended to save it.
-  **Ok** : The course has been modified. It is recommended to re-compute the estimated time. (button  or [F5]).
-  **Online** : Displays the current internet connection status.
-  **Km|m** : Shows the selected measuring units.
-  **5,3 MB** : Displays the disk space used for the maps.

## Tabs

The top area contains a series of tabs that allow you to choose the type of data to display.

## “GPS data” tab










This tab displays all the data of the track.


Num	Lat	Lon	Alt	Tag	Dist	Total	Diff	Coef	Recovery	Time	Cut-off	Hour	Aid station	Name	Comm
199	45.8657000	6.7554800	▲ 4390		52	12.958	95	93.5		04:07:37		Sat 09:07:37			
200	45.8651900	6.7563100	▼ 4377		53	13.011	95	93.5		04:08:07		Sat 09:08:07			
201	45.8657400	6.7570400	▲ 4413		52	13.064	95	93.5		04:09:03		Sat 09:09:03			
202	45.8656400	6.7606400	▲ 4570		176	13.240	95	93.4		04:17:50		Sat 09:17:50	00:05:00	Bionnassay	
203	45.8660600	6.7628700	▼ 4554		111	13.351	95	93.3		04:18:56		Sat 09:18:56			
204	45.8660700	6.7695700	▲ 4656		323	13.674	95	93.1		04:23:06	02:00:00	Sat 09:23:06			
205	45.8663100	6.7703700	▲ 4697		50	13.723	95	93.1		04:25:34		Sat 09:25:34			
206	45.8666900	6.7726900	▲ 4843		115	13.838	95	93.1		04:27:10		Sat 09:27:10			
207	45.8675400	6.7744000	▲ 4928		102	13.941	95	93.0		04:29:15		Sat 09:29:15			

A double click on one of the lines opens the edit window.


The details of the columns are described below:

- **Num** : This is the row number of the table. It allows you to find quickly a line in the table.
- **Lat** : Contains the latitude of the point in degree.
- **Lon** : Contains the longitude of the point in degree.
- **Alt** : Contains the altitude of the point in meters/feet.
  - On the left of the altitude an arrow indicates the inclination of the field.
    - \* Upwards, this indicates that we have climbed since the last point.
    - \* Downwards, this indicates that we have descended from the last point.

- \* To the right, this indicates that the field is flat.
- The background color indicates the degree of slope of the field.
  - \* Brown if climbing (positive slope). The higher the slope, the darker the color.
  - \* White if the field is flat.
  - \* Green if going down (negative slope). The higher the slope, the darker the color.
- **Tag** : Displays the marks associated with the point.
  -  : Indicates a high point.
  -  : Indicates a low point.
  -  : Indicates a refueling point.
  -  : Indicates a water point.
  -  : Indicates that the point has been marked.
  -  : Indicates a view place.
  -  : Indicates a note.
  -  : Indicates information.
  -  : Indicates the beginning or the end of a roadbook section.
- **Dist** : Contains the distance, in meters/miles, since the previous point.
- **Total** : Contains the distance, in kilometers/miles, that has been traveled to this point.
- **Diff** : Contains the field difficulty between the previous point and this point. The initial value is 100, this corresponds to a flat road. The lower the value, the more rugged it is. If you enter 80, this indicates that compared to a flat road you will spend 20% more time to cover the

distance. The button  allows you to quickly fill a set of position. You will find below the values used by Softrun ([www.softrun.fr](http://www.softrun.fr)). Thanks to Rémi Poisvert for these informations.

- “Easy field” = 98
- “Average field” (normal mountain trail) = 95
- “Hard field” = 88
- “Very hard field” = 80
- “Extremely hard field” = < 80
- **Coeff** : Contains the fatigue coefficient to be applied between the previous point and this point. The value is between 1 and 200. The initial value is 100, this corresponds to your initial state (fresh state). If you enter 80, it indicates that you will spend 20% more time to travel the distance.

The button  allows to define a rule of global evolution of the fatigue coefficient.

- **Recovery** : Contains the recovery coefficient that will be added to the



fatigue coefficient. It is a relative value that is between 0 and 100. Initial value is 0 (not displayed). The sum “Coeff” + “Recovery” is limited to 100%. This parameter is used to indicate recovery after a break (refueling, nap at a aid station...). Once the value entered, it’s necessary to restart




an overall calculation of the coefficient of fatigue with the button

- **Time** : Contains the total time needed to reach this point from the start.
- **Cut-off** : Contains the cut-off time at this point of the track. This is the time since the start and not the hour (this avoids the problems related to the departure times shift). If at a point in the track the time is greater than the cut-off time then an indicator appears in the status bar. A click on the indicator will select the first line where the cut-off time has been exceeded.
- **Hours** : Contains the day and time of passage at this point. Start date and time are adjustable in the track parameters. If the background is green it indicates that the travel is made during day time. If the background is blue then the trip is done during night time.
- **Aid station** : Contains the total refueling time you expect to spend at this point. If no refueling is planned for this point (time equal to 00:00.00) then the cell is empty.
- **Name** : Contains the name of the point. It is used in profile view, reports and mini roadbook.
- **Comment** : Contains a comment on the point. It is used in reports and the mini roadbook.

## “Profile” tab


This tab displays the track profile.



If a mark has been positioned in the table then a point appears on the curve as well as its serial number. This number corresponds to the table row of the Summary tab.


A left click on the curve makes it possible to position a cursor and to obtain information on the point (information coming from the data table).

A right click on the curve displays a menu to adjust the display of the curve and save the display as an image (PNG format).

The button  displays the row position of the “Summary” table.


## “Statistics” tab

This tab provides statistics on the track.



Statistics contain among other things:

- Average speed, distance and time for various slope areas
- Average speed, distance and time for various altitude ranges
- Average speed, distance and time for the daylight period
- Average speed, distance and time for the night period
- The average percentage of slope of the ascent and descent
- The distance traveled uphill, on the flat and downhill
- The temperature difference between the low point of the course and the high point. This value is purely indicative and theoretical. It does not take into account the wind chill effect and local phenomena. The basis of calculation is 0.6°C per 100m of elevation gain.

The button  saves this data in HTML format.

The button  refreshes the data.

## “Analysis” tab

This tab allows to obtain an analysis of your track. It contains 3 sub-tabs which are detailed below.

### “Analysis>Time/Distance” tab

This tab allows you to analyze your speed over time.




Figure 11: Time/Distance tab

Two curves are displayed:

- A curve of the altitude over the distance
- A curve of the time (in seconds) over the distance


The study of the curve of time/distance allows to see its evolution on the track (acceleration, slowdown, stopped). The change of slope of the red curve indicates a variation of speed.

The following cases are possible:

- The slope of the curve becomes steeper. This indicates a slowdown (due to the terrain or fatigue).
- The slope of the curve becomes less steep. This indicates an acceleration.
- The slope changes abruptly. This indicates a stop.

### “Analysis>Speed” tab

This tab allows you to get an analysis of the speed on your track.




Two curves are present:

- A curve of the speed over the distance
- A regression curve of speed

A right click on the curve display a menu allowing to save the curve as an image.

### “Analysis>Speed/Slope” tab

This tab is used to extrapolate a speed curve over the slope.




This curve is useful for creating its own speed/slope curves according to a previous track.


Two curves are present:

- A scatter plot that includes all the points acquired during your race
- A speed/slope curve (extrapolated)




The button  saves the result curve (red curve) in the speed/slope curve library. It will be useable in the curves dialog.

The following dialog appears:



The “Name” input field is used to enter the name of the curve.

The “Comment” input field is used to enter a comment.

The button  corrects the speed/slope curve with the track parameters (terrain difficulty and fatigue).

The button  allows to filter the speed of the speed/slope curve.

## “Summary” tab


This tab displays a table containing all the lines of the track containing a mark.


Data Profile Statistics Analysis Summary																		
N°	Name	Line	Altitude	Elevation...	Elevation...	Distance	Time	Hour	Time diff...	Cut-off ti...	Aid stati...	Distance...	Elevation...	Elevation...	Ascend ...	Descent...	Avg uph	
1	St Nicolas	1	3881	0	0	0.000	00:00:00	Sat 05:0...	00:00:00			0.000	0	0	0	0	0.0	
2	Les toilles	96	3720	2930	3058	6.407	02:02:51	Sat 07:0...	02:02:51			00:05:00	6.407	2930	3058	2553	3788	30.4
3	Le Prarion	159	6371	5971	3481	9.800	03:20:45	Sat 08:2...	01:17:54				3.393	3009	358	2468	4501	35.9
4	Blornas...	202	4570	6398	5709	13.240	04:17:50	Sat 09:1...	00:57:05			00:05:00	3.440	427	2228	1313	3555	9.8
5	Col de T...	257	6896	8993	5978	16.963	05:31:53	Sat 10:3...	01:14:03				3.324	2595	269	2262	3094	39.6
6	Mlage	288	5161	9039	7759	17.716	06:04:52	Sat 11:0...	00:32:59			00:08:00	1.152	46	1781	4240	3306	22.9
7	Tiré-la-T...	426	6388	13196	10663	24.925	08:48:26	Sat 13:4...	02:43:34			00:05:00	7.209	4157	2904	2267	3678	33.1
8	Les Fon...	487	3806	13366	13481	29.879	10:11:18	Sat 15:1...	01:22:52			00:10:00	4.954	200	2792	1916	2752	10.5

For each line you have:

- A number.
- The name of the point.
- The line of the data table where is the point.
- The altitude of the point.
- The accumulated elevation gain up to the point.
- The accumulated elevation loss up to the point.
- The distance traveled up to the point.
- The time at the point.
- The hour at the point.
- The travel time since the last point.
- The cut-off expressed in time since the start.
- The refueling time.
- The distance from the last point.
- The elevation gain since the last point.
- The elevation loss since the last point.
- The climb speed since the last point.

- The descent speed since the last point.
- The average slope of the climbs since the last point.
- The average slope of the descents since the last point.
- The average speed since last point.
- The comment on this point.

The button  saves the table data in CSV format in order to be used in a spreadsheet (Excel, OpenOffice Calc ...).

The button  allows you to refresh the data.

## Using Course Generator

The normal procedure for using **Course Generator** is:

- Upload a GPS file
- Set the global track parameters (Name, date and start time)
- Choose the “Speed/Slope” curve
- Set the track parameters (terrain difficulty, fatigue coefficient, aid stations...)
- Start the calculation
- Save the track in CGX or GPX format

The below chapters will describe all these manipulations (And much more).

### Load a track

Two types of files can be opened by **Course Generator**.

- The GPX format contains a GPS track from a recording made with a GPS, a mapping software or a website. This format does not contain specific **Course Generator** data. This format is to use if you don’t have a CGX file of your track.
- The CGX format, which is the format of **Course Generator**, stores all the specific data of the software. It is preferred if you want to keep your work.

The loading of a track is done by the menu “File> Open GPX” or “File> Open CGX” according to the chosen format.

When opening the file you may get the following message: ((image message))

This message appears because some files do not contain time data, which prevents **Course Generator** from displaying the time and time of passage for each point. These columns are then set to 0. Setting of parameters of the track then the execution of the calculation of the track are then necessary.

## Set up a track

The setting of the track is done with “Settings>Track settings...” or [F9].

The configuration window below is then displayed.

You can then:

- Enter the name of the track (maximum 15 characters).
- Add a description of the track. This description will appear in the road-book.
- Set the date and time of start.
- Select if you want to use the altitude effect feature.
- Select if you want to use the night effect feature. You must then enter the times for the beginning and ending of the night and the correction factor to be applied to each position. The “Auto-adjustment” button opens the dialog box to automatically calculate the sunset and sunrise time. The calculation is made from the information of the first GPS point of the table(GPS coordinates, date and hours).


The following window appears:

Enter the time zone (1 for France).



Once the setting is completed, press “Ok” to validate. If you have chosen to take into account the night effect, you will see that the “Time” column shows a blue background during the night and green periods during the daytime periods.

## Set the speed/slope curve

In order to have a track time consistent with your speed, you have to choose or create a speed curve according to the slope. This curve goes from -50% slope (downhill) to + 50% slope (climb). The choice of the curve is made by the choice of the speed that one wants to “hold” when the slope is null (0%) on a road. A set of curves has been created to cover most running speeds.

The menu “Settings>Speed/Slope curves...” or the button  will display the dialog box for selecting and managing curves.

On the left appears the list of curves already created. During the creation, an explicit name was assigned to them to find them quickly. Try to preserve this principle if you create new curves.

The button  loads the data from the selected curve file into the list. The button  allows you to modify the data of the selected curve. The button

Track settings

Track name  
Bright angel

Description  
A cool Grand Canyon trail

Start date and time  

< mars 2018 >

07:00

	lun.	mar.	mer.	jeu.	ven.	sam.	dim.
9					1	2	3 4
10	5	6	7	8	9	10	11
11	12	13	14	15	16	17	18
12	19	20	21	22	23	24	25
13	26	27	28	29	30	31	

Altitude effect  
☒ Take into account the altitude effects (over 1500m / 4921 feet)

Night effect  
☒ Use the night coefficient  
Start 18:29 End 06:48 Auto-adjustment  
Uphill coefficient 100 Downhill coefficient 95

Ok Cancel

Figure 12: Track parameters dialog

**Sunrise and sunset**

Date: 14/03/2018

Longitude: -112.1436000°

Latitude: 36.0573300°

Time zone: 8

Sunrise: 06:48

Sunset: 18:29

☒ Daylight saving

Ok Cancel

Figure 13: Sun dialog




Figure 14: Curves dialog





allows you to create a new curve. The button



duplicates the



selected curve. The button deletes the selected curve.

**How to choose a speed curve?** This will depend on you, your goals... You can base yourself on a percentage of your  $vVO_{2max}$ . For example for a long trail you can take 60% of your  $vVO_{2max}$ . About 10km/h in my case, I then select the curve of 10km/h. There is also the practice. At the beginning you will surely underestimate or overestimate your speed. But over time your choice will become more and more accurate.

#### Notes:

- \* If you create new curves that seem interesting to you, do not hesitate to send them to me so that I can add them on the website as well as in the next versions.
- \* Each curve is a file whose extension is 'par'. These files are accessible through the menu "Tools>Open"Speed/Slope" folder". This will open the file manager and display the contents of the directory.

## Set the terrain difficulty

The "Diff" column is used to 'quantify' the difficulty of the terrain.

You can quickly enter terrain difficulty for a set of points. Simply select the first line and then while holding down the SHIFT key you select the following lines



(with mouse or keyboard). The button will display the auto-fill dialog.

The "Start" area is used to define the start line (from the beginning or from a specific line number). The "End" area is used to define the end line (to the end or to a specific line number). The zone "Difficulty" makes it possible to choose the difficulty of the terrain. You can either use the pre-determined values or enter your own difficulty value.

This action can also be done on the track map (see below).

#### Note:

It is sometimes impossible to determine or know the quality of the terrain. It may be wise to set an average terrain quality for the entire track. For example, the "Montagn'hard 100" has been rated as "average" terrain. Even if some sections were very difficult (scree, slippery areas ...) and other very easy (roads or tracks). Don't try to take into account the slope of the terrain because this is taken into account via the "Speed/Slope" curve and the calculation of the slope is automatically done by **Course Generator**.

**Terrain difficulty column** [X]

Start

☐ From the start

☒ From line  [Up] [Down]

End

☐ To the end

☒ To line  [Up] [Down]

Difficulty

☒ Very easy

☐ Easy

☐ Average

☐ Hard

☐ Very hard

☐ Other  [Up] [Down]

[Ok] [Cancel]

Figure 15: Terrain Difficulty dialog

## Set the fatigue coefficient

The “Coeff” column is used to ‘quantify’ fatigue over time.

You can quickly enter the fatigue coefficient for a set of points (usually for the entire track). Simply select the first line and then while holding down the SHIFT key select the following lines (with mouse or keyboard). The button



allows to display the auto-fill dialog.

**Health difficulty column**

**Start**

☐ From the start

☒ From line

Initial value

**End**

☐ To the end

☒ To line

Ending value

**Help**

Estimated time

H  M

Estimated final coefficient

Figure 16: Health coefficient dialog

The “Start” area is used to define the start line (from the beginning or from a specific line number). The “Initial value” field is used to enter the corresponding value.

The “End” area is used to define the end line (to the end or to a specific line

number). The “Ending value” field is used to enter the corresponding value.

If the ending value is not equal to the initial value then the intermediate lines will have a gradual and linear variation of the values. Manual edits made through the line editor will be overwritten.

The settings made in this window will be global and stored in the CGX file.

The area “Help” allows according to your estimated to give you an approximate value of the coefficient of fatigue. This value can be copied to in the “Initial value” and “Ending value” fields with the buttons “> Start” and “> End”.

## Set the refueling times

In order to stick to reality, you can enter the time you plan to spend at a specific location (refueling, rest...).

The following dialog box is displayed:

Figure 17: Line editor

The “Aid station time” fields are used to enter the time at this location (hours, minutes and seconds). The “0” button allows you to reset the time to 00h00mm00s.

**FAQ!** The time or hour displayed on the line containing a refueling time is the time or hour you plan to leave from this position, NOT the time you plan to arrive at this position. It’s the design of **Course Generator** that forces this method of calculation.

To summarize: [Hour] = [Hour of the previous position] + [Travel time between 2 positions] + [Refueling time]

$$[\text{Time}] = [\text{Time of the previous position}] + [\text{Travel time between 2 positions}] + [\text{Refueling time}]$$

## Set the recovery times

You can enter for a given point the recovery coefficient after refueling or rest. To do this, go to the corresponding cell and open the line editor by double-clicking.


The following dialog box is displayed:

Figure 18: Line editor

The “Recovery” field is used to enter the recovery coefficient (between 0 and 100). This value is relative. If you think that you will recover 5% of fatigue coefficient, you must enter 5 and not the value you think you will have (eg from 85% to 90%).

### Note :

After modifying the “Recovery” column, it is necessary to restart a global cal-

culatation with the button  in order to have your input taken into account.


## Set the cut-off times

You can enter for a given point the scheduled cut-off time. This cut-off time is expressed in time since the start and not the time at the point. This makes it possible to take into account the departure delays (for example the UTMB 2011 was delayed by 5 hours). To do this, go to the corresponding cell and open the line editor by double-clicking.

The following dialog box is displayed:

Figure 19: Line editor






The “Cut-off time” fields are used to enter the cut-off time (hours, minutes and seconds). The “0” button allows you to reset the time to 00h00mm00s.





In order to take into account the input it is necessary to run a calculation with the button . After the calculation if one of the position time exceeds a cut-off time then a red indicator “Cut-off time” will appear in the status bar. A click on the indicator will select the first line of the track the first line where the cut-off time has been exceeded.

## Indicators or tags

For each point you can have indicators or tags that indicates a particularity of the point.

The different indicators are as follows:

-  : Indicates a high point. This indicator is selected manually or automatically by the function “Find Min/Max”.
-  : Indicates a low point. This indicator is selected manually or automatically by the function “Find Min/Max”.
-  : Indicates a refueling point (eat or drink).
-  : Indicates a water point.
-  : Indicates a view point.

-  : Indicates a special point. This indicator is called “Mark” and allows you to split the track into steps. Each mark adds a line in the summary table.
-  : Indicates a note.
-  : Indicates information.
-  : Indicates the beginning of a new part of the roadbook.

To set the indicators for a position, select the corresponding cell and open the line editor by double-clicking.

The following dialog box is displayed:





Figure 20: Line editor

The indicators appear in front of “Tags”.

In order to save time, keyboard shortcuts are available:

- [F6] allows to put or remove a “Mark” on the selected line.
- [F7] allows you to move quickly to the next line containing an indicator.
- [Ctrl+F7] allows you to move quickly to the previous line containing an indicator.

## Calculate the track time

Once the track parameters have been entered, it is necessary to click on the button  to start the calculation of the time for each point. The columns ‘Time’ and ‘Hours’ are then updated according to the settings you have made previously. In the status bar at the bottom of the window, the total time is updated.

## Save the track

**Course Generator** offers the possibility to save your track in several formats.

- “File>Save as GPX” save the track in GPX format which is the standard track exchange format. The problem with this format is that it does not store specific data of **Course Generator**.
- “File>Save as CGX” saves the track in CGX format which is the standard file format of **Course Generator**. This format should be used as soon as you want to keep the settings made on a track.
- “File>Save as CSV” saves the track in CSV format which is a standard format for saving data as semicolon-separated text. These files can be opened by a spreadsheet program such as EXCEL, OpenOffice Calc or Libre Office Calc.

## Advanced use of Course Generator

This chapter will introduce you to more advanced uses of **Course Generator**.

### Find a GPS point

It is possible to search for a GPS point on the track via the “Edit>Search a point...” menu or with the keyboard shortcut [Ctrl + F].





Figure 21: Search dialog





In the dialog box, it is necessary to enter the latitude and longitude of the point and then press the search button .

**Course Generator** will search for the closest point given a set of coordinates. It will indicate the line corresponding to the point found as well as the distance between the point found and the coordinates entered. The line containing the found point will then be selected.

## Find the high and low points of the track

The “Tools>Find Min/Max” menu is used to automatically find the highest and lowest point of the track.

Each found position is marked with an indicator  (high point) or  (low point).

## Change the altitude of a point on the track

It can happen that the elevation data of a track is inaccurate. This can happen if you, or an Openrunner type website, have made an automatic correction of altitudes. The SRTM database on which these sites are based has area without altitude. The given base then returns an altitude of 32768m. In order to overcome this problem you can edit the altitude of the erroneous point(s).

To do this, go to the corresponding cell and open the line editor by double-clicking.

The following dialog box is displayed:





Figure 22: Line editor

The “Altitude” field is used to enter the new altitude.


It will be necessary to restart a calculation with the button  to take into account the new altitude.

## Merge two tracks

**Course Generator** offers the opportunity to merge two tracks.


The procedure is as follows:

- Load the first track in **Course Generator** (GPX or CGX format).
- Import the second track using “File>Import a GPX File” or “File>Import a CGX File”.
- The dialog box below appears:



- Select “Insert at the beginning” if you want to insert the track before the one present in memory. If not, select “Append” and the track will be added after the current loaded track.
- The file selection dialog box appears. Make your choice then click on “Open”
- The merge is then realized

If you have other tracks to merge, simply repeat the process.

After merging the tracks you will have to modify the settings of the fatigue coefficients and restart a computation (butotn  or [F5]) because the time data will be wrong.

Once you have completed the merge and restarted a calculation, you will be able to save the track.

## Save part of the track

**Course Generator** allows to save a section of a track.

The procedure is as follows:


- In the table select the first line you want to save,
- While holding down the SHIFT key, select the last line to save.
- Select “File>Save selection as xxx” (xxx corresponds to the file format you want).
- The file save dialog box appears. Enter the file name and confirm.
- It's done!

## Export tags as waypoints

**Course Generator** offers the ability to save GPS points containing tags (or indicator) as a waypoint. These waypoints can be added to your GPS to have, for example, the display of the track with additional information such as passes, aid stations and cities.

The procedure is as follows:

- Select “File>Export tags as waypoint”.
- The dialog box below appears:



- Select the types of tags you want to export.
- The save dialog box appears.
- Waypoints will be saved to a file that has the name entered and with a GPX extension.

The operation of this file can be done, for example, with Garmin's Basecamp

software.

## Copy the contents of a cell

The contents of a cell in the track table can be copied to the clipboard for use in other software. To perform this action simply select “Edit>Copy”. The content of the selected cell is copied to the clipboard as text.


## Generate a mini roadbook

**Course Generator** offers the possibility to generate a mini roadbook. This will contain the profile of the track and informations on your way points. The mini roadbook is accessible via “Display>Generate mini roadbook”.

At the end of the process the mini-roadbook is an image. This image can be printed using drawing software such as Paint, Photoshop or The Gimp. It can also be used in other software like Word, Excel, Inkscape, Illustrator ...


The settings made to generate the mini roadbook are saved in the CGX file of the track. If you exchange a track in CGX format, you will exchange the track with all its informations (refueling, terrain quality, cut-off times ...) and the mini roadbook.


To be able to use the mini roadbook it is necessary to have previously set the parameters of your track. This includes:

- Having entered the terrain difficulty (useful for the type “Roads/Trails”).
- Fill in the fatigue coefficient, refueling times, cut-off times, names of important points.
- Having the calculation updated (F5 key).
- Having marked the important positions with the indicator .
- Having marked the important points with one or more of the following







indicators:     

## Presentation

“Display>Generate mini roadbook” or the button  displays the following window:



It contains the following elements:


- Top: the toolbar to perform actions
- Middle right: Contains a table with all the rows of the track table that contained the indicator  and one or more of the following indicators:     . Each line generates a label in the mini roadbook
- Middle left: This area allows you to change the content of the currently selected table row
- Bottom: Contains the mini roadbook with tags

When a line is selected then the corresponding label color change (salmon color).

### The types of mini roadbook


In the top bar, the “Profile type” drop-down list allows you to choose among the 3 types of profile:

The “Simple” type:




The track profile does not contain any additional information.

The “Roads/Trails” type:




The profile highlights the portions of the roads and trails with a color code. The roads are the points of the track table whose field coefficient is equal to 100%. The others are considered as trails.

The “Slope” type :









The profile highlights the degree of slope by a color code.

The colors used in the mini roadbook can be set in the configuration window accessible with the button .

## The toolbar











-  : Saves the mini roadbook as an image. The available format is PNG.
-  : Opens the mini roadbook configuration window
-  : Copies the current label format to reproduce it on one or more other labels. This function is also accessible with the keyboard shortcut CTRL + C
-  : Paste the formatting on the selected label. Only the properties selected in the function's configuration window will be pasted. This function is also accessible with the keyboard shortcut CTRL + V
-  : Opens a window for configuring the duplicate formatting feature as



shown below:

Select the settings you want to duplicate when copying.

-  : Allows you to specify that labels must be connected to the bottom of the profile.
-  : Allows you to specify that labels must be connected to the profile.
-  : Specify whether to show the day and night areas on the profile.
- "Profile type" : Allows you to select the type of mini roadbook.
  - Simple
  - With roads/trails


- With slope
-      : These 5 buttons are used to store display formats.
  - A right click on a button memorizes in the button the setting displayed in the current format field.
  - A left click on a button restores the format stored in the button in the format field.
- “Width” : Selects the width of the profile (Maximum value 4000 pixels).
- “Height” : Allows you to select the height of the profile (Maximum value 2000 pixels).

### **Set the size of the mini roadbook**

The maximum size of the mini roadbook is 4000x2000 pixels (Width x Height). It is also the size of the final image.


The size setting is made by the “Width” and “Height” fields located in the icon bar.

### **Configure the mini roadbook**

The icon  opens the configuration window.


The “General” tab allows you to:






- Set the filter value to apply to the data when displaying the profile
- Set the top area height of the profile. This size is in pixel.

The “Simple” tab is used to adjust the colors of the “Simple” display of the profile.




The “Default Colors” button is used to replace the current colors with the default colors.

The “Roads/Trails” tab is used to adjust the colors of the “Roads/Trails” display of the profile.



The “Default Colors” button is used to replace the current colors with the default colors.

The “Slope” tab is used to adjust the colors of the “Slope” display of the profile.



The “Default Colors” button is used to replace the current colors with the default colors.

### Configure each label

Each line of the table represents a label. It can be configured by the setting items on the left of the table.

Selected	<input checked="" type="checkbox"/>
Position	<input type="text" value="0"/>
Alignment	<input type="button" value=" &lt;"/> <input type="button" value=" "/> <input type="button" value="&gt; "/>
Format	<input type="text" value="%N%L%T"/> <input type="button" value="..."/>
Size	<input type="text" value="18"/>
Tags	<input type="checkbox"/>
Comment	<input type="text"/>

- **Selected** : Indicates if you want to take this label into account in the profile. If the box is unchecked then the table row is grayed out and the label is not displayed in the mini roadbook.
- **Position** : Adjusts the vertical position of the label. The number indicates the number of pixels relative to the highest position of the label.
- **Alignment** : Used to define the position of the label relative to the line connecting it to the profile. To the left of the line, centered on the line or on the right of the line.
- **Format** : Allows you to specify the contents of the label (see below).
- **Size** : Sets the size of the font used in the labels.
- **Tags** : Indicate if you want the indicators to be displayed in the labels.
- **Comment** : Enter a specific comment for the label. This comment is different from the main table comment.

### Set the display format for labels

To ensure optimal flexibility, the format of labels uses tags. These tags, represented by the sign “%” plus one or more characters, allow to specify the type of data to display. For example, “% N” represents the name of the point. When the tag is displayed, the tags are replaced by their meanings.

The following tags are available:

- %N : Represents the name of the point.
- %A : Represents the altitude of the point. The unit is meter/feet.
- %D : Represents the distance since the start. The unit is kilometer/miles.
- %T : Represents the travel time since the start. The format is “hh:mm”.
- %Tl : Represents the travel time since the start in long format “hh:mm:ss”.
- %Ts : Represents the travel time since the start in short format “hh:mm”.

- %H : Represents the time at this point. The format is “ddd hh:mm” (ddd = abbreviated day).
- %h : Represents the time at this point. The format is “hh:mm”.
- %hl : Represents the time at this point in long format “hh:mm:ss”.
- %hs : Represents the time at this point in short format “hh:mm”.
- %B : Represents the cut-off time at this point (time). The format is “hh:mm”.
- %b : Represents the cut-off time at this point (hour). The format is “hh:mm”.
- %C : Represents the specific comment on the label (Entered in the “Comment” field of the label).
- %c : Represents the comment from the main table.
- %L : Inserts a line break.
- %R : Represents refueling time this point. The format is “hh:mm”.
- %Rl : Represents refueling time this point in long format “hh:mm:ss”.
- %Rs : Represents refueling time this point in short format “hh:mm”.
- %+ : Represents the cumulative positive climb since the start. The unit is the meter/feet.
- %- : Represents the cumulative negative climb since the start. The unit is the meter/feet.

The “...” button, next to the “Format” field, opens a window allowing you to simplify the content of the selected label.






Figure 23: Label editor dialog


## Showing day and night times

If in the track settings the night effect has been activated, then the button  will display the day and night times.



The night times are displayed with a gray background.

## Reverse track direction

**Course Generator** can reverse the direction of any given track. To perform this action select “Tools>Reverse track”. After the operation, it is necessary to redefine the fatigue coefficients and cut-off time and then restart a calculation (button  or [F5]).


## Set a new starting point on a looped track

**Course Generator** offers the possibility, if the track loaded in memory is a loop, to define a new starting point.


The procedure is as follows:

- Select the position that will become your new starting point.

- Select “Tools>Define a new start”.
- A following dialog box will appear:




- Confirm the order by clicking on “Yes”.

After the operation it is necessary to redefine the fatigue coefficients and cut-off times and then restart a calculation (button  or [F5]).

## The general parameters of Course Generator

The “Settings>Course Generator Settings” menu displays the following window:



The possible settings are:

- “language” : Selects the language used in the interface. “System” uses operating system settings to determine which language to use. If the system language is not managed by **Course Generator** then English is selected.
- “Units” : Chooses between “km/m” and “Miles/Feet”.
- “Speed format” : Chooses the type of speed to display (speed or pace).
- “Check for update at startup” : Allows you to choose if you want to check for a newer version of **Course Generator** available at application startup.



## Import and export marked points


In some cases it is necessary to save only the marked points of the current track in a file. This allows, if you have a new version of the course, to import these points on the new track.

For example:

You have the track of the UTMB. You've spent time scouting each pass, aid station, and you've entered comments on parts of the track. Unfortunately, the track of the following year is slightly different but the main points are the same. The import/export function of marked points will save you a lot of time.

The procedure is as follows:

- Take the course of the previous year
- Export marked points with "File>Export points"
- Select the types of points to export in the following dialog box:



- Validate your selection and enter the file name (extension '.CGP')
- Open the course of the following year
- Import points with "File>Import points"
- Select the file (extension '.CGP') to import.
- The following dialog box appears:

Sel.	Line	Dist.	Lat.	Lon.	Alt.	Tag	Name	Comment
	1	0.000	36.0573300	-112.1436000	2082		Bright Angel TH	
X	1278	0.000	36.0772700	-112.1286000	1167		Indian Garden Campground	
	2641	0.000	36.1590200	-112.0521000	3738		Ribbon Falls	
X	2806	0.000	36.1927100	-112.0345000	5057		Ribbon Falls	
	3033	0.000	36.2171200	-112.0565000	8241		North Rim	
	2340	0.000	36.1020700	-112.0955000	764			
X	2328	0.000	36.0986400	-112.0942000	748		River Ranger Station	
	4077	14.299	36.0527500	-112.0838000	2190		South Kaibab TH	

- The column “Dist” indicates the distance between the point found in the track and the point to be imported. The green background color indicates that the point found is less than 100m, a yellow color indicates that the point is between 100m and 1000m and a red color indicates that the point is more than 1000m. If the distance is high, this indicates that the new course does not pass through this point.
- The column “Line” indicates the line of the track where the found point is
- The column “Sel.” select the points to import. “X” indicates that the line is selected.
- Select the points to import and click on “Import”


## Analyzing data after a race

**Course Generator** allows you to analyze the data after completing the track. Just open the file containing the GPS data (often a GPX file). You will find in the table all your data. Reports allow you to have information that data.


















The data will remain unchanged until you ask for a calculation of the travel time. A window will ask you if you want to overwrite the temporal data.

## Using the map features

**Course Generator** displaying a course on an OpenStreetMap map.




On the left, a vertical bar of buttons allows actions on this map.


-  : Adds an start mark to the selected location
-  : Deletes the mark
-  : Cancels the last operation
-  : Indicates that the field between  and the current point is “Very easy”
-  : Indicates that the field between  and the current point is “Easy”
-  : Indicates that the field between  and the current point is “Average”
-  : Indicates that the field between  and the current point is “Hard”
-  : Indicates that the field between  and the current point is “Very hard”.
-  : Adds a mark to the current point.
-  : Adds an aid station to the current point.
-  : Adds a water point to the current point.
-  : Allows you to select the map layer to be displayed.


The mouse commands are as follows:

- Left-click on the map sets the marker on track (nearest position).
- Holding the left mouse button moves the map.
- A double click on the map allows you to zoom in.

To change the quality of the terrain for a part of the track, you must:

- Position the cursor at the beginning of the area to be modified.
- Click on the button  to set the marker.
- Position the cursor at the end of the area to change.

- Click on the button corresponding to the required field quality (for example ).

In the status bar, the indicator  **5,3 MB** indicates the disk size used by the maps. The menu “Tools>Open ‘Speed/slope’ folder” will open the file manager and display the contents of the directory containing the curves, the logs and the directory containing the maps. The directory “OpenStreetMapTileCache” contains the map files. If needed, you can delete its contents to save space.

## Useful tools

### Altitude correction

The altitude measurements made by a GPS are based, as for the position, on triangulation. Unfortunately, this triangulation is less accurate than for the position. Over long distances, these errors are not negligible and can cause calculation errors on total distance or the total elevation gain.

It is then necessary to carry out a calibration operation of the altitudes. This operation consists of replacing, for each GPS point, the altitude measured by the true altitude.

There are several tools available to do this operation. Among these, GPSVisualizer will fix, for any given GPX file, the altitude of each GPS point and generate an output with the corrected values.

The tool is available at the following address <http://www.gpsvisualizer.com/elevation>

Note:

**Course Generator** does not contain an elaborate algorithm for filtering altitudes. The only filter used will work only if the elevation sum is greater than a specific threshold (10m). This is designed to hide the small asperities of the terrain like a rock or a tree trunk. The GPS devices being more and more accurate, these asperities are taken into account in the calculations and can create inaccuracies in the different computations.

### Removing unnecessary points

Some tracks, especially when they have been recorded out in the field with a GPS device, contain several thousand points. This can cause problems with some software, websites or GPS.

The GPSVisualizer website smartly reduces the number of points without loss of “information” on the track.

The tool is available at the following address [http://www.gpsvisualizer.com/convert\\_\\_input](http://www.gpsvisualizer.com/convert__input)