

BEE 4750 Homework 2: Systems Modeling and Simulation

Name: Sarah Vafiadis, Nathan Rhoads

ID: sv439, nar84

Due Date

Thursday, 09/25/25, 9:00pm

Overview

Instructions

- Problem 1 asks you to draw a systems diagram and identify the type of a feedback.
- Problem 2 asks you to model contaminant concentrations in a river and use simulation to compare the concentrations to a regulatory standard.
- Problem 3 asks you to explore the implications of an ice-albedo feedback in the Earth's climate system by understanding the equilibria of the modeled system and their stabilities.

Load Environment

The following code loads the environment and makes sure all needed packages are installed. This should be at the start of most Julia scripts.

```
import Pkg
Pkg.add("GraphPlot")
Pkg.activate(@__DIR__)
Pkg.instantiate()
```

```

Resolving package versions...
Installed Libtiff_jll    v4.7.2+0
Installed Pango_jll      v1.56.4+0
Installed Compose        v0.9.6
Installed Colors          v0.12.11
Installed GraphPlot      v0.6.1
Installed PrettyTables   v3.0.10
Installed ColorSchemes   v3.31.0
  Updating `C:\Users\sarah\OneDrive\Documents\GitHub\hw2-sarah-nathan\Project.toml`
[a2cc645c] + GraphPlot v0.6.1
  Updating `C:\Users\sarah\OneDrive\Documents\GitHub\hw2-sarah-nathan\Manifest.toml`
[35d6a980] ↑ ColorSchemes v3.30.0  v3.31.0
[3da002f7] ↓ ColorTypes v0.12.1  v0.11.5
[c3611d14] ↓ ColorVectorSpace v0.11.0  v0.10.0
[5ae59095] ↓ Colors v0.13.1  v0.12.11
[a81c6b42] + Compose v0.9.6
[864edb3b] ↓ DataStructures v0.19.1  v0.18.22
[a2cc645c] + GraphPlot v0.6.1
[c8e1da08] + IterTools v1.10.0
[08abe8d2] ↑ PrettyTables v3.0.8  v3.0.10
[89763e89] ↑ Libtiff_jll v4.7.1+0  v4.7.2+0
[36c8627f] ↑ Pango_jll v1.56.3+0  v1.56.4+0
  Info Packages marked with   and   have new versions available. Those with   may be upg
Precompiling project...
 1424.7 ms  Libtiff_jll
 1710.7 ms  Pango_jll
 4973.2 ms  Colors
 3986.4 ms  Compose
 6474.4 ms  ColorSchemes
 7567.3 ms  GraphPlot
22315.5 ms  PrettyTables
7 dependencies successfully precompiled in 27 seconds. 225 already precompiled.
4 dependencies precompiled but different versions are currently loaded. Restart julia to a
Activating project at `c:\Users\sarah\OneDrive\Documents\GitHub\hw2-sarah-nathan`

```

```

using Plots
using LaTeXStrings
using CSV
using DataFrames
using Roots
using Graphs
using GraphPlot

```

Problems (Total: 30 Points)

Problem 1 (5 points)

Draw a systems diagram for the relationship between global mean temperature, atmospheric CO₂ concentrations, and ocean CO₂ concentrations. What are the signs of the interactions between these components and why? What does this suggest about the overall feedback between temperature and the ocean carbon cycle?

Tip

Think about Henry's law for CO₂.

Problem 2 (15 points)

A river which flows at 10 km/d is receiving discharges of wastewater contaminated with CRUD from two sources which are 15 km apart, as shown in the Figure below. CRUD decays exponentially in the river at a rate of 0.36 d^{-1} and is deposited by the atmosphere along the river at a rate of 54 kg/km/d.

Schematic of the river system in Problem 2

Problem 2.1

Draw a systems diagram with the relevant control volume(s) denoted and any relevant in/out-flows between these boxes. How did you decide how many boxes were needed?

```
UndefVarError: UndefVarError: `graphplot` not defined in `Main`  
Suggestion: check for spelling errors or missing imports.  
UndefVarError: `graphplot` not defined in `Main`
```

Suggestion: check for spelling errors or missing imports.

Stacktrace:

```
[1] top-level scope
```

```
@ c:\Users\sarah\OneDrive\Documents\GitHub\hw2-sarah-nathan\jl_notebook_cell_df34fa98e6974
```

Problem 2.2

Develop a model for the concentration of CRUD downriver by formulating and solving the appropriate differential equation(s) analytically.

Tip

Formulate your model in terms of distance downriver, rather than leaving it in terms of time from discharge.

Problem 2.3

Determine if the system is in compliance with a regulatory limit of 2.3 kg/(1000m³). You can do this analytically or computationally.

Problem 3 (10 points)

In class, we discussed the ice-albedo feedback and its possible influence on melting the hypothesized “Snowball Earth”. In this problem, we’ll introduce a simple model of the Earth’s energy balance which includes this feedback and examine the stability of the climate.

This simple model of the energy balance (averaged over the entire planet) is:

$$\underbrace{C \frac{dT}{dt}}_{\text{change in heat}} = \underbrace{\frac{(1 - \alpha)S}{4}}_{\text{incoming radiation}} - \underbrace{(A - BT)}_{\text{outgoing radiation}} + \underbrace{a \ln \left(\frac{[CO_2]}{[CO_2]_{PI}} \right)}_{\text{greenhouse effect}}, \quad (1)$$

where:

- T is the Earth’s global mean temperature (in °C);
- C is the heat capacity of the atmosphere and shallow ocean, taken to be 51 J/m²/°C;
- α is the planetary albedo, or the fraction of incoming radiation reflected by the Earth, which has a present-day value of approximately 0.3;
- S is the solar constant, or the amount of solar radiation received by the Earth averaged over area, which has a present-day value of 1368 W/m² but during the Neoproterozoic Era had a value of 1272 W/m² (this is divided by four because the Earth is a sphere but S is the radiation captured by a disc with radius equal to that of the Earth);
- A and B are coefficients from the linearization of outgoing radiation physics, and have corresponding values $B = -1.3$ W/m²/°C (estimated from a number of lines of evidence about the sensitivity of outgoing radiation to temperature; this is negative due to a sign convention about the direction of incoming vs. outgoing radiation) and $A = 221.2$ W/m² (estimated by assuming the pre-industrial temperature of 14°C was stable without anthropogenic greenhouse gas emissions).

We will ignore the greenhouse effect term as we are considering the Earth system well before humans were around.

Problem 3.1

Discretize the climate model (Equation 1) using forward Euler integration and a time step of $\Delta t = 1$ yr.

Problem 3.2

Rather than assuming a constant value for the albedo α , we will represent the ice-albedo feedback by letting α depend on T :

$$\alpha(T) = \begin{cases} \alpha_i & \text{if } T \leq -10^\circ\text{C} \\ \alpha_i + (\alpha_0 - \alpha_i)((T + 10)/20) & \text{if } -10^\circ\text{C} \leq T \leq 10^\circ\text{C} \\ \alpha_0 & \text{if } T \geq 10^\circ\text{C}. \end{cases}$$

Let $\alpha_i = 0.5$ and $\alpha_0 = 0.3$. Simulate the simple climate model using the Neoproterozoic value of S with temperature-varying albedo for initial values of T spanning $-60^\circ\text{C} \leq T_0 \leq 30^\circ\text{C}$ over a period of 200 years. Plot the temperature trajectories. How many equilibria are there and what are their stabilities?

Problem 3.3

One might hypothesize that one cause for the transition from Snowball Earth (the stable frozen equilibrium from Problem 3.2) was an increasing amount of incoming solar radiation (as expressed by an increase in S). Examine this hypothesis using our simple model. Is this factor enough to cause the planet to warm to the pre-industrial temperature of 14°C ?

References

List any external references consulted, including classmates.