

BEE 4750 Lab 1: Julia and GitHub Basics

Name:

ID:

Due Date

Thursday, 8/28/25, 9:00pm

Setup

The following code should go at the top of most Julia scripts; it will load the local package environment and install any needed packages. You will see this often and shouldn't need to touch it.

```
import Pkg
Pkg.activate(".")
Pkg.instantiate()
```

```
Activating project at `~/Desktop/lab1-mb2557-droid`
Installing known registries into `~/julia`
  Added `General` registry to `~/julia/registries`
Installed libfdk_aac_jll          v2.0.4+0
Installed JpegTurbo_jll          v3.1.1+0
Installed LERC_jll                v4.0.1+0
Installed GR_jll                  v0.73.17+0
Installed libdecor_jll           v0.2.2+0
Installed Libmount_jll           v2.41.0+0
Installed x265_jll                v4.1.0+0
Installed Preferences              v1.4.3
Installed Xorg_xkbcomp_jll        v1.4.7+0
Installed Unitful                  v1.24.0
Installed Opus_jll                v1.5.2+0
```

Installed RelocatableFolders	v1.0.1
Installed LoggingExtras	v1.1.0
Installed Contour	v0.6.3
Installed Measures	v0.3.2
Installed ConcurrentUtilities	v2.5.0
Installed Grisu	v1.0.2
Installed Xorg_xcb_util_wm_jll	v0.4.2+0
Installed Xorg_xcb_util_image_jll	v0.4.1+0
Installed PlotUtils	v1.4.3
Installed RecipesPipeline	v0.6.12
Installed OpenSSL	v1.5.0
Installed DelimitedFiles	v1.9.1
Installed Xorg_libSM_jll	v1.2.6+0
Installed libsodium_jll	v1.0.21+0
Installed Cairo_jll	v1.18.5+0
Installed HTTP	v1.10.17
Installed Xorg_xcb_util_jll	v0.4.1+0
Installed Fontconfig_jll	v2.16.0+0
Installed Statistics	v1.11.1
Installed Xorg_libxkbfile_jll	v1.1.3+0
Installed Xorg_libXinerama_jll	v1.1.6+0
Installed Xorg_libXau_jll	v1.0.13+0
Installed EpollShim_jll	v0.0.20230411+1
Installed Missings	v1.2.0
Installed FFMPEG	v0.4.4
Installed Showoff	v1.0.3
Installed IrrationalConstants	v0.2.4
Installed Pango_jll	v1.56.3+0
Installed JSON	v0.21.4
Installed xkbcommon_jll	v1.9.2+0
Installed PtrArrays	v1.3.0
Installed Bzip2_jll	v1.0.9+0
Installed Xorg_xcb_util_keysyms_jll	v0.4.1+0
Installed SimpleBufferStream	v1.2.0
Installed HarfBuzz_jll	v8.5.1+0
Installed XZ_jll	v5.8.1+0
Installed IJulia	v1.29.2
Installed NaNMath	v1.1.3
Installed LZ0_jll	v2.10.3+0
Installed PlotThemes	v3.3.0
Installed SoftGlobalScope	v1.1.0
Installed fzf_jll	v0.61.1+0
Installed TranscodingStreams	v0.11.3

Installed FriBidi_jll	v1.0.17+0
Installed ZeroMQ_jll	v4.3.6+0
Installed UnicodeFun	v0.4.1
Installed GLFW_jll	v3.4.0+2
Installed x264_jll	v10164.0.1+0
Installed MbedTLS	v1.1.9
Installed FreeType2_jll	v2.13.4+0
Installed JLFzf	v0.1.11
Installed DataStructures	v0.18.22
Installed Colors	v0.13.1
Installed StatsAPI	v1.7.1
Installed Compat	v4.18.0
Installed CodecZlib	v0.7.8
Installed libpng_jll	v1.6.50+0
Installed Xorg_libxcb_jll	v1.17.1+0
Installed mtdev_jll	v1.1.7+0
Installed libaom_jll	v3.12.1+0
Installed StatsBase	v0.34.5
Installed ExceptionUnwrapping	v0.1.11
Installed Scratch	v1.3.0
Installed Dbus_jll	v1.16.2+0
Installed eudev_jll	v3.2.14+0
Installed ColorTypes	v0.12.1
Installed Xorg_libXext_jll	v1.3.7+0
Installed Conda	v1.10.2
Installed TensorCore	v0.1.1
Installed Zstd_jll	v1.5.7+1
Installed ZMQ	v1.4.1
Installed Xorg_xcb_util_cursor_jll	v0.1.5+0
Installed Plots	v1.40.17
Installed ColorSchemes	v3.30.0
Installed Expat_jll	v2.6.5+0
Installed Parsers	v2.8.3
Installed Libtiff_jll	v4.7.1+0
Installed Format	v1.3.7
Installed ColorVectorSpace	v0.11.0
Installed JLLWrappers	v1.7.1
Installed Xorg_libXrender_jll	v0.9.12+0
Installed Libffi_jll	v3.4.7+0
Installed OrderedCollections	v1.8.1
Installed GR	v0.73.17
Installed libevdev_jll	v1.13.4+0
Installed libinput_jll	v1.28.1+0

Installed Ogg_jll	v1.3.6+0
Installed Xorg_libXi_jll	v1.8.3+0
Installed Qt6ShaderTools_jll	v6.8.2+1
Installed Vulkan_Loader_jll	v1.3.243+0
Installed Reexport	v1.2.2
Installed Xorg_libXcursor_jll	v1.2.4+0
Installed Qt6Declarative_jll	v6.8.2+1
Installed AliasTables	v1.1.3
Installed MacroTools	v0.5.16
Installed LogExpFunctions	v0.3.29
Installed Libuuid_jll	v2.41.0+0
Installed Xorg_xcb_util_renderutil_jll	v0.3.10+0
Installed DocStringExtensions	v0.9.5
Installed Xorg_libICE_jll	v1.1.2+0
Installed libass_jll	v0.17.4+0
Installed StableRNGs	v1.0.3
Installed Pixman_jll	v0.44.2+0
Installed Graphite2_jll	v1.3.15+0
Installed Xorg_xtrans_jll	v1.6.0+0
Installed Wayland_jll	v1.24.0+0
Installed Latexify	v0.16.8
Installed Xorg_xkeyboard_config_jll	v2.44.0+0
Installed OpenSSL_jll	v3.5.1+0
Installed FFMPEG_jll	v7.1.1+0
Installed DataAPI	v1.16.0
Installed BitFlags	v0.1.9
Installed LLVMOpenMP_jll	v18.1.8+0
Installed FixedPointNumbers	v0.8.5
Installed Xorg_libXrandr_jll	v1.5.5+0
Installed GettextRuntime_jll	v0.22.4+0
Installed LAME_jll	v3.100.3+0
Installed Xorg_libXfixes_jll	v6.0.1+0
Installed Qt6Wayland_jll	v6.8.2+1
Installed RecipesBase	v1.3.4
Installed Libiconv_jll	v1.18.0+0
Installed PrecompileTools	v1.2.1
Installed Qt6Base_jll	v6.8.2+1
Installed LaTeXStrings	v1.4.0
Installed Glib_jll	v2.84.3+0
Installed Libglvnd_jll	v1.7.1+1
Installed libvorbis_jll	v1.3.8+0
Installed VersionParsing	v1.3.0
Installed URIs	v1.6.1

```

Installed Requires          v1.3.1
Installed Xorg_libXdmcp_jll v1.1.6+0
Installed Xorg_libX11_jll  v1.8.12+0
Installed Unzip             v0.2.0
Installed UnitfulLatexify   v1.7.0
Installed SortingAlgorithms v1.2.1
Building Conda → ~/.julia/scratchspaces/44cfe95a-1eb2-52ea-b672-e2afdf69b78f/b19db3927f
Building IJulia → ~/.julia/scratchspaces/44cfe95a-1eb2-52ea-b672-e2afdf69b78f/016d15e5d
Precompiling project...
483.7 ms LaTeXStrings
421.7 ms Contour
423.9 ms StatsAPI
424.9 ms TensorCore
537.0 ms VersionParsing
360.9 ms Measures
493.0 ms Statistics
620.0 ms Grisu
447.7 ms OrderedCollections
823.5 ms Format
411.7 ms Requires
355.9 ms StableRNGs
290.2 ms Reexport
459.0 ms Unzip
471.9 ms DocStringExtensions
322.1 ms SimpleBufferStream
544.9 ms URIs
303.5 ms PtrArrays
1792.4 ms MacroTools
884.3 ms IrrationalConstants
343.4 ms NaNMath
410.4 ms TranscodingStreams
359.4 ms DelimitedFiles
279.2 ms DataAPI
330.7 ms BitFlags
347.5 ms Scratch
525.4 ms ConcurrentUtilities
392.5 ms LoggingExtras
743.5 ms MbedTLS
504.3 ms Preferences
445.9 ms Compat
600.8 ms SoftGlobalScope
477.2 ms ExceptionUnwrapping
336.3 ms Showoff

```

1001.3 ms	UnicodeFun
616.1 ms	Statistics → SparseArraysExt
507.7 ms	AliasTables
1587.0 ms	FixedPointNumbers
974.0 ms	LogExpFunctions
768.0 ms	CodecZlib
721.3 ms	Missings
650.9 ms	RelocatableFolders
475.7 ms	PrecompileTools
745.8 ms	JLLWrappers
428.1 ms	Compat → CompatLinearAlgebraExt
1249.5 ms	ColorTypes
3338.9 ms	Latexify
1324.9 ms	RecipesBase
472.4 ms	Libmount_jll
507.0 ms	Graphite2_jll
599.3 ms	OpenSSL_jll
361.1 ms	EpollShim_jll
365.8 ms	LLVMOpenMP_jll
362.1 ms	Bzip2_jll
375.4 ms	Xorg_libICE_jll
419.1 ms	libsodium_jll
383.5 ms	Xorg_libXau_jll
392.5 ms	libpng_jll
391.2 ms	libfdk_aac_jll
395.5 ms	LAME_jll
388.3 ms	fzf_jll
391.7 ms	LERC_jll
429.6 ms	JpegTurbo_jll
381.5 ms	Ogg_jll
360.4 ms	mtdev_jll
421.0 ms	XZ_jll
358.0 ms	Xorg_libXdmcp_jll
392.8 ms	x265_jll
395.1 ms	x264_jll
428.8 ms	Zstd_jll
396.6 ms	libaom_jll
419.4 ms	Expat_jll
386.0 ms	LZO_jll
369.8 ms	Opus_jll
341.3 ms	Xorg_xtrans_jll
445.2 ms	libevdev_jll
476.4 ms	Libffi_jll

510.3 ms	Libiconv_jll
400.3 ms	eudev_jll
408.5 ms	Libuuid_jll
473.4 ms	FriBidi_jll
602.9 ms	ColorTypes → StyledStringsExt
1711.7 ms	DataStructures
2103.7 ms	ColorVectorSpace
714.8 ms	Latexify → SparseArraysExt
8960.2 ms	Parsers
1118.0 ms	Pixman_jll
372.1 ms	Xorg_libSM_jll
739.2 ms	FreeType2_jll
2210.7 ms	OpenSSL
3638.0 ms	Colors
14075.3 ms	Unitful
719.4 ms	ZeroMQ_jll
385.7 ms	Xorg_libxcb_jll
356.4 ms	DBus_jll
861.1 ms	JLFzf
724.0 ms	libvorbis_jll
342.4 ms	Wayland_jll
325.4 ms	libinput_jll
680.3 ms	SortingAlgorithms
1313.7 ms	JSON
1863.1 ms	GettextRuntime_jll
1116.6 ms	Unitful → PrintfExt
3660.3 ms	Fontconfig_jll
4489.2 ms	Libtiff_jll
363.4 ms	Xorg_xcb_util_jll
359.2 ms	Xorg_libX11_jll
2300.2 ms	ZMQ
4091.4 ms	ColorSchemes
1241.4 ms	Conda
278.2 ms	Xorg_xcb_util_image_jll
287.4 ms	Xorg_xcb_util_keysyms_jll
355.2 ms	Xorg_xcb_util_renderutil_jll
1084.1 ms	UnitfulLatexify
338.9 ms	Xorg_xcb_util_wm_jll
336.7 ms	Xorg_libXrender_jll
1699.8 ms	Glib_jll
340.8 ms	Xorg_libXext_jll
329.3 ms	Xorg_libXfixes_jll
312.3 ms	Xorg_libxkbfile_jll

```

330.5 ms    Xorg_xcb_util_cursor_jll
3326.9 ms   StatsBase
338.5 ms    Xorg_libXinerama_jll
354.9 ms    Xorg_libXrandr_jll
336.6 ms    Libglvnd_jll
370.2 ms    Xorg_libXcursor_jll
370.7 ms    Xorg_libXi_jll
354.9 ms    Xorg_xkbcomp_jll
641.1 ms    Xorg_xkeyboard_config_jll
377.0 ms    xkbcommon_jll
3136.7 ms   IJulia
2652.5 ms   Cairo_jll
393.1 ms    Vulkan_Loader_jll
2071.6 ms   HarfBuzz_jll
6940.1 ms   PlotUtils
2200.7 ms   Pango_jll
2206.8 ms   libass_jll
4212.7 ms   Qt6Base_jll
386.5 ms    libdecor_jll
15095.6 ms   HTTP
339.9 ms    GLFW_jll
2227.4 ms   PlotThemes
2675.2 ms   RecipesPipeline
4351.6 ms   Qt6ShaderTools_jll
5545.3 ms   FFMPEG_jll
1490.3 ms   Qt6Declarative_jll
268.0 ms    Qt6Wayland_jll
1961.6 ms   FFMPEG
2634.9 ms   GR_jll
2079.2 ms   GR
35161.4 ms   Plots
2721.4 ms   Plots → UnitfulExt
2912.9 ms   Plots → IJuliaExt
153 dependencies successfully precompiled in 81 seconds. 35 already precompiled.

```

This next cell loads packages which are required for the rest of the code evaluation. In this case, we only need to load the `Plots.jl` plotting package, but you will see others over the course of the semester (and can add more if desired; just make sure that you’ve [added the new packages to the environment](#)). Standard Julia practice is to load all of the needed packages at the top of the file.

Warning

Loading packages can take a while, especially the first time! Julia tries to precompile all of the packages you're using so repeat use is faster, but this can be quite slow at first.

```
using Plots
```

Introduction

Julia

Julia is an up-and-coming language, originally developed for scientific programming. While learning a new programming language always has its hiccups, the good news is that if you've programmed in a high-level language such as Python or MATLAB, most Julia concepts should look familiar.

If you have not successfully set up Julia, follow the instructions in [Tools Setup](#) and/or ask for help.

You can use other editors for this course, but our recommendation is [Visual Studio Code](#) with the [Julia extension](#), which will make life a *lot* simpler! You should have set this up by following the [Tools Setup](#) instructions, but if not, do so now and/or ask for help.

Jupyter Notebooks

Jupyter notebooks integrate text and equations in Markdown with Julia (or Python, or R) code. To do this, Jupyter notebooks consist of two types of “cells”: code cells and Markdown (text) cells.

Click once on this section of text. A box will appear around this text (and some areas above/below it) - all of that is within this cell.

Markdown is a text markup framework for formatting language that makes things look pretty when viewed across different platforms: web browsers, notebooks, and so forth. Text written in Markdown can also include hyperlinks, LaTeX equations, section headers, and images, among other features (most of [the course website](#) and the lecture notes were all written in Markdown!). [Here is a basic Markdown cheat sheet](#).

What you are looking at right now is the formatted text after the Markdown is processed. To see the raw Markdown, do one of:

- press **Enter** while that cell is selected, or
- double-click on that cell.

A couple of the features you will see in this Markdown cell:

- The `---` command creates a horizontal line. This is also nice for separating sections.
- Backticks (``...``) can be used to format and highlight code, keystrokes, etc.
- The `#` sign is used to create a new section header; two `#` signs (`##`) is used to create a new subsection header; `###` creates a subsubsection, and so on.
- You can create a bulleted list by using the asterisk `*` or a dash `-` and a space.
- You can create regular text by just typing as usual.
- You can create **bold-faced text** by wrapping it with two asterisks on both sides.
- You can create *italicized text* by wrapping it with a single asterisk on both sides.
- To create a new paragraph, you must include a blank line between the old and new paragraphs.

At this point you might be wondering how to turn this cell back into the fully formatted Markdown text instead of the raw Markdown you're probably still looking at. You have a couple of options, depending on your platform, but the most consistent is to type **Shift + Enter** to **execute** the cell (this is also how to run code, but more on that later).

Additionally, you will frequently need to create new cells in your Jupyter notebooks. How you do this will depend on how you interact with the notebook, but try to figure this out now.

One tip is to think carefully about what bits of code should be in the same cell, as you typically only see output from the last command in a cell. For example, compare the following:

```
x = 5
sin(x)
```

-0.9589242746631385

with

```
x = 5
```

5

```
sin(x)
```

-0.9589242746631385

In Julia, you can also suppress the output of a command with a semi-colon:

```
sin(x);
```

which can help if you want to split some code out for clarity or to insert some text prior to it, but don't want to clutter the notebook with its output.

For code cells, to execute the commands within the cell, we also press **Shift+Enter**.

Finally, **make sure that you evaluate all of the code cells in order before submitting**. One bad outcome with notebooks occurs when cells are evaluated out of order, so fixed bugs and edits in previous cells do not get a chance to propagate down. You can do this with the **Run All** command in whichever interface you're using to edit your notebook.

Julia Basics

There are many tutorials and references for Julia, including a [basics overview on the class website](#). Please feel free to reference these as you work through any part of the course.

Formatting Math

It will often be helpful to include nicely-formatted mathematics in a notebook. Markdown accomodates this using LaTeX syntax. A LaTeX cheatsheet is available on the class website, and many other guides exist online.

Below is an example of a formatted equation:

$$x = 5.$$

Looking For Help

There is no shame in using Google, or other resources, for help when programming. There are many, many times when you can't quite get the syntax to work, can't quite figure out the right package or command to use, or are feeling too lazy or overwhelmed (I'm not judging either of those!) to dig through the documentation. Some good resources include:

- [Stack Overflow](#) is a treasure trove of answers;
- The [official Julia forum](#) and the [Julia Subreddit](#) are also very useful.

You are also highly encouraged to post on [Ed Discussion](#), though getting a response might be less immediate. Just be mindful that to get good answers, [you have to help people help you](#), and **make sure to give credit to any resources that were helpful!**

Exercises (3 points)

Use your understanding of Julia syntax and the GitHub workflow to complete the following (hopefully short) exercises. Convert your completed lab assignment to a PDF and submit it to the Gradescope Assignment “Lab 1”.

Remember to:

- Include a (succinct but clear) writeup of the core idea underlying your code, through some combination of equations, text, and algorithms. As you are not required to submit your code, we will not be looking at it in detail, and instead will rely on those writeups to assess whether your approach is correct.
- If using the notebook, evaluate all of your code cells, in order (using a **Run All** command). This will make sure all output is visible and that the code cells were evaluated in the correct order.
- Tag each of the problems when you submit to Gradescope; a 10% penalty will be deducted if this is not done.

Computing a Dot Product

Given two numeric arrays x and y , write a function to compute their dot product if they have equal length, and return an error if not (this is useful for debugging!). Use the following code as a starting point. **Do not use a built-in function.**

```
function dot_product(x, y)
    if length(x) == length(y)
        sum = 0
        for i in 1:length(x)
            sum += x[i]*y[i]
        end
        return sum
    else
        throw(DimensionMismatch("length of x not equal to length of y"))
    end
end
```

`dot_product` (generic function with 1 method)

I checked that each array has the same length by using the `length()` function. If they are the same length, I calculate the dot product with a for loop. First I create an accumulator called `sum`. For a loop with a range equal to the array size, I add the product of each array at that index to `sum`. After the loop, I return the `sum`.

Here are some tests to make sure your code works as intended. Tests like these are useful to make sure everything works as intended. One reason to split your code up into functions is that it makes it straightforward to write tests to make sure each piece of your code works, which makes it easier to identify where errors are occurring.

```
dot_product([1 2 3], [4 5 6])
```

32

If you know the value you should get, you can write a more formal test using the `@assert` macro, which is a good way to “automate” checking (since you get an obvious error if the code doesn’t work as desired):

```
@assert dot_product([1 2 3], [4 5 6]) == 32
```

Let’s also make sure we get an error when the dimensions of the two vectors don’t match:

```
dot_product([1 2 3], [4 5])
```

```
DimensionMismatch: DimensionMismatch: length of x not equal to length of y  
DimensionMismatch: length of x not equal to length of y
```

Stacktrace:

```
[1] dot_product(x::Matrix{Int64}, y::Matrix{Int64})
```

```
@ Main ~/Desktop/lab1-mb2557-droid/jl_notebook_cell_df34fa98e69747e1a8f8a730347b8e2f_X15s
```

```
[2] top-level scope
```

```
@ ~/Desktop/lab1-mb2557-droid/jl_notebook_cell_df34fa98e69747e1a8f8a730347b8e2f_X24sZmlsZ
```

Making a Plot

Write a function to compute the square of an integer x . Evaluate this function for integers between $x = -5$ and $x = 5$ and make a plot of the squared values (you can find a quick guide to making various types of plots [here](#)). Make sure to label your axes.

```


function square(integer)
    return integer^2
end

x = [-5,-4,-3,-2,-1,0,1,2,3,4,5]
y = []

for num in x
    push!(y, square(num))
end

plot(x ,y ,title="Integers vs Integers Squared", xlabel="Integers [-5, 5]", ylabel="Integers

```



I create a function that simply returns the square of the argument. Then, I create two arrays, one to store the integers (x) and one to store their corresponding squares (y). x is initialized with all integers -5 to 5. y is initialized with the empty array. I add each square to y by looping through all indices in x and appending them to y. Then, I plot x and y and label the axes with the plot() function.

Commit and Push Your Changes to GitHub

After completing the previous two exercises, commit your solution file (notebook or otherwise) and push to GitHub. Use an informative commit message which makes it clear what changes you've made. The specific workflow for this will vary depending on how you're writing up your solutions; please search for specifics and ask for help as needed!

Useful Commit Sizes

Ideally, you'd commit whenever you make a "substantial" enough change that you want to lock in, such as writing the core code for a problem or completing a problem, if you're preparing code to be used elsewhere (by yourself or others), or if you want to ask for help. `git` lets you revert changes back to a previous commit, so it's easy to undo changes or updates which broke something that was previously working, so changing too many things at once can make it hard to keep track of what worked when.

But in this case, go ahead and just commit after finishing the problems.

Push the repository with these commits to GitHub and take a screenshot of the repository page (<https://github.com/BEE4750-FA25/<username>/lab01>) which shows the updated repository. Include that screenshot in your submission as the solution to this problem.

Submitting PDF

Important

These submission instructions will not be repeated on future assignments!

Export your writeup as a PDF (this doesn't have to be a notebook if you're struggling to export: you can do your writeup in *e.g.* Microsoft Word) and submit it to the "Lab 1" assignment on Gradescope. **Make sure that you tag pages corresponding to relevant problems to avoid a 10% penalty.**

Printing Code to PDF

You are not required to submit your code when submitting assignments. However, when printing a notebook to PDF (whether you do this locally or via the GitHub Action), long lines will run off the edge of code cells, which may result in comments or code being hidden. If you see this, go back to the notebook and break up long lines into shorter ones (for example, see the comment in the above code cell) to ensure key parts of your results aren't missing.