

# Audit Report PayChain

January 2022

Type BEP20

Network BSC

Address 0xF670F753fFb498ec004E02b1fD488f94795e82d6

Audited by © coinscope



# **Table of Contents**

Table of Contents	1
Contract Review	3
Audit Updates	3
Contract Analysis	4
ST - Stop Transactions	5
Description	5
Recommendation	5
ELFM - Exceed Limit Fees Manipulation	6
Description	6
Recommendation	6
ULTW - Unlimited Liquidity to Team Wallet	7
Description	7
Recommendation	7
Contract Diagnostics	8
L01 - Public Function could be Declared External	9
Description	9
Recommendation	9
L04 - Conformance to Solidity Naming Conventions	10
Description	10
Recommendation	10
L09 - Dead Code Elimination	11
Description	11
Recommendation	11
L07 - Missing Events Arithmetic	12
Description	12
Recommendation	12



Contract Functions	
Contract Flow	19
Domain Info	20
Summary	21
Disclaimer	22
About Coinscope	23



# **Contract Review**

Contract Name	CoinToken
Compiler Version	v0.8.7+commit.e28d00a7
Optimization	200 runs
Licence	None
Explorer	https://bscscan.com/token/0xF670F753fFb498ec004E 02b1fD488f94795e82d6
Symbol	PACHA
Decimals	9
Total Supply	15,000,000,000
Source	contract.sol
Domain	paychain.finance

# **Audit Updates**

Initial Audit	27th January 2022
Corrected	



# **Contract Analysis**

CriticalMediumMinorPass

Severity	Code	Description
•	ST	Contract Owner is not able to stop or pause transactions
•	OCTD	Contract Owner is not able to transfer tokens from specific address
•	OTUT	Owner Transfer User's Tokens
•	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
•	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
•	MT	Contract Owner is not able to mint new tokens
•	ВТ	Contract Owner is not able to burn tokens from specific wallet
•	ВС	Contract Owner is not able to blacklist wallets from selling



### ST - Stop Transactions

Criticality	medium
Location	contract.sol#L663

### Description

The contract owner has the authority to stop transactions for all users excluding the owner. The owner may take advantage of it by setting the \_maxTxAmount to zero.

```
if(from != owner() && to != owner()) {
    require(amount <= _maxTxAmount, "Transfer amount exceeds the maxTxAmount.");
}</pre>
```

#### Recommendation

The contract could embody a check for not allowing setting the \_maxTxAmount less than a reasonable amount. A suggested implementation could check that the maximum amount should be more than a fixed percentage of the total supply.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



### **ELFM** - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#L921,L925,L934

### Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the setTaxFee function with a high percentage value.

```
function setTaxFee(uint256 taxFee) external onlyOwner() {
    _taxFee = taxFee;
}
```

### Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



### **ULTW - Unlimited Liquidity to Team Wallet**

Criticality	medium
Location	contract.sol#L1

### Description

The contract owner receives funds without limit to the team wallet. These funds have been accumulated by the liquidity fee. When the accumulated amount reaches the *minimumTokensBeforeSwap* value, then the tokens are liquidated and moved to two addresses.

```
function swapTokens(uint256 contractTokenBalance) private lockTheSwap {
    uint256 initialBalance = address(this).balance;
    swapTokensForEth(contractTokenBalance);
    uint256 transferredBalance = address(this).balance.sub(initialBalance);

    //Send to Marketing address

    transferToAddressETH(lp_poolAddress,
transferredBalance.div(_liquidityFee).mul(25));
    transferToAddressETH(marketingAddress,
transferredBalance.div(_liquidityFee).mul(marketingFee.sub(25)));
}
```

### Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



# **Contract Diagnostics**

CriticalMediumMinor

Severity	Code	Description
•	L01	Public Function could be Declared External
•	L04	Conformance to Solidity Naming Conventions
•	L09	Dead Code Elimination
•	L07	Missing Events Arithmetic



### L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L956,L917,L913 and 23 more

### Description

Public functions that are never called by the contract should be declared external to save gas.

setBuyBackEnabled
includeInFee
excludeFromFee

...

### Recommendation

Use the external attribute for functions never called from the contract



# L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L450,L437,L415 and 13 more

### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow \_ at the beginning of the mixed\_case match for private variables and unused parameters.

```
_maxTxAmount
_taxFee
lp_poolAddress
...
```

### Recommendation

Follow the Solidity naming convention. <a href="https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions">https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions</a>



### L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L79,L75,L10 and 8 more

### Description

Functions that are not used in the contract, and make the code's size bigger.

```
mod
_msgData
addLiquidity
...
```

### Recommendation

Remove unused functions.



### L07 - Missing Events Arithmetic

Criticality	minor
Location	contract.sol#L943,L939,L934 and 3 more

### Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
buyBackUpperLimit = buyBackLimit
minimumTokensBeforeSwap = _minimumTokensBeforeSwap
marketingFee = _marketingFee
...
```

### Recommendation

Emit an event for critical parameter changes.



# **Contract Functions**

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
	mod	Internal		
Address	Library			
	isContract	Internal		
	sendValue	Internal	✓	
	functionCall	Internal	✓	
	functionCall	Internal	✓	
	functionCallWithValue	Internal	✓	
	functionCallWithValue	Internal	1	



	_functionCallWithValue	Private	1	
Ownable	Implementation	Context		
	<constructor></constructor>	Public	<b>✓</b>	-
	owner	Public		-
	renounceOwnership	Public	1	onlyOwner
	transferOwnership	Public	<b>✓</b>	onlyOwner
	getUnlockTime	Public		-
	getTime	Public		-
	lock	Public	1	onlyOwner
	unlock	Public	1	-
IUniswapV2Fa ctory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	1	-
	setFeeTo	External	1	-
	setFeeToSetter	External	✓	-
IUniswapV2Pa ir	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	1	-
	transferFrom	External	1	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-



	nonces	External		-
	permit	External	1	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	burn	External	<b>√</b>	-
	swap	External	<b>✓</b>	-
	skim	External	<b>✓</b>	-
	sync	External	<b>✓</b>	-
	initialize	External	<b>✓</b>	-
IUniswapV2Ro uter01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	1	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-



	getAmountsIn	External		-
IUniswapV2Ro uter02	Interface	IUniswapV2 Router01		
	removeLiquidityETHSupportingFeeOn TransferTokens	External	1	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	1	-
	swapExactTokensForTokensSupporti ngFeeOnTransferTokens	External	<b>✓</b>	-
	swapExactETHForTokensSupporting FeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupporting FeeOnTransferTokens	External	<b>√</b>	-
CoinToken	Implementation	Context, IERC20, Ownable		
	<constructor></constructor>	Public	Payable	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	1	-
	allowance	Public		-
	approve	Public	1	-
	transferFrom	Public	1	-
	increaseAllowance	Public	1	-
	decreaseAllowance	Public	1	-
	isExcludedFromReward	Public		-
	totalFees	Public		-
	minimumTokensBeforeSwapAmount	Public		-
	buyBackUpperLimitAmount	Public		-
	deliver	Public	1	-
	reflectionFromToken	Public		-
	tokenFromReflection	Public		-
	excludeFromReward	Public	1	onlyOwner




includeInReward	External	1	onlyOwner
_approve	Private	1	
_transfer	Private	1	
swapTokens	Private	1	lockTheSwap
buyBackTokens	Private	1	lockTheSwap
swapTokensForEth	Private	1	
swapETHForTokens	Private	1	
addLiquidity	Private	1	
_tokenTransfer	Private	1	
_transferStandard	Private	1	
_transferToExcluded	Private	1	
_transferFromExcluded	Private	<b>✓</b>	
_transferBothExcluded	Private	<b>✓</b>	
_reflectFee	Private	<b>✓</b>	
_getValues	Private		
_getTValues	Private		
_getRValues	Private		
_getRate	Private		
_getCurrentSupply	Private		
_takeLiquidity	Private	1	
calculateTaxFee	Private		
calculateLiquidityFee	Private		
removeAllFee	Private	1	
restoreAllFee	Private	1	
isExcludedFromFee	Public		-
excludeFromFee	Public	<b>✓</b>	onlyOwner
includeInFee	Public	<b>✓</b>	onlyOwner
setTaxFee	External	<b>✓</b>	onlyOwner
setBuybackFee	External	1	onlyOwner
setMaxTxAmount	External	✓	onlyOwner
setMarketingFee	External	<b>✓</b>	onlyOwner
setNumTokensSellToAddToLiquidity	External	✓	onlyOwner
setBuybackUpperLimit	External	<b>✓</b>	onlyOwner
setMarketingAddress	External	✓	onlyOwner
setSwapAndLiquifyEnabled	Public	1	onlyOwner



setBuyBackEnabled	Public	✓	onlyOwner
presale	External	✓	onlyOwner
transferToAddressETH	Private	✓	
<receive ether=""></receive>	External	Payable	-



# **Contract Flow**





# Domain Info

Domain Name	paychain.finance
Registry Domain ID	6f7a34b09c654e50998e2fbd2f9676b6-DONUTS
Creation Date	2021-12-16T18:52:47Z
Updated Date	2021-12-21T18:53:06Z
Registry Expiry Date	2022-12-16T18:52:47Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	https://www.namecheap.com/
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain has been created about 1 month before the creation of the audit. It will expire in 11 months.

There is no public billing information, the creator is protected by the privacy settings.



## Summary

PayChain is aiming to build a decentralized secure payment token. The Project has a friendly and growing community. There are some functions that can be abused by the owner, like manipulating fees, transferring funds to the team's wallet and stopping transactions. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.



### Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Coinscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Coinscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Coinscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Coinscope team disclaims any liability for the resulting losses.



# **About Coinscope**

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Coinscope is aiming to make crypto discoverable and efficient globally. It provides all the essential tools to assist users draw their own conclusions.



The Coinscope.co team

https://www.coinscope.co