

Audit Report The Doge King

April 2022

Type BEP20

Network BSC

Address 0xCA54954bb4E1b35AeE6eB04130CD406340EBA9B4

Audited by © cyberscope



Table of Contents

Table of Contents	1
Contract Review	3
Source Files	3
Audit Updates	3
Contract Analysis	4
BC - Blacklisted Contracts	5
Description	5
Recommendation	5
Contract Diagnostics	6
L01 - Public Function could be Declared External	7
Description	7
Recommendation	7
L04 - Conformance to Solidity Naming Conventions	8
Description	8
Recommendation	8
L05 - Unused State Variable	9
Description	9
Recommendation	9
L07 - Missing Events Arithmetic	10
Description	10
Recommendation	10
L09 - Dead Code Elimination	11
Description	11
Recommendation	11
L12 - Using Variables before Declaration	12
Description	12

Contract Flow 23

Domain Info 24

Summary 25

Disclaimer 26

About Cyberscope 27



Contract Review

Contract Name	CoinToken
Compiler Version	v0.8.12+commit.f00d7308
Optimization	200 runs
Licence	None
Explorer	https://bscscan.com/token/0xCA54954bb4E1b35AeE6 eB04130CD406340EBA9B4
Symbol	DogeKing
Decimals	18
Total Supply	1,000,000,000
Domain	thedogeking.io

Source Files

Filename	SHA256
contract.sol	65fb8d9aeda1301100da3bc1e4476d2657d607c9ceea 93ab3915a00f068ae937

Audit Updates

Initial Audit	26th April 2022
Corrected	



Contract Analysis

CriticalMediumMinorPass

Severity	Code	Description
•	ST	Contract Owner is not able to stop or pause transactions
•	OCTD	Contract Owner is not able to transfer tokens from specific address
•	OTUT	Owner Transfer User's Tokens
•	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
•	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
•	MT	Contract Owner is not able to mint new tokens
•	ВТ	Contract Owner is not able to burn tokens from specific wallet
•	ВС	Contract Owner is not able to blacklist wallets from selling



BC - Blacklisted Contracts

Criticality	medium
Location	contract.sol#L1524

Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the EnemyAddress function.

```
require(!_isEnemy[from] && !_isEnemy[to], 'Enemy address');
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



Contract Diagnostics

CriticalMediumMinor

Severity	Code	Description
•	L01	Public Function could be Declared External
•	L04	Conformance to Solidity Naming Conventions
•	L05	Unused State Variable
•	L07	Missing Events Arithmetic
•	L09	Dead Code Elimination
•	L12	Using Variables before Declaration
•	L14	Uninitialized Variables in Local Scope
•	L15	Local Scope Variable Shadowing



L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L33,37,300,308,325,351,359,370,388,410,429,821,836,864,878,1009,1058,1102,1161,1347,1351,1367,1379,1400,1419,1423,1427,1435,1482,1492,1496

Description

Public functions that are never called by the contract should be declared external to save gas.

```
setDeadWallet
setSwapTokensAtAmount
swapManual
isExcludedFromDividends
dividendTokenBalanceOf
withdrawableDividendOf
isExcludedFromFees
updateGasForProcessing
setAutomatedMarketMakerPair
...
```

Recommendation

Use the external attribute for functions never called from the contract.



L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L539,703,704,721,864,871,878,888,791,796,1013,1161,1164,1170,1 174,1178,1189,1384,1232,1233,1234,1236,1240

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_isEnemy
_marketingWalletAddress
AmountMarketingFee
AmountTokenRewardsFee
AmountLiquidityFee
EnemyAddress
MAPRemove
MAPSet
MAPSize
...
```

Recommendation

Follow the Solidity naming convention.

https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions



L05 - Unused State Variable

Criticality	minor
Location	contract.sol#L138

Description

There are segments that contain unused state variables.

MAX_INT256

Recommendation

Remove unused state variables.



L07 - Missing Events Arithmetic

Criticality	minor
Location	contract.sol#L1492,1500,1509

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
sellTokenRewardsFee = rewardsFee
buyTokenRewardsFee = rewardsFee
swapTokensAtAmount = amount
```

Recommendation

Emit an event for critical parameter changes.



L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L210,228,262,242,898,184

Description

Functions that are not used in the contract, and make the code's size bigger.

abs
_transfer
predictDeterministicAddress
cloneDeterministic
clone

Recommendation

Remove unused functions.



L12 - Using Variables before Declaration

Criticality	minor
Location	contract.sol#L1595

Description

The contract is using a variable before the declaration. This is usually happening either if it has not been declared yet or the variable has been declared in a different scope.

claims
lastProcessedIndex
iterations

Recommendation

The variables should be declared before any usage of them.



L14 - Uninitialized Variables in Local Scope

Criticality	minor
Location	contract.sol#L1561,1557,1595

Description

The are variables that are defined in the local scope and are not initialized.

lastProcessedIndex
claims
iterations
fees
DFee

Recommendation

All the local scoped variables should be initialized.



L15 - Local Scope Variable Shadowing

Criticality	minor
Location	contract.sol#L816,864,871,878,888,1308

Description

The are variables that are defined in the local scope containing the same name from an upper scope.

```
totalSupply
_owner
_symbol
_name
```

Recommendation

The local variables should have different names from the upper scoped variables.



Contract Functions

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
Context	Implementation			
Context	Implementation	Internal		
	_msgSender	Internal		
	_msgData	internal		
Ownable	Implementation	Context		
	<constructor></constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_transferOwnership	Internal	✓	
ERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
IERC20Metada ta	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		



	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
	mod	Internal		
SafeMathInt	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
	toUint256Safe	Internal		
SafeMathUint	Library			
	toInt256Safe	Internal		
Clones	Library			
	clone	Internal	✓	
	cloneDeterministic	Internal	1	
	predictDeterministicAddress	Internal		
	predictDeterministicAddress	Internal		
ERC20	Implementation	Context, IERC20, IERC20Meta data		
	<constructor></constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	1	-
	allowance	Public		-
	approve	Public	√	-



	transferFrom	Public	1	-
	increaseAllowance	Public	1	-
	decreaseAllowance	Public	1	-
	_transfer	Internal	1	
	_cast	Internal	√	
	_burn	Internal	√	
	_approve	Internal	√	
	_beforeTokenTransfer	Internal	√	
IUniswapV2Ro uter01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	1	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	1	-
	removeLiquidityETH	External	1	-
	removeLiquidityWithPermit	External	1	-
	removeLiquidityETHWithPermit	External	1	-
	swapExactTokensForTokens	External	1	-
	swapTokensForExactTokens	External	1	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	1	-
	swapExactTokensForETH	External	1	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Ro uter02	Interface	IUniswapV2 Router01		
	removeLiquidityETHSupportingFeeOn TransferTokens	External	1	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-



	swapExactTokensForTokensSupportin gFeeOnTransferTokens	External	1	-
	swapExactETHForTokensSupportingF eeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingF eeOnTransferTokens	External	✓	-
IUniswapV2Fa ctory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	1	-
	setFeeTo	External	1	-
	setFeeToSetter	External	1	-
IUniswapV2Pai r	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	1	-
	transfer	External	✓	-
	transferFrom	External	√	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	√	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-



	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	1	-
	sync	External	✓	-
	initialize	External	1	-
DividendPayin gTokenInterfac e	Interface			
	dividendOf	External		-
	withdrawDividend	External	✓	-
DividendPayin gTokenOptiona IInterface	Interface			
	withdrawableDividendOf	External		-
	withdrawnDividendOf	External		-
	accumulativeDividendOf	External		-
DividendPayin gToken	Implementation	ERC20, Ownable, DividendPay ingTokenInt erface, DividendPay ingTokenOp tionalInterfa		
	<constructor></constructor>	Public	✓	ERC20
	distributeCAKEDividends	Public	✓	onlyOwner
	withdrawDividend	Public	✓	-
	_withdrawDividendOfUser	Internal	1	
	dividendOf	Public		-
	withdrawableDividendOf	Public		-
	withdrawnDividendOf	Public		-



	accumulativeDividendOf	Public		-
	_transfer	Internal	1	
	_cast	Internal	1	
	_burn	Internal	1	
	_setBalance	Internal	1	
TokenDividend Tracker	Implementation	Ownable, DividendPay ingToken		
	<constructor></constructor>	Public	✓	DividendPayin gToken
	_transfer	Internal		
	withdrawDividend	Public		-
	setMinimumTokenBalanceForDividend s	External	1	onlyOwner
	excludeFromDividends	External	1	onlyOwner
	updateClaimWait	External	1	onlyOwner
	getLastProcessedIndex	External		-
	getNumberOfTokenHolders	External		-
	isExcludedFromDividends	Public		-
	getAccount	Public		-
	getAccountAtIndex	Public		-
	canAutoClaim	Private		
	setBalance	External	1	onlyOwner
	process	Public	1	-
	processAccount	Public	1	onlyOwner
	MAPGet	Public		-
	MAPGetIndexOfKey	Public		-
	MAPGetKeyAtIndex	Public		-
	MAPSize	Public		-
	MAPSet	Public	1	-
	MAPRemove	Public	1	-
CoinToken	Implementation	ERC20, Ownable		
	<constructor></constructor>	Public	Payable	ERC20
	<receive ether=""></receive>	External	Payable	-




upda denc	ateMinimumTokenBalanceForDivi	Public	1	onlyOwner
upda	teUniswapV2Router	Public	1	onlyOwner
exclu	udeFromFees	Public	1	onlyOwner
exclu	udeMultipleAccountsFromFees	Public	1	onlyOwner
setM	larketingWallet	External	1	onlyOwner
setA	utomatedMarketMakerPair	Public	1	onlyOwner
Ener	nyAddress	External	1	onlyOwner
_set/	AutomatedMarketMakerPair	Private	1	
upda	ateGasForProcessing	Public	1	onlyOwner
upda	ateClaimWait	External	1	onlyOwner
getC	laimWait	External		-
getTo	otalDividendsDistributed	External		-
isExc	cludedFromFees	Public		-
witho	drawableDividendOf	Public		-
divid	endTokenBalanceOf	Public		-
exclu	udeFromDividends	External	1	onlyOwner
isExc	cludedFromDividends	Public		-
getA	ccountDividendsInfo	External		-
getA	ccountDividendsInfoAtIndex	External		-
proc	essDividendTracker	External	1	-
claim	1	External	1	-
getL	astProcessedIndex	External		-
getN	umberOfDividendTokenHolders	External		-
swap	oManual	Public	1	onlyOwner
setS	wapTokensAtAmount	Public	1	onlyOwner
setD	eadWallet	Public	1	onlyOwner
setB	uyTaxes	External	1	onlyOwner
setS	elTaxes	External	1	onlyOwner
_tran	sfer	Internal	1	
swap	AndSendToFee	Private	1	
swap	AndLiquify	Private	1	
swap	oTokensForEth	Private	1	
swap	oTokensForCake	Private	1	
addL	iquidity	Private	1	
swar	oAndSendDividends	Private	1	





Contract Flow





Domain Info

Domain Name	thedogeking.io
Registry Domain ID	42469846662c42feacdb361a20fc8aff-DONUTS
Creation Date	2021-11-23T07:25:53Z
Updated Date	2021-11-28T07:26:20Z
Registry Expiry Date	2022-11-23T07:25:53Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	https://www.namecheap.com/
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain has been created 5 months before the creation of the audit. It will expire in 7 months.

There is no public billing information, the creator is protected by the privacy settings.



Summary

The Doge King is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 25% fees.



Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.



About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io