

Audit Report **SAVELUNA**

May 2022

Source https://github.com/savelunaclub/saveluna

Commit b8f964210f47b302439bca4a50be5d36ade1ae6c

Audited by © cyberscope



Table of Contents

Table of Contents	
Contract Review	3
Source Files	3
Audit Updates	3
Contract Analysis	4
ST - Stop Transactions	5
Description	5
Recommendation	5
BC - Blacklisted Contracts	6
Description	6
Recommendation	6
Contract Diagnostics	7
L01 - Public Function could be Declared External	8
Description	8
Recommendation	8
L02 - State Variables could be Declared Constant	9
Description	9
Recommendation	9
L04 - Conformance to Solidity Naming Conventions	10
Description	10
Recommendation	10
L07 - Missing Events Arithmetic	11
Description	11
Recommendation	11
L09 - Dead Code Elimination	12
Description	12

Recommendation	12
Contract Functions	13
Contract Flow	18
Domain Info	19
Summary	20
Disclaimer	21
About Cyberscope	22

Contract Review

Github	https://github.com/savelunaclub/saveluna
Commit	b8f964210f47b302439bca4a50be5d36ade1ae6c

Source Files

Filename	SHA256
contract.sol	e33aaf5607afb9e745234e58ceab86724a1fd0ecd0e634 c479523305c28c545f

Audit Updates

Initial Audit	16th May 2022
Corrected	

Contract Analysis

CriticalMediumMinorPass

Severity	Code	Description
•	ST	Contract Owner is not able to stop or pause transactions
•	OCTD	Contract Owner is not able to transfer tokens from specific address
•	OTUT	Owner Transfer User's Tokens
•	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
•	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
•	MT	Contract Owner is not able to mint new tokens
•	ВТ	Contract Owner is not able to burn tokens from specific wallet
•	ВС	Contract Owner is not able to blacklist wallets from selling



ST - Stop Transactions

Criticality	minor
Location	contract.sol#L1281

Description

The contract owner has the authority to stop transactions for all users excluding the owner. The owner may take advantage of it by setting the blacklistAmount to zero.

```
if (blacklistEnabled && (amount > blacklistAmount || bots[sender])) {
    revert("You're bot");
}
```

Recommendation

The contract could embody a check for not allowing setting the blacklistAmount less than a reasonable amount. A suggested implementation could check that the maximum amount should be more than a fixed percentage of the total supply.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



BC - Blacklisted Contracts

Criticality	medium
Location	contract.sol#L1263

Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the setBlacklists function.

```
function setBlacklists(address _bots) external onlyOwner {
    require(!bots[_bots]);
    require(_bots != uniswapV2Pair, "bot address can not be pair");
    bots[_bots] = true;
}
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

CriticalMediumMinor

Severity	Code	Description
•	L01	Public Function could be Declared External
•	L02	State Variables could be Declared Constant
•	L04	Conformance to Solidity Naming Conventions
	L07	Missing Events Arithmetic
•	L09	Dead Code Elimination



L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L431,439,456,463,488,501,518,541,570,597,785,794,1242,1246,125 0,1259

Description

Public functions that are never called by the contract should be declared external to save gas.

```
isExcludedFromFees
excludeFromFees
setAmountToSwap
setGrowthFundAddress
transferOwnership
renounceOwnership
decreaseAllowance
increaseAllowance
transferFrom
...
```

Recommendation

Use the external attribute for functions never called from the contract.



L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L1215,1216,1208

Description

Constant state variables should be declared constant to save gas.

feeRate
blacklistTime
blacklistDuration

Recommendation

Add the constant attribute to state variables that never change.



L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L926,928,958,1002,1242,1246,1263,1333

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_to
_bots
_amount
_address
WETH
MINIMUM_LIQUIDITY
PERMIT_TYPEHASH
DOMAIN_SEPARATOR
```

Recommendation

Follow the Solidity naming convention.

https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions



L07 - Missing Events Arithmetic

Criticality	minor
Location	contract.sol#L1246,1269

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
blacklistAmount = amount
swapTokensAtAmount = _amount
```

Recommendation

Emit an event for critical parameter changes.

L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L675

Description

Functions that are not used in the contract, and make the code's size bigger.

_burn

Recommendation

Remove unused functions.

Contract Functions

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	1	-
0-6-84-4-	Library			
SafeMath	Library			
	tryAdd	Internal		
	trySub	Internal		
	tryMul	Internal		
	tryDiv	Internal		
	tryMod	Internal		
	add	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	mod	Internal		
	sub	Internal		
	div	Internal		
	mod	Internal		
IERC20Metada	Interface	IERC20		



	name	External		-
	symbol	External		-
	decimals	External		-
ERC20	Implementation	Context, IERC20, IERC20Met adata		
	<constructor></constructor>	Public	1	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	
	_beforeTokenTransfer	Internal	✓	
Ownable	Implementation	Context		
3 day	<constructor></constructor>	Internal	✓	
	owner	Public	•	_
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓ /	onlyOwner
	action owner on inp	i dollo	•	Jiny J Wildi
ReentrancyGu ard	Implementation			
	<constructor></constructor>	Internal	1	



IUniswapV2Fa ctory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	1	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IUniswapV2Pai r	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	burn	External	✓	-
	swap	External	✓	-




	skim	External	1	-
	sync	External	1	-
	initialize	External	√	-
IUniswapV2Ro uter01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	1	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	1	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	1	-
	swapExactTokensForTokens	External	1	-
	swapTokensForExactTokens	External	1	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	1	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Ro uter02	Interface	IUniswapV2 Router01		
	removeLiquidityETHSupportingFeeOn TransferTokens	External	1	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	1	-
	swapExactTokensForTokensSupporti ngFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingF eeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingF eeOnTransferTokens	External	1	-



Token	Implementation	Ownable, ERC20, Reentrancy Guard		
	<constructor></constructor>	Public	1	ERC20
	<receive ether=""></receive>	External	Payable	-
	setGrowthFundAddress	Public	✓	onlyOwner
	setAmountToSwap	Public	✓	onlyOwner
	excludeFromFees	Public	✓	onlyOwner
	isExcludedFromFees	Public		-
	setBlacklists	External	✓	onlyOwner
	blacklist	External	✓	onlyOwner
	_transfer	Internal	✓	
	swapFeeToken	Private	✓	
	swapAndLiquify	Private	✓	
	swapTokensForEth	Private	✓	
	addLiquidity	Private	✓	



Contract Flow



Domain Info

Domain Name	saveluna.club
Registry Domain ID	D2B44E707F6124D60B8BAF4606B7258E6-GDREG
Creation Date	2022-05-14T08:38:09Z
Updated Date	2022-05-15T00:54:20Z
Registry Expiry Date	2023-05-14T08:38:09Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	http://www.namecheap.com
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain has been created 2 days before the creation of the audit. It will expire in 12 months.

There is no public billing information, the creator is protected by the privacy settings.



Summary

There are some functions that can be abused by the owner like stopping transactions and blacklisting addresses. The fees are 10% and can't be changed, and 5% of each transaction is burned. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.

About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io