



Audit Report

ElonName

January 2022

Type	BEP20
Network	BSC
Address	0x2bCF478d1B9B2B58FDeeEEF4BCb705b41b1abeA6
Audited by	© coinscope

Table of Contents

Table of Contents	1
Contract Review	3
Audit Updates	3
Contract Analysis	4
ST - Stop Transactions	5
Description	5
Recommendation	5
ELFM - Exceed Limit Fees Manipulation	6
Description	6
Recommendation	6
BC - Blacklisted Contracts	7
Description	7
Recommendation	7
Contract Diagnostics	8
L01 - Public Function could be Declared External	9
Description	9
Recommendation	9
L02 - State Variables could be Declared Constant	10
Description	10
Recommendation	10
L05 - Unused State Variable	11
Description	11
Recommendation	11
L04 - Conformance to Solidity Naming Conventions	12
Description	12
Recommendation	12

L09 - Dead Code Elimination	13
Description	13
Recommendation	13
L07 - Missing Events Arithmetic	14
Description	14
Recommendation	14
Contract Functions	15
Contract Flow	22
Summary	22
Disclaimer	23
About Coinscope	25

Contract Review

Contract Name	ELONTICKER
Compiler Version	v0.8.11+commit.d7f03943
Optimization	200 runs
Licence	None
Explorer	https://bscscan.com/token/0x2bCF478d1B9B2B58FDeeEEF4BCb705b41b1abeA6
Symbol	ELONTICKER
Decimals	18
Total Supply	1,000,000,000,000,000
Source	contract.sol

Audit Updates

Initial Audit	25th January 2022
Corrected	

Contract Analysis

● Critical
 ● Medium
 ● Minor
 ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

ST - Stop Transactions

Criticality	critical
Location	contract.sol#L1352

Description

The contract owner has the authority to stop the sales for all users excluding the owner. The owner may take advantage of it by setting the `extraSellFee` to a high number.

```
uint256 fees = amount * totalFees / 100;
if(automatedMarketMakerPairs[to]){
    fees += amount * extraSellFee / 100;
}
amount = amount - (fees);
super._transfer(from, address(this), fees);
```

Recommendation

The contract could embody a check for not allowing setting the total fees more than 25%. A suggested implementation could check that the maximum amount should be more than a fixed percentage of the total supply.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

ELFM - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#L1184

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the `setExtraSellFee` function with a high percentage value.

```
function setExtraSellFee(uint256 value) external onlyOwner{
    extraSellFee = value;
    uint256 totalSellFees = rewardFees + liquidityFee + marketingFee;
    require(totalSellFees <= 25, "ELONTICKER: Maximum allowed fees are 25%");
}
```

Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

BC - Blacklisted Contracts

Criticality	medium
Location	contract.sol#L1305

Description

The contract owner has the authority to stop contracts from transactions. The owner may take advantage of it by calling the `blacklistAddress` function.

```
require(!_isBlacklisted[from] && !_isBlacklisted[to], 'Blacklisted address');
```

Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

● Critical ● Medium ● Minor

Severity	Code	Description
●	L01	Public Function could be Declared External
●	L02	State Variables could be Declared Constant
●	L05	Unused State Variable
●	L04	Conformance to Solidity Naming Conventions
●	L09	Dead Code Elimination
●	L07	Missing Events Arithmetic

L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L1564,L1520,L1247 and 22 more

Description

Public functions that are never called by the contract should be declared external to save gas.

```
process
getAccountAtIndex
dividendTokenBalanceOf
...
```

Recommendation

Use the external attribute for functions never called from the contract

L02 - State Variables could be Declared Constant

Criticality

minor

Location

contract.sol#L1066,L1064

Description

Constant state variables should be declared constant to save gas.

```
swapTokensAtAmount  
deadWallet
```

Recommendation

Add the constant attribute to state variables that never change.

L05 - Unused State Variable

Criticality

minor

Location

contract.sol#L415

Description

There are segments that contains unused state variable.

```
MAX_INT256
```

Recommendation

Remove unused state variables.

L04 - Conformance to Solidity Naming Conventions

Criticality

minor

Location

contract.sol#L1481,L1078,L1074 and 9 more

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_account  
_isBlacklisted  
_marketingWalletAddress  
...
```

Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>

L09 - Dead Code Elimination

Criticality

minor

Location

contract.sol#L443,L420,L432 and 4 more

Description

Functions that are not used in the contract, and make the code's size bigger.

```
sub  
mul  
div  
...
```

Recommendation

Remove unused functions.

L07 - Missing Events Arithmetic

Criticality

minor

Location

contract.sol#L1202,L1180,L1174 and 2 more

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
maxWalletTokens = 50000000000000 * 10 ** 18 * maxWalletPercent
extraSellFee = value
marketingFee = value
...
```

Recommendation

Emit an event for critical parameter changes.

Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
IUniswapV2Router01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-

	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Router02	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
IUniswapV2Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IUniswapV2Pair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-

	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
IERC20Metadata	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-
Ownable	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
SafeMathInt	Library			
	mul	Internal		
	div	Internal		


	sub	Internal		
	add	Internal		
	abs	Internal		
	toUint256Safe	Internal		
SafeMathUint	Library			
	toInt256Safe	Internal		
IterableMapping	Library			
	get	Public		-
	getIndexOfKey	Public		-
	getKeyAtIndex	Public		-
	size	Public		-
	set	Public	✓	-
	remove	Public	✓	-
ERC20	Implementation	Context, IERC20, IERC20Met adata		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_approve	Internal	✓	

	_beforeTokenTransfer	Internal	✓	
	_afterTokenTransfer	Internal	✓	
DividendPayingTokenInterface	Interface			
	dividendOf	External		-
	withdrawDividend	External	✓	-
DividendPayingTokenOptionalInterface	Interface			
	withdrawableDividendOf	External		-
	withdrawnDividendOf	External		-
	accumulativeDividendOf	External		-
DividendPayingToken	Implementation	ERC20, Ownable, DividendPayingTokenInterface, DividendPayingTokenOptionalInterface		
	<Constructor>	Public	✓	ERC20
	distributeRewardsDividends	Public	✓	onlyOwner
	withdrawDividend	Public	✓	-
	_withdrawDividendOfUser	Internal	✓	
	rescueTokens	Public	✓	-
	dividendOf	Public		-
	withdrawableDividendOf	Public		-
	withdrawnDividendOf	Public		-
	accumulativeDividendOf	Public		-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_setBalance	Internal	✓	

ELONTICKER	Implementation	ERC20, Ownable		
	<Constructor>	Public	✓	ERC20
	<Receive Ether>	External	Payable	-
	updateDividendTracker	External	✓	onlyOwner
	updateUniswapV2Router	External	✓	onlyOwner
	excludeFromFees	Public	✓	onlyOwner
	excludeMultipleAccountsFromFees	External	✓	onlyOwner
	setmarketingWallet	External	✓	onlyOwner
	setrewardFees	External	✓	onlyOwner
	setLiquidityFee	External	✓	onlyOwner
	setmarketingFee	External	✓	onlyOwner
	setExtraSellFee	External	✓	onlyOwner
	openTrading	External	✓	onlyOwner
	rescueTokens	External	✓	onlyOwner
	setAutomatedMarketMakerPair	External	✓	onlyOwner
	limitMaxWallet	External	✓	onlyOwner
	blacklistAddress	External	✓	onlyOwner
	_setAutomatedMarketMakerPair	Private	✓	
	updateGasForProcessing	External	✓	onlyOwner
	updateClaimWait	External	✓	onlyOwner
	getClaimWait	External		-
	getTotalDividendsDistributed	External		-
	isExcludedFromFees	Public		-
	withdrawableDividendOf	Public		-
	dividendTokenBalanceOf	Public		-
	excludeFromDividends	External	✓	onlyOwner
	getAccountDividendsInfo	External		-
	getAccountDividendsInfoAtIndex	External		-
	processDividendTracker	External	✓	-
	claim	External	✓	-
	getLastProcessedIndex	External		-
	getNumberOfDividendTokenHolders	External		-
	_transfer	Internal	✓	
	swapAndLiquify	Private	✓	
	swapTokensForEth	Private	✓	

	swapETHforRewardsandSendToDividends	Public	Payable	-
	addLiquidity	Private	✓	
ELONTICKER DividendTracker	Implementation	Ownable, DividendPay ingToken		
	<Constructor>	Public	✓	DividendPayin gToken
	_transfer	Internal		
	withdrawDividend	Public		-
	excludeFromDividends	External	✓	onlyOwner
	updateClaimWait	External	✓	onlyOwner
	getLastProcessedIndex	External		-
	getNumberOfTokenHolders	External		-
	getAccount	Public		-
	getAccountAtIndex	Public		-
	canAutoClaim	Private		
	setBalance	External	✓	onlyOwner
	process	Public	✓	-
	processAccount	Public	✓	onlyOwner

Contract Flow



Summary

There are some functions that can be abused by the owner, like manipulating fees, blacklisting contracts and stopping transactions. The contract owner can stop all the sales, making the contract operate as a honeypot. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Coinscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Coinscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Coinscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Coinscope team disclaims any liability for the resulting losses.

About Coinscope

CoinScope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

CoinScope is aiming to make crypto discoverable and efficient globally. It provides all the essential tools to assist users draw their own conclusions.



The Coinscope.co team

<https://www.coinscope.co>