



# Audit Report

## **ShibaElonVerse**

January 2022

Type       BEP20

Network    BSC

Address    0x2629EB2eDEF0F45B9f250F4Ec934BbC8628dbaca

Audited by   © coinscope

# Table of Contents

<b>Table of Contents</b>	<b>1</b>
<b>Contract Review</b>	<b>3</b>
<b>Audit Updates</b>	<b>3</b>
<b>Contract Analysis</b>	<b>4</b>
<b>ELFM - Exceed Limit Fees Manipulation</b>	<b>5</b>
Description	5
Recommendation	5
<b>ST - Stop Transactions</b>	<b>6</b>
Description	6
Recommendation	6
<b>Contract Diagnostics</b>	<b>7</b>
<b>L01 - Public Function could be Declared External</b>	<b>8</b>
Description	8
Recommendation	8
<b>L05 - Unused State Variable</b>	<b>9</b>
Description	9
Recommendation	9
<b>L04 - Conformance to Solidity Naming Conventions</b>	<b>10</b>
Description	10
Recommendation	10
<b>L09 - Dead Code Elimination</b>	<b>11</b>
Description	11
Recommendation	11
<b>L07 - Missing Events Arithmetic</b>	<b>12</b>
Description	12
Recommendation	12

<b>Contract Functions</b>	<b>13</b>
<b>Contract Flow</b>	<b>20</b>
<b>Domain Info</b>	<b>21</b>
<b>Summary</b>	<b>22</b>
<b>Disclaimer</b>	<b>23</b>
<b>About Coinscope</b>	<b>24</b>

# Contract Review

<b>Contract Name</b>	ShibaElonVerse
<b>Compiler Version</b>	v0.8.10+commit.fc410830
<b>Optimization</b>	200 runs
<b>Licence</b>	Unlicense
<b>Explorer</b>	<a href="https://bscscan.com/token/0x2629EB2eDEF0F45B9f250F4Ec934BbC8628dbaca">https://bscscan.com/token/0x2629EB2eDEF0F45B9f250F4Ec934BbC8628dbaca</a>
<b>Symbol</b>	SHIBEV
<b>Decimals</b>	18
<b>Total Supply</b>	10,000,000,000,000
<b>Source</b>	contract.sol
<b>Domain</b>	shibaelonverse.com

## Audit Updates

<b>Initial Audit</b>	11th January 2022
<b>Corrected</b>	

# Contract Analysis

● Critical   
 ● Medium   
 ● Minor   
 ● Pass

Severity	Code	Description
<span style="color: gold;">●</span>	ST	Contract Owner is not able to stop or pause transactions
<span style="color: blue;">●</span>	OCTD	Contract Owner is not able to transfer tokens from specific address
<span style="color: blue;">●</span>	OTUT	Owner Transfer User's Tokens
<span style="color: red;">●</span>	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
<span style="color: blue;">●</span>	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
<span style="color: blue;">●</span>	MT	Contract Owner is not able to mint new tokens
<span style="color: blue;">●</span>	BT	Contract Owner is not able to burn tokens from specific wallet
<span style="color: blue;">●</span>	BC	Contract Owner is not able to blacklist wallets from selling

## ELFM - Exceed Limit Fees Manipulation

<b>Criticality</b>	critical
<b>Location</b>	<a href="https://bscscan.com/address/0x2629eb2edef0f45b9f250f4ec934bbc8628dbaca#code#L1576">https://bscscan.com/address/0x2629eb2edef0f45b9f250f4ec934bbc8628dbaca#code#L1576</a>

### Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the `setBuyFees` function with a high percentage value.

```
function setBuyFees(
    uint16 _reward,
    uint16 _marketing,
    uint16 _burn
) external onlyOwner {
    buyFee.reward = _reward;
    buyFee.marketing = _marketing;
    buyFee.burn = _burn;

    totalBuyFee = buyFee.reward + buyFee.marketing;
}
```

### Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

## ST - Stop Transactions

<b>Criticality</b>	medium
<b>Location</b>	<a href="https://bscscan.com/address/0xb6b0f5dd8b12cf7f4a3ebe7e3e6e97b56b02d0ad#code#L10">https://bscscan.com/address/0xb6b0f5dd8b12cf7f4a3ebe7e3e6e97b56b02d0ad#code#L10</a>

### Description

The contract owner has the authority to stop transactions for all users excluding the owner. The owner may take advantage of it by setting the `_maxTxAmount` to zero.

```
if (takeFee) {
    uint256 fees;
    uint256 burnAmount;
    require(amount <= maxTxAmount, "Amount exceeds transfer limit");
```

### Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

# Contract Diagnostics

● Critical    ● Medium    ● Minor

Severity	Code	Description
●	L01	Public Function could be Declared External
●	L05	Unused State Variable
●	L04	Conformance to Solidity Naming Conventions
●	L09	Dead Code Elimination
●	L07	Missing Events Arithmetic



## L01 - Public Function could be Declared External

**Criticality**

minor

**Location**

contract.sol#L2104,L2045,L1663 and 22 more

### Description

Public functions that are never called by the contract should be declared external to save gas.

```
process
getAccountAtIndex
dividendTokenBalanceOf
...
```

### Recommendation

Use the external attribute for functions never called from the contract.

## L05 - Unused State Variable

**Criticality**

minor

**Location**

contract.sol#L322

### Description

There are segments that contains unused state variable.

```
MAX_INT256
```

### Recommendation

Remove unused state variables.

## L04 - Conformance to Solidity Naming Conventions

**Criticality**

minor

**Location**

contract.sol#L1996,L1397,L1738 and 13 more

### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow \_ at the beginning of the mixed\_case match for private variables and unused parameters.

```
_account  
deadWallet  
_token  
...
```

### Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>

## L09 - Dead Code Elimination

**Criticality**

minor

**Location**

contract.sol#L327,L339,L368 and 12 more

### Description

Functions that are not used in the contract, and make the code's size bigger.

```
mul  
div  
abs  
...
```

### Recommendation

Remove unused functions.

## L07 - Missing Events Arithmetic

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L1751,L1608,L1584 and 1 more

### Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
maxTxAmount = amount
swapTokensAtAmount = amount
totalSellFee = sellFee.reward + sellFee.marketing
...
```

### Recommendation

Emit an event for critical parameter changes.

# Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
<b>IUniswapV2Router01</b>	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
<b>IUniswapV2Router02</b>	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-

	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
<b>IUniswapV2Factory</b>	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
<b>IterableMapping</b>	Library			
	get	Internal		
	getIndexOfKey	Internal		
	getKeyAtIndex	Internal		
	size	Internal		
	set	Internal	✓	
	remove	Internal	✓	
<b>DividendPayingTokenOptionallInterface</b>	Interface			
	withdrawableDividendOf	External		-
	withdrawnDividendOf	External		-
	accumulativeDividendOf	External		-
<b>DividendPayingTokenInterface</b>	Interface			
	dividendOf	External		-

	withdrawDividend	External	✓	-
<b>SafeMathInt</b>	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
	toUint256Safe	Internal		
<b>SafeMathUint</b>	Library			
	toInt256Safe	Internal		
<b>SafeMath</b>	Library			
	tryAdd	Internal		
	trySub	Internal		
	tryMul	Internal		
	tryDiv	Internal		
	tryMod	Internal		
	add	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	mod	Internal		
	sub	Internal		
	div	Internal		
	mod	Internal		
<b>Context</b>	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
<b>Ownable</b>	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-




	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	_setOwner	Private	✓	
<b>IERC20</b>	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
<b>IERC20Metadata</b>	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-
<b>ERC20</b>	Implementation	Context, IERC20, IERC20Metadata		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	

	_approve	Internal	✓	
	_beforeTokenTransfer	Internal	✓	
	_afterTokenTransfer	Internal	✓	
<b>DividendPayingToken</b>	Implementation	ERC20, Ownable, DividendPayingTokenInterface, DividendPayingTokenOptionalInterface		
	<Constructor>	Public	✓	ERC20
	distributeETHDividends	Public	✓	onlyOwner
	withdrawDividend	Public	✓	-
	_withdrawDividendOfUser	Internal	✓	
	dividendOf	Public		-
	withdrawableDividendOf	Public		-
	withdrawnDividendOf	Public		-
	accumulativeDividendOf	Public		-
	_transfer	Internal	✓	
	_mint	Internal	✓	
	_burn	Internal	✓	
	_setBalance	Internal	✓	
<b>ShibaElonVerse</b>	Implementation	ERC20, Ownable		
	<Constructor>	Public	✓	ERC20
	<Receive Ether>	External	Payable	-
	updateDividendTracker	Public	✓	onlyOwner
	updateUniswapV2Router	Public	✓	onlyOwner
	excludeFromFees	Public	✓	onlyOwner
	excludeMultipleAccountsFromFees	Public	✓	onlyOwner
	setMarketingWallet	External	✓	onlyOwner
	setBuyFees	External	✓	onlyOwner
	setSellFees	External	✓	onlyOwner
	setAutomatedMarketMakerPair	Public	✓	onlyOwner

	setSwapTokens	External	✓	onlyOwner
	_setAutomatedMarketMakerPair	Private	✓	
	updateGasForProcessing	Public	✓	onlyOwner
	updateClaimWait	External	✓	onlyOwner
	getClaimWait	External		-
	getTotalDividendsDistributed	External		-
	isExcludedFromFees	Public		-
	withdrawableDividendOf	Public		-
	dividendTokenBalanceOf	Public		-
	excludeFromDividends	External	✓	onlyOwner
	getAccountDividendsInfo	External		-
	getAccountDividendsInfoAtIndex	External		-
	processDividendTracker	External	✓	-
	claim	External	✓	-
	getLastProcessedIndex	External		-
	getNumberOfDividendTokenHolders	External		-
	claimStuckTokens	External	✓	onlyOwner
	setMaxTxAmount	External	✓	onlyOwner
	_transfer	Internal	✓	
	swapAndSendToMarketing	Private	✓	
	swapTokensForBNB	Private	✓	
	swapTokensForADA	Private	✓	
	swapAndSendDividends	Private	✓	
<b>TOKENDividen dTracker</b>	Implementation	Ownable, DividendPay ingToken		
	<Constructor>	Public	✓	DividendPayin gToken
	_transfer	Internal		
	withdrawDividend	Public		-
	excludeFromDividends	External	✓	onlyOwner
	updateClaimWait	External	✓	onlyOwner
	getLastProcessedIndex	External		-
	getNumberOfTokenHolders	External		-
	getAccount	Public		-

	getAccountAtIndex	Public		-
	canAutoClaim	Private		
	setBalance	External	✓	onlyOwner
	process	Public	✓	-
	processAccount	Public	✓	onlyOwner

# Contract Flow



## Domain Info

<b>Domain Name</b>	shibaelonverse.com
<b>Registry Domain ID</b>	2667202177_DOMAIN_COM-VRSN
<b>Creation Date</b>	2022-01-10T09:14:17.00Z
<b>Updated Date</b>	
<b>Registry Expiry Date</b>	
<b>Registrar WHOIS Server</b>	whois.namesrs.com
<b>Registrar URL</b>	<a href="https://www.namesrs.com">https://www.namesrs.com</a>
<b>Registrar</b>	Name SRS AB
<b>Registrar IANA ID</b>	638

The domain has been created 1 day before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

## Summary

ShibaElonVerse is an interesting project that will focus on Metaverse. The project has a friendly and growing community. The smart contract analysis reported no compiler errors and 2 issues. There are some functions that can be abused by the owner, like manipulating fees up to 100% and indirectly stopping transactions for everyone other than the owner. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

# Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Coinscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Coinscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Coinscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Coinscope team disclaims any liability for the resulting losses.



## About Coinscope

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Coinscope is aiming to make crypto discoverable and efficient globally. It provides all the essential tools to assist users draw their own conclusions.



The Coinscope.co team

<https://www.coinscope.co>