

# Audit Report NekoGirl

April 2022

Type BEP20

Network BSC

Address 0x285fa60d33d858ca3e344fc858b498dfabb884e4

Audited by © cyberscope



# **Table of Contents**

Table of Contents	
Contract Review	3
Source Files	3
Audit Updates	3
Contract Analysis	4
Contract Diagnostics	5
L01 - Public Function could be Declared External	6
Description	6
Recommendation	6
L02 - State Variables could be Declared Constant	7
Description	7
Recommendation	7
L04 - Conformance to Solidity Naming Conventions	8
Description	8
Recommendation	8
L05 - Unused State Variable	9
Description	9
Recommendation	9
L07 - Missing Events Arithmetic	10
Description	10
Recommendation	10
L09 - Dead Code Elimination	11
Description	11
Recommendation	11
Contract Functions	12
Contract Flow	17



## **Contract Review**

Contract Name	NekoGirl
Compiler Version	v0.8.7+commit.e28d00a7
Optimization	200 runs
Licence	MIT
Explorer	https://bscscan.com/token/0x285fa60d33d858ca3e34 4fc858b498dfabb884e4
Symbol	NEKOGIRL
Decimals	9
Total Supply	1,000,000,000
Domain	nekogirl.cc

## Source Files

Filename	SHA256
contract.sol	67ad673e23c2c12912af1b9465a80866c5218062e8a93 01e90db306d88a05821

# **Audit Updates**

Initial Audit	23rd April 2022
Corrected	

# **Contract Analysis**

CriticalMediumMinorPass

Severity	Code	Description
•	ST	Contract Owner is not able to stop or pause transactions
•	OCTD	Contract Owner is not able to transfer tokens from specific address
•	OTUT	Owner Transfer User's Tokens
•	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
•	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
•	MT	Contract Owner is not able to mint new tokens
•	ВТ	Contract Owner is not able to burn tokens from specific wallet
•	ВС	Contract Owner is not able to blacklist wallets from selling

# **Contract Diagnostics**

CriticalMediumMinor

Severity	Code	Description
•	L01	Public Function could be Declared External
•	L02	State Variables could be Declared Constant
•	L04	Conformance to Solidity Naming Conventions
•	L05	Unused State Variable
•	L07	Missing Events Arithmetic
•	L09	Dead Code Elimination



## L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L103,108,114,469,473,477,481,489,493,498 and 10 more

#### Description

Public functions that are never called by the contract should be declared external to save gas.

transferFrom
transfer
changeRouterVersion
getCirculatingSupply
setSwapAndLiquifyByLimitOnly
setSwapAndLiquifyEnabled
setIsExcludedFromFee
setMarketPairStatus
approve
...

#### Recommendation

Use the external attribute for functions never called from the contract



## L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L385,383,384,84,83

### Description

Constant state variables should be declared constant to save gas.

asdasd
\_lockTime
\_symbol
\_name
\_decimals

#### Recommendation

Add the constant attribute to state variables that never change.



# L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L209,210,226,245,570,388,391,397,398,399 and 9 more

#### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow \_ at the beginning of the mixed\_case match for private variables and unused parameters.

```
_totalTaxlfSelling
_totalTaxlfBuying
_NFTShare
_marketingShare
_liquidityShare
_sellNFTFee
_sellMarketingFee
_sellLiquidityFee
...
```

#### Recommendation

Follow the Solidity naming convention.

https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions

## L05 - Unused State Variable

Criticality	minor
Location	contract.sol#L83,84

## Description

There are segments that contain unused state variables.

\_lockTime asdasd

#### Recommendation

Remove unused state variables.



## L07 - Missing Events Arithmetic

Criticality	minor
Location	contract.sol#L528,539,550,558

#### Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
minimumTokensBeforeSwap = newLimit
_liquidityShare = newLiquidityShare
_totalTaxIfSelling = _sellLiquidityFee.add(_sellMarketingFee).add(_sellNFTFee)
_totalTaxIfBuying = _buyLiquidityFee.add(_buyMarketingFee).add(_buyNFTFee)
```

#### Recommendation

Emit an event for critical parameter changes.



## L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L158,141,145,149,153,122,133

## Description

Functions that are not used in the contract, and make the code's size bigger.

sendValue isContract functionCallWithValue functionCall \_functionCallWithValue

#### Recommendation

Remove unused functions.



# **Contract Functions**

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	1	-
	allowance	External		-
	approve	External	1	-
	transferFrom	External	1	-
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
	mod	Internal		
Ownable	Implementation	Context		
	<constructor></constructor>	Public	1	-
	owner	Public		-
	waiveOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	getTime	Public		-



Address	Library			
	isContract	Internal		
	sendValue	Internal	✓	
	functionCall	Internal	✓	
	functionCall	Internal	✓	
	functionCallWithValue	Internal	1	
	functionCallWithValue	Internal	1	
	_functionCallWithValue	Private	1	
IUniswapV2Fa ctory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	1	-
	setFeeTo	External	1	-
	setFeeToSetter	External	✓	-
IUniswapV2Pa ir	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	1	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-



permit	External	✓	-
MINIMUM_LIQUIDITY	External		-
factory	External		-
token0	External		-
token1	External		-
getReserves	External		-
price0CumulativeLast	External		-
price1CumulativeLast	External		-
kLast	External		-
burn	External	✓	-
swap	External	1	-
skim	External	1	-
sync	External	✓	-
initialize	External	1	-
Interface			
factory	External		-
WETH	External		-
addLiquidity	External	1	-
addLiquidityETH	External	Payable	-
removeLiquidity	External	1	-
removeLiquidityETH	External	<b>✓</b>	-
removeLiquidityWithPermit	External	<b>✓</b>	-
removeLiquidityETHWithPermit	External	1	-
swapExactTokensForTokens	External	<b>√</b>	-
swapTokensForExactTokens	External	1	-
swapExactETHForTokens	External	Payable	-
swapTokensForExactETH	External	1	-
swapExactTokensForETH	External	<b>✓</b>	-
swapETHForExactTokens	External	Payable	-
quote	External		-
getAmountOut	External		-
getAmountIn	External		-
getAmountsOut	External		-
	minimum_liquidityETH removeLiquidityETH removeLiquidityETHWithPermit swapExactTokensForTokens swapTokensForExactTokens swapTokensForExactETH swapExactTokensForETH swapETHForExactTokens quote getAmountOut getAmountIn	MINIMUM_LIQUIDITY External factory External token0 External token1 External getReserves External price0CumulativeLast External price1CumulativeLast External burn External swap External skim External sync External initialize External  Interface factory External  METH External addLiquidity External addLiquidity External removeLiquidity External removeLiquidityWithPermit External removeLiquidityWithPermit External swapExactTokensForTokens External swapExactTokensForExactTH External swapExactTokensForETH External swapExactTokensForETH External getAmountOut External getAmountIn External getAmountIn External	MINIMUM_LIQUIDITY factory External token0 External token1 External getReserves External price0CumulativeLast External price1CumulativeLast External burn External  burn External  swap External  swim External  factory External  Interface factory External  weTH External  addLiquidity External  removeLiquidityETH External  fremoveLiquidityHithPermit External  swapExactTokens External  factory  External  factory  External  factory  External  factory  factory  External  factory  External  factory  factory  External  factory  factory  External  factory  factory  External  factory  External  factory  factory  External  factory  factory  External  factory  factory  External  factory  factory  factory  factory  External  factory  fa




	getAmountsIn	External		-
IUniswapV2Ro uter02	Interface	IUniswapV2 Router01		
	removeLiquidityETHSupportingFeeO nTransferTokens	External	<b>√</b>	-
	removeLiquidityETHWithPermitSupp ortingFeeOnTransferTokens	External	1	-
	swapExactTokensForTokensSupporti ngFeeOnTransferTokens	External	1	-
	swapExactETHForTokensSupporting FeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupporting FeeOnTransferTokens	External	1	-
NekoGirl	Implementation	Context, IERC20, Ownable		
	<constructor></constructor>	Public	1	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	allowance	Public		-
	increaseAllowance	Public	1	-
	decreaseAllowance	Public	✓	-
	minimumTokensBeforeSwapAmount	Public		-
	approve	Public	<b>✓</b>	-
	_approve	Private	1	
	setMarketPairStatus	Public	1	onlyOwner
	setIsExcludedFromFee	Public	1	onlyOwner
	setBuyTaxes	External	1	onlyOwner
	setSelTaxes	External	1	onlyOwner
	setDistributionSettings	External	1	onlyOwner
	setNumTokensBeforeSwap	External	1	onlyOwner
	setMarketingWalletAddress	External	1	onlyOwner
	setNFTWalletAddress	External	1	onlyOwner



setSwapAndLiquifyEnabled	Public	✓	onlyOwner
setSwapAndLiquifyByLimitOnly	Public	✓	onlyOwner
getCirculatingSupply	Public		-
transferToAddressETH	Private	✓	
changeRouterVersion	Public	✓	onlyOwner
<receive ether=""></receive>	External	Payable	-
transfer	Public	1	-
transferFrom	Public	✓	-
_transfer	Private	✓	
_basicTransfer	Internal	✓	
swapAndLiquify	Private	✓	lockTheSwap
swapTokensForEth	Private	1	
addLiquidity	Private	/	
takeFee	Internal	1	



# **Contract Flow**



## Domain Info

Domain Name	nekogirl.cc
Registry Domain ID	173423971_DOMAIN_CC-VRSN
Creation Date	2022-04-09T13:59:36Z
Updated Date	2022-04-09T14:21:24Z
Registry Expiry Date	2023-04-09T13:59:36Z
Registrar WHOIS Server	whois.namesilo.com
Registrar URL	http://www.namesilo.com
Registrar	NameSilo, LLC
Registrar IANA ID	1479

The domain has been created 14 days before the creation of the audit. It will expire in 12 months.

There is no public billing information, the creator is protected by the privacy settings.



## Summary

NekoGirl is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. There is also a limit of max 15% fees.



## Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.



## About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io