



# Audit Report

## **MContent**

January 2022

Type	ERC20
Network	ETH RINKEBY
Address	0x3c296e2e9b7cc4967b4776beef50133db0002313
Audited by	© coinscope

# Table of Contents

<b>Table of Contents</b>	<b>1</b>
<b>Contract Review</b>	<b>3</b>
<b>Audit Updates</b>	<b>3</b>
<b>Contract Analysis</b>	<b>4</b>
<b>MT - Mint Tokens</b>	<b>5</b>
Description	5
Recommendation	5
Note	5
<b>BT - Burn Tokens</b>	<b>5</b>
Description	6
Recommendation	6
Note	6
<b>Contract Diagnostics</b>	<b>7</b>
<b>L01 - Public Function could be Declared External</b>	<b>8</b>
Description	8
Recommendation	8
<b>L02 - State Variables could be Declared Constant</b>	<b>9</b>
Description	9
Recommendation	9
<b>L04 - Conformance to Solidity Naming Conventions</b>	<b>10</b>
Description	10
Recommendation	10
<b>L09 - Dead Code Elimination</b>	<b>11</b>
Description	11
Recommendation	11
<b>Contract Functions</b>	<b>12</b>

<b>Contract Flow</b>	<b>18</b>
<b>Domain Info</b>	<b>19</b>
<b>Summary</b>	<b>20</b>
<b>Disclaimer</b>	<b>21</b>
<b>About Coinscope</b>	<b>22</b>

## Contract Review

<b>Contract Name</b>	ethMContent
<b>Compiler Version</b>	v0.8.7+commit.e28d00a7
<b>Optimization</b>	1 run
<b>Licence</b>	
<b>Explorer</b>	<a href="https://rinkeby.etherscan.io/token/0x3c296e2e9b7cc4967b4776beef50133db0002313">https://rinkeby.etherscan.io/token/0x3c296e2e9b7cc4967b4776beef50133db0002313</a>
<b>Symbol</b>	MCONTENT
<b>Decimals</b>	6
<b>Total Supply</b>	23,831.004019
<b>Source</b>	contract.sol
<b>Domain</b>	mcontent.net

## Audit Updates

<b>Initial Audit</b>	2nd February 2022
<b>Corrected</b>	

# Contract Analysis

● Critical
 ● Medium
 ● Minor
 ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

## MT - Mint Tokens

<b>Criticality</b>	medium
<b>Location</b>	contract.sol#L1331

### Description

The contract owner has the authority to mint tokens. The owner may take advantage of it by calling the `mint` function. As a result the contract tokens will be highly inflated

```
function mint(address recipient, uint256 value)
    external
    override
    onlyAdmin
{
    _mint(recipient, value);
    emit Mint(value, recipient);
}
```

### Recommendation

The owner should carefully manage the credentials of the owner's account. We advised considering an extra-strong security mechanism that the actions may be quarantined by many users instead of one. The owner could also renounce the contract ownership for a period of time or pass the access to the zero address.

### Note

The token owner has acknowledged that the minting functionality is required for the contract bridging.

## BT - Burn Tokens

<b>Criticality</b>	medium
<b>Location</b>	contract.sol#L1341

### Description

The contract owner has the authority to burn tokens from a specific address. The owner may take advantage of it by calling the `burn` function. As a result the targeted contract address will lose the corresponding tokens.

```
function burn(address fromAddress, uint256 value) external override onlyAdmin {  
    _burn(fromAddress, value);  
    emit Burn(value, fromAddress);  
}
```

### Recommendation

The owner should carefully manage the credentials of the owner's account. We advised considering an extra-strong security mechanism that the actions may be quarantined by many users instead of one. The owner could also renounce the contract ownership for a period of time or pass the access to the zero address.

### Note

The token owner has acknowledged that the burning functionality is required for the contract bridging.

# Contract Diagnostics

● Critical    ● Medium    ● Minor

Severity	Code	Description
●	L01	Public Function could be Declared External
●	L02	State Variables could be Declared Constant
●	L04	Conformance to Solidity Naming Conventions
●	L09	Dead Code Elimination



## L01 - Public Function could be Declared External

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L869,L860,L856 and 13 more

### Description

Public functions that are never called by the contract should be declared external to save gas.

```
reflectionFromToken  
deliver  
totalFees  
...
```

### Recommendation

Use the external attribute for functions never called from the contract

## L02 - State Variables could be Declared Constant

**Criticality**

minor

**Location**

contract.sol#L733

### Description

Constant state variables should be declared constant to save gas.

```
_contentWalletAddress
```

### Recommendation

Add the constant attribute to state variables that never change.

## L04 - Conformance to Solidity Naming Conventions

**Criticality**

minor

**Location**

contract.sol#L759,L758,L749 and 14 more

### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow \_ at the beginning of the mixed\_case match for private variables and unused parameters.

```
numTokensSellToAddToLiquidity
_maxTxAmount
_liquidityFee
...
```

### Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>

## L09 - Dead Code Elimination

<b>Criticality</b>	minor
<b>Location</b>	contract.sol#L235,L173,L213 and 12 more

### Description

Functions that are not used in the contract, and make the code's size bigger.

```
mod
div
_msgData
...
```

### Recommendation

Remove unused functions.

# Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
<b>IERC20</b>	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
	mint	External	✓	-
	burn	External	✓	-
<b>SafeMath</b>	Library			
	add	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	mod	Internal		
	sub	Internal		
	div	Internal		
	mod	Internal		
<b>Context</b>	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
<b>Address</b>	Library			
	isContract	Internal		
	sendValue	Internal	✓	
	functionCall	Internal	✓	
	functionCall	Internal	✓	

	functionCallWithValue	Internal	✓	
	functionCallWithValue	Internal	✓	
	functionStaticCall	Internal		
	functionStaticCall	Internal		
	functionDelegateCall	Internal	✓	
	functionDelegateCall	Internal	✓	
	_verifyCallResult	Private		
<b>Ownable</b>	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
<b>IUniswapV2Factory</b>	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
<b>IUniswapV2Pair</b>	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-

	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
<b>IUniswapV2Router01</b>	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-


	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
<b>IUniswapV2Router02</b>	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
<b>ethMContent</b>	Implementation	Context, IERC20, Ownable		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	isExcludedFromReward	Public		-
	totalFees	Public		-
	deliver	Public	✓	-
	reflectionFromToken	Public		-
	tokenFromReflection	Public		-



	excludeFromReward	External	✓	onlyOwner
	includeInReward	External	✓	onlyOwner
	_transferBothExcluded	Private	✓	
	excludeFromFee	External	✓	onlyOwner
	includeInFee	External	✓	onlyOwner
	setTaxFeePercent	External	✓	onlyOwner
	setContentFeePercent	External	✓	onlyOwner
	setLiquidityFeePercent	External	✓	onlyOwner
	setMaxTxPercent	External	✓	onlyOwner
	setSwapAndLiquifyEnabled	External	✓	onlyOwner
	<Receive Ether>	External	Payable	-
	_reflectFee	Private	✓	
	_getValues	Private		
	_getTValues	Private		
	_getRValues	Private		
	_getRate	Private		
	_getCurrentSupply	Private		
	_takeLiquidity	Private	✓	
	_takeContent	Private	✓	
	calculateTaxFee	Private		
	calculateContentFee	Private		
	calculateLiquidityFee	Private		
	removeAllFee	Private	✓	
	restoreAllFee	Private	✓	
	isExcludedFromFee	External		-
	_approve	Private	✓	
	_transfer	Private	✓	
	swapAndLiquify	Private	✓	lockTheSwap
	swapTokensForEth	Private	✓	
	addLiquidity	Private	✓	
	_tokenTransfer	Private	✓	
	_transferStandard	Private	✓	
	_transferToExcluded	Private	✓	
	_transferFromExcluded	Private	✓	
	setRouterAddress	External	✓	onlyOwner

	adminConfig	External	✓	onlyOwner
	_mint	Private	✓	
	_burn	Private	✓	
	mint	External	✓	onlyAdmin
	burn	External	✓	onlyAdmin

# Contract Flow



## Domain Info

<b>Domain Name</b>	mcontent.net
<b>Registry Domain ID</b>	2614955156_DOMAIN_NET-VRSN
<b>Creation Date</b>	2021-05-25T19:36:53Z
<b>Updated Date</b>	2021-07-19T22:59:08Z
<b>Registry Expiry Date</b>	2022-05-25T19:36:53Z
<b>Registrar WHOIS Server</b>	whois.godaddy.com
<b>Registrar URL</b>	<a href="http://www.godaddy.com">http://www.godaddy.com</a>
<b>Registrar</b>	GoDaddy.com, LLC
<b>Registrar IANA ID</b>	146

The domain has been created 8 months before the creation of the audit. It will expire in 4 months.

There is no public billing information, the creator is protected by the privacy settings.

## Summary

Mcontent is aiming to build a crypto based digital content marketplace. The owner has the ability to mint and burn the contract's tokens. The token owner has acknowledged that the minting and burning functionality is required for the contract bridging. Apart from this, there are some functions that can be called by the owner but there are limitations to what they can change. The maximum fee percentage that can be set is 25%. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

# Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Coinscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Coinscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Coinscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Coinscope team disclaims any liability for the resulting losses.

## About Coinscope

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Coinscope is aiming to make crypto discoverable and efficient globally. It provides all the essential tools to assist users draw their own conclusions.



The Coinscope.co team

<https://www.coinscope.co>