

# Audit Report Anya Inu

April 2022

Type BEP20

Network BSC

Address 0xfffbbfEB9CDCE1307d74Ced88118e613831B8477

Audited by © cyberscope



# **Table of Contents**

Table of Contents	1
Contract Review	3
Source Files	3
Audit Updates	3
Contract Analysis	4
Contract Diagnostics	5
L01 - Public Function could be Declared External	6
Description	6
Recommendation	6
L02 - State Variables could be Declared Constant	7
Description	7
Recommendation	7
L04 - Conformance to Solidity Naming Conventions	8
Description	8
Recommendation	8
L05 - Unused State Variable	9
Description	9
Recommendation	9
L09 - Dead Code Elimination	10
Description	10
Recommendation	10
L12 - Using Variables before Declaration	11
Description	11
Recommendation	11
L13 - Divide before Multiply Operation	12
Description	12



## **Contract Review**

Contract Name	ANYA
Compiler Version	v0.8.0+commit.c7dfd78e
Optimization	200 runs
Licence	MIT
Explorer	https://bscscan.com/token/0xfffbbfEB9CDCE1307d74 Ced88118e613831B8477
Symbol	ANYA
Decimals	18
Total Supply	1,000,000,000
Domain	anyainu.co

## Source Files

Filename	SHA256
contract.sol	904362cc10ec74113e935d54b5a48dbe272cc4d0bf8c 61c7dfad6b5fa09728f2

# **Audit Updates**

Initial Audit	30th April 2022
Corrected	

# **Contract Analysis**

CriticalMediumMinorPass

Severity	Code	Description
•	ST	Contract Owner is not able to stop or pause transactions
•	OCTD	Contract Owner is not able to transfer tokens from specific address
•	OTUT	Owner Transfer User's Tokens
•	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
•	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
•	MT	Contract Owner is not able to mint new tokens
•	ВТ	Contract Owner is not able to burn tokens from specific wallet
•	ВС	Contract Owner is not able to blacklist wallets from selling



# **Contract Diagnostics**

CriticalMediumMinor

Severity	Code	Description
•	L01	Public Function could be Declared External
•	L02	State Variables could be Declared Constant
•	L04	Conformance to Solidity Naming Conventions
•	L05	Unused State Variable
•	L09	Dead Code Elimination
•	L12	Using Variables before Declaration
•	L13	Divide before Multiply Operation
•	L14	Uninitialized Variables in Local Scope
•	L15	Local Scope Variable Shadowing



## L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L348,374,382,393,411,433,452,737,746,795,1649,838,852,925,929,9 36,942,1290,1309,1328,1344,1363,1367,1371,1375,1725,1769

#### Description

Public functions that are never called by the contract should be declared external to save gas.

```
process
getAccountAtIndex
dividendTokenBalanceOf
withdrawableDividendOf
isExcludedFromMaxTx
isExcludedFromFees
updateGasForProcessing
excludeOrIncludeMultipleAccountsFromFees
updateUniswapV2Router
...
```

#### Recommendation

Use the external attribute for functions never called from the contract.



## L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L1193,1202,1199,1196,1198,1195,765

#### Description

Constant state variables should be declared constant to save gas.

SHIBAINU
swapTokensAtAmount
shibaInuRewardsFee
maxTransactionAmount
contractFee
\_marketingWalletAddress

#### Recommendation

Add the constant attribute to state variables that never change.



# L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L838,845,852,862,765,770,993,994,1011,1047,1221,1612,1193,1202,1680

#### Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow \_ at the beginning of the mixed\_case match for private variables and unused parameters.

```
_account
_marketingWalletAddress
SHIBAINU
_address
log
WETH
MINIMUM_LIQUIDITY
PERMIT_TYPEHASH
DOMAIN_SEPARATOR
...
```

#### Recommendation

Follow the Solidity naming convention.

https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions



## L05 - Unused State Variable

Criticality	minor
Location	contract.sol#L590

## Description

There are segments that contain unused state variables.

MAX\_INT256

#### Recommendation

Remove unused state variables.



## L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L872,636

## Description

Functions that are not used in the contract, and make the code's size bigger.

abs \_transfer

#### Recommendation

Remove unused functions.



## L12 - Using Variables before Declaration

Criticality	minor
Location	contract.sol#L1502

#### Description

The contract is using a variable before the declaration. This is usually happening either if it has not been declared yet or the variable has been declared in a different scope.

lastProcessedIndex
claims
iterations

#### Recommendation

The variables should be declared before any usage of them.



## L13 - Divide before Multiply Operation

Criticality	minor
Location	contract.sol#L1427

#### Description

Performing divisions before multiplications may cause lose of prediction.

contractFeeBalance = contractTokenBalance.mul(contractFee).div(100)

#### Recommendation

The multiplications should be prior to the divisions.



# L14 - Uninitialized Variables in Local Scope

Criticality	minor
Location	contract.sol#L1502

#### Description

The are variables that are defined in the local scope and are not initialized.

lastProcessedIndex
iterations
claims

#### Recommendation

All the local scoped variables should be initialized.



## L15 - Local Scope Variable Shadowing

Criticality	minor
Location	contract.sol#L790,838,845,852,862

#### Description

The are variables that are defined in the local scope containing the same name from an upper scope.

```
_owner
_symbol
_name
```

#### Recommendation

The local variables should have different names from the upper scoped variables.



## **Contract Functions**

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
IERG20		Futamal		
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	<b>✓</b>	-
	allowance	External		-
	approve	External	<b>√</b>	-
	transferFrom	External	✓	-
IERC20Metada ta	Interface	IERC20		
	name	External		-
	symbol	External		-
	decimals	External		-
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
	_			
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
	mod	Internal		



ERC20	Implementation	Context, IERC20, IERC20Meta data		
	<constructor></constructor>	Public	✓	-
	name	External		-
	symbol	External		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	1	-
	transferFrom	Public	1	-
	increaseAllowance	Public	1	-
	decreaseAllowance	Public	1	-
	_transfer	Internal	1	
	_mint	Internal	<b>√</b>	
	_burn	Internal	1	
	_approve	Internal	<b>✓</b>	
	_beforeTokenTransfer	Internal	1	
SafeMathUint	Library			
	toInt256Safe	Internal		
SafeMathInt	Library			
	mul	Internal		
	div	Internal		
	sub	Internal		
	add	Internal		
	abs	Internal		
	toUint256Safe	Internal		
DividendPayin gTokenInterfac e	Interface			
	dividendOf	External		-



		E.A. I		
	withdrawDividend	External	<b>✓</b>	-
DividendPayin gTokenOptiona IInterface	Interface			
	withdrawableDividendOf	External		-
	withdrawnDividendOf	External		-
	accumulativeDividendOf	External		-
Ownable	Implementation	Context		
	<constructor></constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	1	onlyOwner
DividendPayin gToken	Implementation	ERC20, Ownable, DividendPay ingTokenInt erface, DividendPay ingTokenOp tionalInterfa ce		
	<constructor></constructor>	Public	1	ERC20
	distributeETHDividends	Public	1	onlyOwner
	withdrawDividend	Public	1	-
	_withdrawDividendOfUser	Internal	✓	
	dividendOf	Public		-
	withdrawableDividendOf	Public		-
	withdrawnDividendOf	Public		-
	accumulativeDividendOf	Public		-
	_transfer	Internal	1	
	_mint	Internal	1	
	_burn	Internal	1	
	_setBalance	Internal	✓	
IterableMappin	Library			



	get	Public		-
	getIndexOfKey	Public		-
	getKeyAtIndex	Public		-
	size	Public		-
	set	Public	1	-
	remove	Public	1	-
IUniswapV2Pai r	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	1	-
	transfer	External	1	-
	transferFrom	External	1	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	1	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	<b>✓</b>	-
	burn	External	<b>✓</b>	-
	swap	External	<b>✓</b>	-
	skim	External	1	-
	sync	External	1	-
	initialize	External	1	-



IUniswapV2Fa ctory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	<b>√</b>	-
IUniswapV2Ro uter01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	1	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	1	-
	removeLiquidityETH	External	1	-
	removeLiquidityWithPermit	External	1	-
	removeLiquidityETHWithPermit	External	1	-
	swapExactTokensForTokens	External	1	-
	swapTokensForExactTokens	External	1	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	1	-
	swapExactTokensForETH	External	1	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Ro uter02	Interface	IUniswapV2 Router01		




	removeLiquidityETHSupportingFeeOn TransferTokens	External	✓	-
	removeLiquidityETHWithPermitSuppo rtingFeeOnTransferTokens	External	1	-
	swapExactTokensForTokensSupportin gFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingF eeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingF eeOnTransferTokens	External	1	-
ANYA	Implementation	ERC20, Ownable		
	<constructor></constructor>	Public	✓	ERC20
	<receive ether=""></receive>	External	Payable	-
	updateDividendTracker	Public	1	onlyOwner
	updateUniswapV2Router	Public	1	onlyOwner
	excludeOrIncludeFromFees	Public	1	onlyOwner
	excludeOrIncludeMultipleAccountsFro mFees	Public	✓	onlyOwner
	excludeOrIncludeFromMaxTx	Public	1	onlyOwner
	updateGasForProcessing	Public	1	onlyOwner
	updateClaimWait	External	1	onlyOwner
	getClaimWait	External		-
	getTotalDividendsDistributed	External		-
	isExcludedFromFees	Public		-
	isExcludedFromMaxTx	Public		-
	withdrawableDividendOf	Public		-
	dividendTokenBalanceOf	Public		-
	excludeFromDividends	External	1	onlyOwner
	getAccountDividendsInfo	External		-
	getAccountDividendsInfoAtIndex	External		-
	processDividendTracker	External	1	-
	claim	External	<b>✓</b>	-
	getLastProcessedIndex	External		-
	getNumberOfDividendTokenHolders	External		-
	_transfer	Internal	1	
	swapAndLiquify	Private	1	



	swapTokensForEth	Private	1	
	swapTokensForETH	Private	1	
	addLiquidity	Private	1	
	swapAndSendDividends	Private	1	
	withdrawStuckBNB	External	<b>✓</b>	onlyOwner
	removeStuckToken	External	<b>✓</b>	onlyOwner
ANYADividend Tracker	Implementation	Ownable, DividendPay ingToken		
	<constructor></constructor>	Public	1	DividendPayin gToken
	_transfer	Internal		
	withdrawDividend	Public		-
	excludeFromDividends	External	✓	onlyOwner
	updateClaimWait	External	1	onlyOwner
	getLastProcessedIndex	External		-
	getNumberOfTokenHolders	External		-
	getAccount	Public		-
	getAccountAtIndex	Public		-
	canAutoClaim	Private		
	setBalance	External	✓	onlyOwner
	process	Public	1	-
	processAccount	Public	<b>✓</b>	onlyOwner



# **Contract Flow**





## Domain Info

Domain Name	anyainu.co
Registry Domain ID	D2AC369A2ADAD4CB9B05BF2C31E524FF5-GDREG
Creation Date	2022-04-24T08:31:53Z
Updated Date	2022-04-29T08:31:54Z
Registry Expiry Date	2023-04-24T08:31:53Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	http://www.namecheap.com
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain has been created 6 days before the creation of the audit. It will expire in 12 months.

There is no public billing information, the creator is protected by the privacy settings.



## Summary

Anya Inu is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions. The fees are fixed to 6%.



## Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Cyberscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Cyberscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Cyberscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Cyberscope team disclaims any liability for the resulting losses.



## About Cyberscope

Coinscope audit and K.Y.C. service has been rebranded to Cyberscope.

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Cyberscope and Coinscope are aiming to make crypto discoverable and efficient globally. They provides all the essential tools to assist users draw their own conclusions.



The Cyberscope team

https://www.cyberscope.io