

Audit Report Meta Cash Wallet

January 2022

Type BEP20

Network BSC

Address 0x0b6417959ed418CE3A4970855482b8FB951E4a3d

Audited by © coinscope



Table of Contents

Table of Contents	1
Contract Review	3
Audit Updates	3
Contract Analysis	4
ST - Stop Transactions	5
Description	5
Recommendation	5
ELFM - Exceed Limit Fees Manipulation	6
Description	6
Recommendation	6
Contract Diagnostics	7
L01 - Public Function could be Declared External	8
Description	8
Recommendation	8
L02 - State Variables could be Declared Constant	9
Description	9
Recommendation	9
L04 - Conformance to Solidity Naming Conventions	10
Description	10
Recommendation	10
L09 - Dead Code Elimination	11
Description	11
Recommendation	11
L07 - Missing Events Arithmetic	12
Description	12
Recommendation	12



Contract Functions	13
Contract Flow	19
Domain Info	20
Summary	21
Disclaimer	22
About Coinscope	23



Contract Review

Contract Name	MetaCashWallet
Compiler Version	v0.8.4+commit.c7e474f2
Optimization	200 runs
Licence	MIT
Explorer	https://bscscan.com/token/0x0b6417959ed418CE3A4 970855482b8FB951E4a3d
Symbol	MCW
Decimals	9
Total Supply	100,000,000
Source	contract.sol
Domain	metacashwallet.io

Audit Updates

Initial Audit	27th January 2022
Corrected	



Contract Analysis

CriticalMediumMinorPass

Severity	Code	Description
•	ST	Contract Owner is not able to stop or pause transactions
•	OCTD	Contract Owner is not able to transfer tokens from specific address
•	OTUT	Owner Transfer User's Tokens
•	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
•	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
•	MT	Contract Owner is not able to mint new tokens
•	ВТ	Contract Owner is not able to burn tokens from specific wallet
•	ВС	Contract Owner is not able to blacklist wallets from selling



ST - Stop Transactions

```
Criticality medium

Location contract.sol#L1081
```

Description

The contract owner has the authority to stop transactions for all users excluding the owner. The owner may take advantage of it by setting the _maxTxAmount a very low number like one. Users will be able to trade in theory but the amount will be so small that it will not have any effect in practise.

```
if(_isExcludedFromFee[sender] || _isExcludedFromFee[recipient])
{
    removeAllFee();
}
else
{
    require(amount <= _maxTxAmount, "Transfer amount exceeds the maxTxAmount.");
}</pre>
```

Recommendation

The contract could embody a check for not allowing setting the _maxTxAmount less than a reasonable amount. A suggested implementation could check that the maximum amount should be more than a fixed percentage of the total supply.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



ELFM - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#L1203,1207,1211,1215

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the setTaxFeePercent function with a high percentage value.

```
function setTaxFeePercent(uint256 taxFee) external onlyOwner() {
    _taxFee = taxFee;
}
```

Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



Contract Diagnostics

CriticalMediumMinor

Severity	Code	Description
•	L01	Public Function could be Declared External
•	L02	State Variables could be Declared Constant
•	L04	Conformance to Solidity Naming Conventions
•	L09	Dead Code Elimination
•	L07	Missing Events Arithmetic



L01 - Public Function could be Declared External

Criticality	minor
Location	contract.sol#L1230,L1195,L1191 and 21 more

Description

Public functions that are never called by the contract should be declared external to save gas.

setRouterAddress includeInFee excludeFromFee

...

Recommendation

Use the external attribute for functions never called from the contract



L02 - State Variables could be Declared Constant

Criticality	minor
Location	contract.sol#L721,L705,L710 and 2 more

Description

Constant state variables should be declared constant to save gas.

```
deadAddress
_tTotal
_symbol
...
```

Recommendation

Add the constant attribute to state variables that never change.



L04 - Conformance to Solidity Naming Conventions

Criticality	minor
Location	contract.sol#L734,L723,L719 and 9 more

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_maxTxAmount
_marketingFee
_burnFee
...
```

Recommendation

Follow the Solidity naming convention. https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions



L09 - Dead Code Elimination

Criticality	minor
Location	contract.sol#L236,L220,L247 and 7 more

Description

Functions that are not used in the contract, and make the code's size bigger.

```
mod
_msgData
sendValue
...
```

Recommendation

Remove unused functions.



L07 - Missing Events Arithmetic

Criticality	minor
Location	contract.sol#L1223,L1219,L1215 and 3 more

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
_maxTxAmount = maxTxAmount * 10 ** decimal
numTokensSellToAddToLiquidity = newAmt * 10 ** decimal
_burnFee = burnFee
...
```

Recommendation

Emit an event for critical parameter changes.



Contract Functions

Contract	Туре	Bases		
	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	1	-
SafeMath	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		
	mod	Internal		
	mod	Internal		
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
Address	Library			
	isContract	Internal		
	sendValue	Internal	✓	
	functionCall	Internal	✓	
	functionCall	Internal	✓ ✓	
	functionCallWithValue	Internal	✓	
	functionCallWithValue	Internal	✓	



	_functionCallWithValue	Private	1	
Ownable	Implementation	Context		
	<constructor></constructor>	Public	1	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
	geUnlockTime	Public		-
	lock	Public	1	onlyOwner
	unlock	Public	✓	-
IUniswapV2Fa ctory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IUniswapV2Pa ir	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-
	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-



	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	burn	External	1	-
	swap	External	1	-
	skim	External	1	-
	sync	External	✓	-
	initialize	External	✓	-
IUniswapV2Ro uter01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	1	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	1	-
	removeLiquidityETHWithPermit	External	1	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	1	-
	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-



II Indiana WOD a	Interfere	II Iniaman VO		
IUniswapV2Ro uter02	Interface	IUniswapV2 Router01		
	removeLiquidityETHSupportingFeeOn TransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	1	-
	swapExactTokensForTokensSupporti ngFeeOnTransferTokens	External	1	-
	swapExactETHForTokensSupporting FeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupporting FeeOnTransferTokens	External	✓	-
MetaCashWall et	Implementation	Context, IERC20, Ownable		
	<constructor></constructor>	Public	1	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	1	-
	allowance	Public		-
	approve	Public	1	-
	transferFrom	Public	1	-
	increaseAllowance	Public	1	-
	decreaseAllowance	Public	1	-
	isExcludedFromReward	Public		-
	totalFees	Public		-
	deliver	Public	1	-
	reflectionFromToken	Public		-
	tokenFromReflection	Public		-
	excludeFromReward	Public	1	onlyOwner
	includeInReward	External	✓	onlyOwner
	_transferBothExcluded	Private	1	
	<receive ether=""></receive>	External	Payable	-



_reflectFee	Private	1	
_getValues	Private		
_getTValues	Private		
_getRValues	Private		
_getRate	Private		
_getCurrentSupply	Private		
_takeLiquidity	Private	1	
calculateTaxFee	Private		
calculateLiquidityFee	Private		
removeAllFee	Private	✓	
restoreAllFee	Private	1	
isExcludedFromFee	Public		-
_approve	Private	1	
_transfer	Private	✓	
swapAndLiquify	Private	1	lockTheSwap
swapTokensForEth	Private	1	
addLiquidity	Private	1	
_tokenTransfer	Private	1	
_transferStandard	Private	✓	
takeBurn	Private	1	
takeMarketing	Private	✓	
_transferToExcluded	Private	1	
_transferFromExcluded	Private	1	
prepareFoePresale	External	1	onlyOwner
afterPresale	External	✓	onlyOwner
excludeFromFee	Public	1	onlyOwner
includeInFee	Public	1	onlyOwner
setmarketingWallet	External	1	onlyOwner
setTaxFeePercent	External	✓	onlyOwner
setLiquidityFeePercent	External	✓	onlyOwner
setChartityFeePercent	External	✓	onlyOwner
setBurnFeePercent	External	✓	onlyOwner
setNumTokensSellToAddToLiquid	dity External	1	onlyOwner
setMaxTxAmount	External	✓	onlyOwner
setRouterAddress	Public	1	onlyOwner


18



	setSwapAndLiquifyEnabled	Public	1	onlvOwner
	ootowap/ traciquity Errabioa	1 dbiio	•	Offiny & Willion



Contract Flow





Domain Info

Domain Name	metacashwallet.io
Registry Domain ID	300e93d1491947128da20d81b299e6ac-DONUTS
Creation Date	2022-01-23T07:37:32Z
Updated Date	2022-01-26T14:09:21Z
Registry Expiry Date	2023-01-23T07:37:32Z
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	https://www.namecheap.com/
Registrar	NameCheap, Inc.
Registrar IANA ID	1068

The domain has been created 4 days before the creation of the audit. It will expire in 12 months.

There is no public billing information, the creator is protected by the privacy settings.



Summary

Meta cash is a seamless payment ecosystem aiming to bridge the divide between crypto and the mainstream market. The Project has a friendly and growing community. There are some functions that can be abused by the owner, like manipulating fees and indirectly stopping transactions. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.



Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Coinscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Coinscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Coinscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Coinscope team disclaims any liability for the resulting losses.



About Coinscope

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Coinscope is aiming to make crypto discoverable and efficient globally. It provides all the essential tools to assist users draw their own conclusions.



The Coinscope.co team

https://www.coinscope.co