



Audit Report

WrathofLegends

February 2022

Type	BEP20
Network	BSC
Address	0x012e7D532B042C2bDCd4cCAe5B237a25c170194a
Audited by	© coinscope

Table of Contents

Table of Contents	1
Contract Review	3
Audit Updates	3
Contract Analysis	4
ST - Stop Transactions	5
Description	5
Recommendation	5
ELFM - Exceed Limit Fees Manipulation	6
Description	6
Recommendation	6
Contract Diagnostics	7
FSA - Fixed Swap Address	8
Description	8
Recommendation	8
L01 - Public Function could be Declared External	9
Description	9
Recommendation	9
L02 - State Variables could be Declared Constant	10
Description	10
Recommendation	10
L04 - Conformance to Solidity Naming Conventions	11
Description	11
Recommendation	11
L09 - Dead Code Elimination	12
Description	12
Recommendation	12

L07 - Missing Events Arithmetic	13
Description	13
Recommendation	13
Contract Functions	14
Contract Flow	20
Domain Info	21
Summary	22
Disclaimer	23
About Coinscope	24

Contract Review

Contract Name	WrathofLegends
Compiler Version	v0.8.9+commit.e5eed63a
Optimization	200 runs
Licence	None
Explorer	https://bscscan.com/token/0x012e7D532B042C2bDCd4cCAe5B237a25c170194a
Symbol	ROL
Decimals	9
Total Supply	1,000,000,000
Source	contract.sol
Domain	wrathoflegends.com

Audit Updates

Initial Audit	21st February 2022
Corrected	

Contract Analysis

● Critical
 ● Medium
 ● Minor
 ● Pass

Severity	Code	Description
●	ST	Contract Owner is not able to stop or pause transactions
●	OCTD	Contract Owner is not able to transfer tokens from specific address
●	OTUT	Owner Transfer User's Tokens
●	ELFM	Contract Owner is not able to increase fees more than a reasonable percent (25%)
●	ULTW	Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent
●	MT	Contract Owner is not able to mint new tokens
●	BT	Contract Owner is not able to burn tokens from specific wallet
●	BC	Contract Owner is not able to blacklist wallets from selling

ST - Stop Transactions

Criticality	medium
Location	contract.sol#L1108

Description

The contract owner has the authority to stop transactions for all users excluding the owner. The owner may take advantage of it by setting the `_maxTxAmount` to zero.

```
if(from != owner() && to != owner())  
    require(amount <= _maxTxAmount, "Transfer amount exceeds the maxTxAmount.");
```

Recommendation

The contract could embody a check for not allowing setting the `_maxTxAmount` less than a reasonable amount. A suggested implementation could check that the maximum amount should be more than a fixed percentage of the total supply.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

ELFM - Exceed Limit Fees Manipulation

Criticality	critical
Location	contract.sol#L965,969,973

Description

The contract owner has the authority to increase over the allowed limit of 25%. The owner may take advantage of it by calling the `setTaxFeePercent` function with a high percentage value.

```
function setTaxFeePercent(uint256 taxFee) external onlyOwner() {  
    _taxFee = taxFee;  
}
```

Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.

Contract Diagnostics

● Critical ● Medium ● Minor

Severity	Code	Description
●	FSA	Fixed Swap Address
●	L01	Public Function could be Declared External
●	L02	State Variables could be Declared Constant
●	L04	Conformance to Solidity Naming Conventions
●	L09	Dead Code Elimination
●	L07	Missing Events Arithmetic

FSA - Fixed Swap Address

Criticality	minor
Location	contract.sol#L822

Description

The swap address is assigned once in the constructor and it can not be changed. The decentralized swaps sometimes create a new swap version or abandon the current. A contract that cannot change the swap address may not be able to catch-up the upgrade.

```
IUniswapV2Router02 _uniswapV2Router =  
IUniswapV2Router02(0x10ED43C718714eb63d5aA57B78B54704E256024E);  
  
    // Create a uniswap pair for this new token  
    uniswapV2Pair = IUniswapV2Factory(_uniswapV2Router.factory())  
        .createPair(address(this), _uniswapV2Router.WETH());  
  
    // set the rest of the contract variables  
    uniswapV2Router = _uniswapV2Router;
```

Recommendation

It could be better to allow the swap address mutation in case of future swap updates.

L01 - Public Function could be Declared External

Criticality

minor

Location

contract.sol#L551,560,838,842,846,850,859,864,868,873 and 11 more

Description

Public functions that are never called by the contract should be declared external to save gas.

```
isExcludedFromFee  
setSwapAndLiquifyEnabled  
includeInFee  
excludeFromFee  
excludeFromReward  
reflectionFromToken  
deliver  
totalFees  
isExcludedFromReward  
...
```

Recommendation

Use the external attribute for functions never called from the contract

L02 - State Variables could be Declared Constant

Criticality

minor

Location

contract.sol#L779,788,786,787,782,803

Description

Constant state variables should be declared constant to save gas.

```
numTokensSellToAddToLiquidity
_tTotal
_symbol
_name
_decimals
_DevMarketingWalletAddress
```

Recommendation

Add the constant attribute to state variables that never change.

L04 - Conformance to Solidity Naming Conventions

Criticality

minor

Location

contract.sol#L598,599,616,636,983,1052,1058,1064,779,789 and 3 more

Description

Solidity defines a naming convention that should be followed. Rule exceptions:

- Allow constant variable name/symbol/decimals to be lowercase.
- Allow _ at the beginning of the mixed_case match for private variables and unused parameters.

```
_maxTxAmount  
_liquidityFee  
_devmarketingFee  
_taxFee  
_DevMarketingWalletAddress  
_amount  
_enabled  
WETH  
MINIMUM_LIQUIDITY  
...
```

Recommendation

Follow the Solidity naming convention.

<https://docs.soliditylang.org/en/v0.4.25/style-guide.html#naming-conventions>

L09 - Dead Code Elimination

Criticality

minor

Location

contract.sol#L484,392,402,417,427,466,476,442,452,339 and 10 more

Description

Functions that are not used in the contract, and make the code's size bigger.

```
trySub  
tryMul  
tryMod  
tryDiv  
tryAdd  
mod  
div  
_msgData  
sendValue  
...
```

Recommendation

Remove unused functions.

L07 - Missing Events Arithmetic

Criticality

minor

Location

contract.sol#L965,969,973,977

Description

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes.

```
_maxTxAmount = _tTotal.mul(maxTxPercent).div(10 ** 2)
_liquidityFee = liquidityFee
_devmarketingFee = devmarketingFee
_taxFee = taxFee
```

Recommendation

Emit an event for critical parameter changes.

Contract Functions

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
IERC20	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
SafeMath	Library			
	tryAdd	Internal		
	trySub	Internal		
	tryMul	Internal		
	tryDiv	Internal		
	tryMod	Internal		
	add	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	mod	Internal		
	sub	Internal		
	div	Internal		
	mod	Internal		
Context	Implementation			
	_msgSender	Internal		
	_msgData	Internal		
Address	Library			
	isContract	Internal		

	sendValue	Internal	✓	
	functionCall	Internal	✓	
	functionCall	Internal	✓	
	functionCallWithValue	Internal	✓	
	functionCallWithValue	Internal	✓	
	functionStaticCall	Internal		
	functionStaticCall	Internal		
	functionDelegateCall	Internal	✓	
	functionDelegateCall	Internal	✓	
	_verifyCallResult	Private		
Ownable	Implementation	Context		
	<Constructor>	Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
	transferOwnership	Public	✓	onlyOwner
IUniswapV2Factory	Interface			
	feeTo	External		-
	feeToSetter	External		-
	getPair	External		-
	allPairs	External		-
	allPairsLength	External		-
	createPair	External	✓	-
	setFeeTo	External	✓	-
	setFeeToSetter	External	✓	-
IUniswapV2Pair	Interface			
	name	External		-
	symbol	External		-
	decimals	External		-
	totalSupply	External		-
	balanceOf	External		-
	allowance	External		-


	approve	External	✓	-
	transfer	External	✓	-
	transferFrom	External	✓	-
	DOMAIN_SEPARATOR	External		-
	PERMIT_TYPEHASH	External		-
	nonces	External		-
	permit	External	✓	-
	MINIMUM_LIQUIDITY	External		-
	factory	External		-
	token0	External		-
	token1	External		-
	getReserves	External		-
	price0CumulativeLast	External		-
	price1CumulativeLast	External		-
	kLast	External		-
	mint	External	✓	-
	burn	External	✓	-
	swap	External	✓	-
	skim	External	✓	-
	sync	External	✓	-
	initialize	External	✓	-
IUniswapV2Router01	Interface			
	factory	External		-
	WETH	External		-
	addLiquidity	External	✓	-
	addLiquidityETH	External	Payable	-
	removeLiquidity	External	✓	-
	removeLiquidityETH	External	✓	-
	removeLiquidityWithPermit	External	✓	-
	removeLiquidityETHWithPermit	External	✓	-
	swapExactTokensForTokens	External	✓	-
	swapTokensForExactTokens	External	✓	-
	swapExactETHForTokens	External	Payable	-
	swapTokensForExactETH	External	✓	-

	swapExactTokensForETH	External	✓	-
	swapETHForExactTokens	External	Payable	-
	quote	External		-
	getAmountOut	External		-
	getAmountIn	External		-
	getAmountsOut	External		-
	getAmountsIn	External		-
IUniswapV2Router02	Interface	IUniswapV2Router01		
	removeLiquidityETHSupportingFeeOnTransferTokens	External	✓	-
	removeLiquidityETHWithPermitSupportingFeeOnTransferTokens	External	✓	-
	swapExactTokensForTokensSupportingFeeOnTransferTokens	External	✓	-
	swapExactETHForTokensSupportingFeeOnTransferTokens	External	Payable	-
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
WrathofLegends	Implementation	Context, IERC20, Ownable		
	<Constructor>	Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-
	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	increaseAllowance	Public	✓	-
	decreaseAllowance	Public	✓	-
	isExcludedFromReward	Public		-
	totalFees	Public		-

	deliver	Public	✓	-
	reflectionFromToken	Public		-
	tokenFromReflection	Public		-
	excludeFromReward	Public	✓	onlyOwner
	includeInReward	External	✓	onlyOwner
	_transferBothExcluded	Private	✓	
	excludeFromFee	Public	✓	onlyOwner
	includeInFee	Public	✓	onlyOwner
	setTaxFeePercent	External	✓	onlyOwner
	setDevMarketingFeePercent	External	✓	onlyOwner
	setLiquidityFeePercent	External	✓	onlyOwner
	setMaxTxPercent	External	✓	onlyOwner
	setSwapAndLiquifyEnabled	Public	✓	onlyOwner
	<Receive Ether>	External	Payable	-
	_reflectFee	Private	✓	
	_getValues	Private		
	_getTValues	Private		
	_getRValues	Private		
	_getRate	Private		
	_getCurrentSupply	Private		
	_takeLiquidity	Private	✓	
	_takeDevMarketing	Private	✓	
	calculateTaxFee	Private		
	calculateDevMarketingFee	Private		
	calculateLiquidityFee	Private		
	removeAllFee	Private	✓	
	restoreAllFee	Private	✓	
	isExcludedFromFee	Public		-
	_approve	Private	✓	
	_transfer	Private	✓	
	swapAndLiquify	Private	✓	lockTheSwap
	swapTokensForEth	Private	✓	
	addLiquidity	Private	✓	
	_tokenTransfer	Private	✓	
	_transferStandard	Private	✓	

	_transferToExcluded	Private	✓	
	_transferFromExcluded	Private	✓	

Contract Flow



Domain Info

Domain Name	
Registry Domain ID	2666348981_DOMAIN_COM-VRSN
Creation Date	2022-01-06T09:16:30.00Z
Updated Date	0001-01-01T00:00:00.00Z
Registry Expiry Date	
Registrar WHOIS Server	whois.namecheap.com
Registrar URL	http://www.namecheap.com
Registrar	NAMECHEAP INC
Registrar IANA ID	1068

The domain has been created about 2 months before the creation of the audit.

There is no public billing information, the creator is protected by the privacy settings.

Summary

There are some functions that can be abused by the owner, like manipulating fees and stopping transactions. A multi-wallet signing pattern will provide security against potential hacks. Temporarily locking the contract or renouncing ownership will eliminate all the contract threats.

Disclaimer

All the content provided in this document is for general information only and should not be used as financial advice or a reason to buy any investment.

Coinscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

The Coinscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Coinscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

The Coinscope team disclaims any liability for the resulting losses.

About Coinscope

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Coinscope is aiming to make crypto discoverable and efficient globally. It provides all the essential tools to assist users draw their own conclusions.



The Coinscope.co team

<https://www.coinscope.co>