

# Audit Report Junko Inu

December 2021

Type BEP20

Address 0x8983a6f5b70315f9373d39e14de5afeabf835588

Audited by © coinscope



# **Table of Contents**

| Table of Contents             | 1  |
|-------------------------------|----|
| Contract Review               | 2  |
| Audit Updates                 | 2  |
| Contract Analysis             | 3  |
| BT - Burn Tokens              | 4  |
| Description                   | 4  |
| UIF - Unlimited Increase Fees | 5  |
| Description                   | 5  |
| ST - Stop Transactions        | 6  |
| Description                   | 6  |
| Contract Diagnostics          | 7  |
| Contract Functions            | 8  |
| Contract Flow                 | 18 |
| Domain Info                   | 19 |
| Summary                       | 20 |
| Disclaimer                    | 21 |
| About Coinscope               | 22 |



# **Contract Review**

| Contract Name    | junkolnu   |
|------------------|--|
| Compiler Version | v0.8.3+commit.8d00100c   |
| Optimization     | 200 runs   |
| Licence          | None   |
| Explorer         | https://bscscan.com/token/0x8983a6f5b70315f9373d39e1<br>4de5afeabf835588 |
| Symbol           | Junkolnu   |
| Decimals         | 18   |
| Total Supply     | 1,000,000,000,000  |
| Website          | https://junkoinu.org/  |

# **Audit Updates**

| Initial Audit | 9th of December 2021 |
|---------------|----------------------|
| Corrected     |                      |



# **Contract Analysis**

| Pass     | Description   |
|----------|---|
| <b>√</b> | Contract Owner is not able to mint new tokens   |
| ×        | Contract Owner is not able to burn new tokens   |
| ×        | Contract Owner is not able to increase fees more than a reasonable percent (25%)                                  |
| ×        | Contract Owner is not able to stop or pause transactions  |
| <b>√</b> | Contract Owner is not able to transfer tokens from specific address   |
| <b>√</b> | Contract Owner is not able to increase the amount of liquidity taken by dev wallet more than a reasonable percent |
| <b>√</b> | Contract Owner is not able to blacklist wallets from selling  |



## BT - Burn Tokens

| Criticality | high   |
|-------------|--|
| Location    | https://bscscan.com/address/0x8983a6f5b70315f9373d39e14de5afeabf835588#code#L841 |

## Description

The contract owner has the authority to burn tokens from the contract's total supply. The owner may take advantage of it by calling the burn function.

```
function _burn(address account, uint256 amount) public virtual onlyOwner{
    require(account != address(0), "ERC20: burn from the zero address");
    _tTotal -= amount;
}
```

#### Recommendation

The owner should carefully manage the credentials of the owner's account. We advised considering an extra-strong security mechanism that the actions may be quarantined by many users instead of one. The owner could also renounce the contract ownership for a period of time or pass the access to the zero address.



## UIF - Unlimited Increase Fees

| Criticality | high  |
|-------------|---|
| Location    | https://bscscan.com/address/0x8983a6f5b70315f9373d39e14de5afeabf835588#code#L1001,L1005,L1009 |

#### Description

The contract owner has the authority to increase fees without limit. The owner may take advantage of it by calling the setTaxFeePercent function with a high percentage value.

```
function setTaxFeePercent(uint256 taxFee) external onlyOwner() {
    _taxFee = taxFee;
}
```

#### Recommendation

The contract could embody a check for the maximum acceptable value.

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



## ST - Stop Transactions

| Criticality | high  |
|-------------|---|
| Location    | https://bscscan.com/address/0x8983a6f5b70315f9373d39e14de5afeabf835588#code#L1145 |

## Description

The contract owner has the authority to stop transactions for all users excluding the owner. The owner may take advantage of it by setting the \_maxTxAmount to zero.

```
if(from != owner() && to != owner())
    require(amount <= _maxTxAmount, "Transfer amount exceeds the maxTxAmount.");</pre>
```

#### Recommendation

The team should carefully manage the private keys of the owner's account. We strongly recommend a powerful security mechanism that will prevent a single user from accessing the contract admin functions. That risk can be prevented by temporarily locking the contract or renouncing ownership.



# **Contract Diagnostics**

| Pass | Name                            |
|------|---------------------------------|
| ✓    | Integer Underflow               |
| ✓    | Parity Multisig Bug             |
| ✓    | Callstack Depth Attack          |
| ✓    | Transaction-Ordering Dependency |
| ✓    | Timestamp Dependency            |
| ✓    | Re-Entrancy                     |



# **Contract Functions**

| Contract | Туре          | Bases      |            |           |
|----------|---------------|------------|------------|-----------|
|          | Function Name | Visibility | Mutability | Modifiers |
|          |               |            |            |           |
| IERC20   | Interface     |            |            |           |
|          | totalSupply   | External   |            | -         |
|          | balanceOf     | External   |            | -         |
|          | transfer      | External   | <b>✓</b>   | -         |
|          | allowance     | External   |            | -         |
|          | approve       | External   | <b>✓</b>   | -         |
|          | transferFrom  | External   | <b>✓</b>   | -         |
|          |               |            |            |           |
| SafeMath | Library       |            |            |           |
|          | tryAdd        | Internal   |            |           |
|          | trySub        | Internal   |            |           |
|          | tryMul        | Internal   |            |           |
|          | tryDiv        | Internal   |            |           |
|          | tryMod        | Internal   |            |           |



|         | add                   | Internal |   |  |
|---------|-----------------------|----------|---|--|
|         | sub                   | Internal |   |  |
|         | mul                   | Internal |   |  |
|         | div                   | Internal |   |  |
|         | mod                   | Internal |   |  |
|         | sub                   | Internal |   |  |
|         | div                   | Internal |   |  |
|         | mod                   | Internal |   |  |
|         |                       |          |   |  |
| Context | Implementation        |          |   |  |
|         | _msgSender            | Internal |   |  |
|         | _msgData              | Internal |   |  |
|         |                       |          |   |  |
| Address | Library               |          |   |  |
|         | isContract            | Internal |   |  |
|         | sendValue             | Internal | 1 |  |
|         | functionCall          | Internal | 1 |  |
|         | functionCall          | Internal | 1 |  |
|         | functionCallWithValue | Internal | ✓ |  |



|                       | functionCallWithValue | Internal | <b>✓</b> |           |
|-----------------------|-----------------------|----------|----------|-----------|
|                       | functionStaticCall    | Internal |          |           |
|                       | functionStaticCall    | Internal |          |           |
|                       | functionDelegateCall  | Internal | ✓        |           |
|                       | functionDelegateCall  | Internal | <b>✓</b> |           |
|                       | _verifyCallResult     | Private  |          |           |
|                       |                       |          |          |           |
| Ownable               | Implementation        | Context  |          |           |
|                       |                       | Public   | <b>✓</b> | -         |
|                       | owner                 | Public   |          | -         |
|                       | renounceOwnership     | Public   | ✓        | onlyOwner |
|                       | transferOwnership     | Public   | 1        | onlyOwner |
|                       |                       |          |          |           |
| IUniswapV2F<br>actory | Interface             |          |          |           |
|                       | feeTo                 | External |          | -         |
|                       | feeToSetter           | External |          | -         |
|                       | getPair               | External |          | -         |
|                       | allPairs              | External |          | -         |



|                    | allPairsLength   | External |          | - |
|--------------------|------------------|----------|----------|---|
|                    | createPair       | External | /        | - |
|                    | setFeeTo         | External | 1        | - |
|                    | setFeeToSetter   | External | ✓        | - |
|                    |                  |          |          |   |
| IUniswapV2P<br>air | Interface        |          |          |   |
|                    | name             | External |          | - |
|                    | symbol           | External |          | - |
|                    | decimals         | External |          | - |
|                    | totalSupply      | External |          | - |
|                    | balanceOf        | External |          | - |
|                    | allowance        | External |          | - |
|                    | approve          | External | <b>√</b> | - |
|                    | transfer         | External | <b>✓</b> | - |
|                    | transferFrom     | External | ✓        | - |
|                    | DOMAIN_SEPARATOR | External |          | - |
|                    | PERMIT_TYPEHASH  | External |          | - |
|                    | nonces           | External |          | - |



|                        | permit               | External | 1        | - |
|------------------------|----------------------|----------|----------|---|
|                        | MINIMUM_LIQUIDITY    | External |          | - |
|                        | factory              | External |          | - |
|                        | token0               | External |          | - |
|                        | token1               | External |          | - |
|                        | getReserves          | External |          | - |
|                        | price0CumulativeLast | External |          | - |
|                        | price1CumulativeLast | External |          | - |
|                        | kLast                | External |          | - |
|                        | mint                 | External | <b>✓</b> | - |
|                        | burn                 | External | <b>✓</b> | - |
|                        | swap                 | External | 1        | - |
|                        | skim                 | External | 1        | - |
|                        | sync                 | External | <b>✓</b> | - |
|                        | initialize           | External | <b>✓</b> | - |
|                        |                      |          |          |   |
| IUniswapV2R<br>outer01 | Interface            |          |          |   |
|                        | factory              | External |          | - |



| WETH                         | External |         | - |
|------------------------------|----------|---------|---|
|                              |          |         |   |
| addLiquidity                 | External | ✓       | - |
| addLiquidityETH              | External | Payable | - |
| removeLiquidity              | External | ✓       | - |
| removeLiquidityETH           | External | ✓       | - |
| removeLiquidityWithPermit    | External | ✓       | - |
| removeLiquidityETHWithPermit | External | ✓       | - |
| swapExactTokensForTokens     | External | ✓       | - |
| swapTokensForExactTokens     | External | ✓       | - |
| swapExactETHForTokens        | External | Payable | - |
| swapTokensForExactETH        | External | ✓       | - |
| swapExactTokensForETH        | External | ✓       | - |
| swapETHForExactTokens        | External | Payable | - |
| quote                        | External |         | - |
| getAmountOut                 | External |         | - |
| getAmountIn                  | External |         | - |
| getAmountsOut                | External |         | - |
| getAmountsIn                 | External |         | - |
|                              |          |         |   |
|                              |          |         |   |



| IUniswapV2R<br>outer02 | Interface   | IUniswap<br>V2Router<br>01     |          |           |
|------------------------|---|--------------------------------|----------|-----------|
|                        | removeLiquidityETHSupportingFeeOnTran<br>sferTokens           | External                       | 1        | -         |
|                        | removeLiquidityETHWithPermitSupporting<br>FeeOnTransferTokens | External                       | ✓        | -         |
|                        | swapExactTokensForTokensSupportingFe<br>eOnTransferTokens     | External                       | ✓        | -         |
|                        | swapExactETHForTokensSupportingFeeO<br>nTransferTokens        | External                       | Payable  | -         |
|                        | swapExactTokensForETHSupportingFeeO<br>nTransferTokens        | External                       | ✓        | -         |
|                        |   |                                |          |           |
| junkolnu               | Implementation  | Context,<br>IERC20,<br>Ownable |          |           |
|                        | _burn   | Public                         | <b>✓</b> | onlyOwner |
|                        |   | Public                         | ✓        | -         |
|                        | name  | Public                         |          | -         |
|                        | symbol  | Public                         |          | -         |
|                        | decimals  | Public                         |          | -         |
|                        | totalSupply   | Public                         |          | -         |
|                        | balanceOf   | Public                         |          | -         |



| transfer               | Public   | ✓ | -         |
|------------------------|----------|---|-----------|
| allowance              | Public   |   | -         |
| approve                | Public   | ✓ | -         |
| transferFrom           | Public   | 1 | -         |
| increaseAllowance      | Public   | 1 | -         |
| decreaseAllowance      | Public   | 1 | -         |
| isExcludedFromReward   | Public   |   | -         |
| totalFees              | Public   |   | -         |
| deliver                | Public   | 1 | -         |
| reflectionFromToken    | Public   |   | -         |
| tokenFromReflection    | Public   |   | -         |
| excludeFromReward      | Public   | 1 | onlyOwner |
| includeInReward        | External | 1 | onlyOwner |
| _transferBothExcluded  | Private  | 1 |           |
| excludeFromFee         | Public   | 1 | onlyOwner |
| includeInFee           | Public   | 1 | onlyOwner |
| setTaxFeePercent       | External | 1 | onlyOwner |
| setMarketingFeePercent | External | 1 | onlyOwner |
| setLiquidityFeePercent | External | 1 | onlyOwner |
|                        |          |   |           |




| setMaxTxPercent          | External | <b>√</b> | onlyOwner |
|--------------------------|----------|----------|-----------|
| setSwapAndLiquifyEnabled | Public   | ✓        | onlyOwner |
|                          | External | Payable  | -         |
| _reflectFee              | Private  | ✓        |           |
| _getValues               | Private  |          |           |
| _getTValues              | Private  |          |           |
| _getRValues              | Private  |          |           |
| _getRate                 | Private  |          |           |
| _getCurrentSupply        | Private  |          |           |
| _takeLiquidity           | Private  | ✓        |           |
| _takeMarketing           | Private  | ✓        |           |
| calculateTaxFee          | Private  |          |           |
| calculateMarketingFee    | Private  |          |           |
| calculateLiquidityFee    | Private  |          |           |
| removeAllFee             | Private  | <b>√</b> |           |
| restoreAllFee            | Private  | ✓        |           |
| isExcludedFromFee        | Public   |          | -         |
| _approve                 | Private  | <b>√</b> |           |
| _transfer                | Private  | <b>√</b> |           |



| swapAndLiquify        | Private | ✓        | lockTheS<br>wap |
|-----------------------|---------|----------|-----------------|
| swapTokensForEth      | Private | <b>√</b> |                 |
| addLiquidity          | Private | ✓        |                 |
| _tokenTransfer        | Private | ✓        |                 |
| _transferStandard     | Private | <b>√</b> |                 |
| _transferToExcluded   | Private | <b>√</b> |                 |
| _transferFromExcluded | Private | <b>√</b> |                 |

## **Contract Flow**





# Domain Info

| Domain Name               | JUNKOINU.ORG             |
|---------------------------|--------------------------|
| Registry Domain ID        | D402200000018489661-LROR |
| Registrar WHOIS<br>Server | whois.namecheap.com      |
| Registrar URL             | http://www.namecheap.com |
| Updated Date              | 2021-12-02T23:18:58Z     |
| Creation Date             | 2021-12-02T15:33:42Z     |
| Registry Expiry Date      | 2022-12-02T15:33:42Z     |
| Registrar                 | NameCheap, Inc.          |
| Registrar IANA ID         | 1068                     |

The domain has been created one week before the creation of the audit. It will expire in one year.

There is no public billing information, the creator is protected by the privacy settings.

# Summary

Junkolnu is a meme token project with a friendly and growing community. The contract analysis reported 3 critical issues. There are some functions that can be abused by the owner, like manipulating fees without limitations, indirectly stopping transactions and arbitrarily burning the contract's circulating tokens. A multi-wallet signing pattern or renouncing the ownership will eliminate all the contract threats. Finally, KYC or doxxing the team is advised in order to gain confidence and trust from the community.

## Disclaimer

All the content provided in this document is for general information only and should not be used as a financial advice or a reason to buy any investment.

Coinscope team provides no guarantees against the sale of team tokens or the removal of liquidity by the project audited in this document. Always Do your own research and protect yourselves from being scammed.

Coinscope team has audited this project for general information and only expresses their opinion based on similar projects and checks from popular diagnostic tools. Under no circumstances did Coinscope receive a payment to manipulate those results or change the awarding badge that we will be adding in our website.

Always Do your own research and protect yourselves from scams. This document should not be presented as a reason to buy or not buy any particular token.

Coinscope team disclaims any liability for the resulting losses.

# **About Coinscope**

Coinscope is the leading early coin listing, voting and auditing authority firm. The audit process is analyzing and monitoring many aspects of the project. That way, it gives the community a good sense of security using an informative report and a generic score.

Coinscope is aiming to make crypto discoverable and efficient globally. It provides all the essential tools to assist users draw their own conclusions.

