SERVICENOW · ROUND-TRIP INTERCHANGE

Use 10 on jumatano__70 first, then bring 20 back from Jumatano_71

jumatano__70 requested **30** and received 30. It lends **20** to Jumatano_71. You first **use the remaining 10 on 70**. Later 71 **returns 20** so 70 can finish the original request of 30 (10 already used + 20 returned = 30).

> **Where does 71 “receive” the 20?**
> Jumatano_71 does not do Receive Material from the warehouse. It receives the 20 as **Qty Interchanged In** (and Qty Issued). Qty Received on 71 stays 0. That is correct. Look at Interchanged In, not Received.

Quantity story (this is the order of work)

After this step	70 warehouse left	70 remaining on site	70 consumed	71 interchanged in	71 remaining
1. Create both SWOs	0	0	0	0	0
2. 70 receives 30	30	0	0	0	0
3. 70 sends 20 to 71	10	0	0	20	20
4. 70 issues + consumes the 10	0	0	10	20	20
5. 71 returns 20 to 70	0	20	10	20	0
6. 70 consumes the returned 20	0	0	30	20	0

Match the request: 70 requested 30. After step 6, 70 consumed 30. Request matches.

Step 1 — Create the two work orders

- New ServiceNow Site Work Order **jumatano__70**, Material, qty **30**, same item. Save.
- New ServiceNow Site Work Order **Jumatano_71**, Material, qty **20**, same item. Save.
- 70 Qty Requested = 30. 71 Qty Requested = 20. Neither has received yet.

Step 2 — Receive 30 on jumatano__70 only

- Open 70 → Material → Receive Material → item qty **30** → Submit.
- 70: Qty Received = 30, Warehouse Remaining = 30.
- 71: Qty Received = 0. Do not receive 20 on 71 from the warehouse.

Step 3 — 70 gives 20 to 71 (71 receives here)

- Open **jumatano__70** → Material → Issue Material.
- Original = jumatano__70. Received For = jumatano__70. **Issued To = Jumatano_71**.
- Qty = **20**. Reason required, e.g. *Lend 20 to Jumatano_71; 10 stay on 70.* MP Stock = No.
- Save (type becomes Interchange) → Submit.
- Open **Jumatano_71** and confirm this is the receive: **Qty Interchanged In = 20**, Qty Issued = 20, Qty Remaining = 20, Qty Received = 0.
- 70 now: Warehouse Remaining = 10, Interchanged Out = 20.

Do not consume on 71 yet. Those 20 must stay on 71 so they can come back.

Step 4 — Use the 10 on 70 first (before 71 returns anything)

- Open **jumatano__70**. Warehouse Remaining must be 10.
- Material → Issue Material. Issued To = **jumatano__70** (same order). Qty = **10**. No interchange reason.
- Submit. 70 Warehouse Remaining = 0. Qty Remaining on site = 10.
- Material → Consume Material, qty **10**. Submit. 70 Consumed = 10, Remaining = 0.

- 70 has now used 10 of the original 30. The other 20 are still sitting on 71.

Step 5 — 71 brings 20 back to 70

Start from **Jumatano_71** (the order that holds the 20). Original Work Order on this return must be **Jumatano_71**.

- Open **Jumatano_71** → Material → Issue Material.
- Original = **Jumatano_71**. Received For = Jumatano_71. **Issued To = jumatano__70**.
- Qty = **20**. Reason, e.g. *Return 20 to jumatano__70 so original request of 30 can be finished.*
- MP Stock = No. Save (Interchange) → Submit.
- 71: Interchanged Out = 20, Remaining = 0. Interchanged In still 20 (history of what it received).
- 70: Interchanged In = 20, Qty Issued includes those 20, Qty Remaining on site = 20.

If submit fails
You cannot return 20 if 71 already consumed them. Available is remaining on 71, not warehouse Receive. Issued To must be jumatano__70. Original must be Jumatano_71.

Step 6 — 70 uses the returned 20 (request of 30 now matches)

- Open **jumatano__70**. Qty Remaining should be 20 (the returned stock). Do not Receive 20 again.
- Material → Consume Material, qty **20**. Submit.
- 70 Consumed = 30. Remaining = 0. Requested = 30. **Request matches.**
- Optional Reconcile, then Complete 70 and Complete 71.

What each field means on this story

Field	On 70 at the end	On 71 at the end	Meaning
Qty Requested	30	20	Original need. Never deleted.
Qty Received	30	0	Warehouse receive. Only 70 received from store.
Qty Interchanged Out	20	20	70 lent 20. 71 returned 20.
Qty Interchanged In	20	20	70 got 20 back. 71 got 20 from 70.
Qty Consumed	30	0	All 30 used on the original job. 71 did not consume.
Qty Remaining	0	0	Nothing left on site.

Short click path

1. Create 70 (30) and 71 (20).
2. 70 → Receive 30.
3. 70 → Issue to **71**, qty 20, reason → Submit. **This is 71 receiving 20 (Interchanged In).**
4. 70 → Issue to itself 10 → Consume 10. **Use the 10 before anything comes back.**
5. 71 → Issue to **70**, qty 20, reason → Submit. **Bring 20 back.**
6. 70 → Consume 20. Requested 30 = consumed 30.

Needs synarete_wms v0.1.57 so 71 can interchange remaining issued qty back to 70.