

Question number	Answer	Additional guidance	Mark
7(a)	A calculation showing the following steps: • identification of heart rate at 5 and 12.5 minutes for drug B (1) • calculation of percentage change for drug B • correct answer	accept calculation of percentage decrease HR at 5= 30/31 HR at 12.5 = 57/57.5/58 57-30/30 x100 = 57.5-30/30 x100= 57-31/31 x100= 58-30/30 x100= 58-31/31 x 100= 90.0/91.67/83.87/93.3/87.09 Correct answers gain all 3 marks	3

Question number	Answer	Additional guidance	Mark
7(b)	An answer that includes three of the following points: Similarity • both drugs have an effect on the heart rate over the time period (1) • with both the greatest effect in first 3 minutes (1) Difference • change in heart rate with drug A levels off (between 7-10mins) drug B still increasing at 15mins (1) • drug B reduces heart rate more than drug A	do not piece together accept increase drug B has greater effect than drug A	3

Question number	Answer	Additional guidance	Mark
7(c)	An answer that includes three of the following points: • stress increases heart rate (1) • because cardiovascular centre stimulates the SAN (1) • (both) drugs decrease frequency of impulses from SAN (1) • inhibiting the (change/ increase) in heart rate (1) • drug B has a greater effect (on the SAN)(1)	accept converse	3

