

Question	Marking Guidance	Mark	Comments
09.1	1. Type I do not produce insulin OR Type II do produce insulin; 2. In type II receptors/cells less sensitive/ responsive to insulin OR In type II receptors/cells are insulin 'resistant'; 3. Weight not linked to type I diabetes OR Weight linked to type II diabetes;	2 (2 x AO2)	1. Accept 'Type I lack insulin' or is 'due to an immune response' or 'beta cells non-functional'. 1. Accept 'Type I do not produce enough insulin'. 2. Accept 'In Type II faulty/fewer receptors'. 3. Accept 'obesity' for 'weight'. 3. Accept 'diet' and 'exercise' for 'weight' (as weight-loss programme may involve these). 3. Ignore 'lifestyle'.

Question	Marking Guidance	Mark	Comments
09.2	1. Computer-generated list so no bias OR Selection of volunteers was random so no bias; 2. Large sample size so representative/reliable; 3. Two years so effect (could be) long term; 4. Control so comparison possible; 5. (Large) range/variety of ages so (age range) representative OR (Large) range/variety of ages so age is not a factor;	3 max (3 x AO3)	2. Accept 'large number of health centres' and accept '380/190' for 'large sample size'. 2 and 5. Accept 'generalised' (to the population) for 'representative'. 3. Accept if answer suggests 4 years. 3. Accept 'long period of time' for 'two years'. 5. Accept '25-60 years' for '(large) range'.

Question	Marking Guidance	Mark	Comments
09.3	Correct answer of 71 = 2 marks;; Answer of 142 = 1 mark OR 80 OR 9 in working = 1 mark OR 79.99 OR 8.93 in working = 1 mark;	2 (2 x AO2)	Accept for two marks, an answer that rounds up or down to 71. Accept for one mark, an answer that rounds up or down to 142.

Question	Marking Guidance	Mark	Comments
09.4	Max 3 marks from mark points 5 to 9. 1. Percentage/number in remission and percentage/number with weight loss is higher for group P; 2. High percentage with weight loss (≥ 15 kg) in both groups achieved remission; 3. Some with weight gain achieved remission; 4. Less than 50% in group P achieved remission; 5. Only shows results for volunteers with less than 5 years of diabetes; 6. No results for those over 60 years (of age) OR No results for those under 25 years of age; 7. No statistical test to see if significant <u>difference</u> (in results); 8. (Only shows remission) not cure OR Remission not (necessarily) long term; 9. Mass/weight (of volunteers) at beginning not known;	4 max (4 x AO3)	1 Relates to first two rows of data. 2. Relates to third row of data. 1. and 2. Accept numerical values/% for 'high(er)'. 3. Relates to fourth row of data. 3. Accept '1.9%' for some. 4. Accept 'Only 42.1%' for less than 'half' but not simply '42.1%'. Idea of a 'low' percentage must be conveyed. 7. Accept 'difference not due to chance' for 'significant difference'. 7. Reject 'to see if results are significant'. 7. Ignore standard deviation/SD.

