

07.1	(The proteome is the full) range of / number of different proteins that a cell is able to produce (at a given time); OR (The proteome is the full) range of / number of different proteins the genome / DNA is able to code for;	1	Do not accept number of proteins unqualified
-------------	--	---	--

07.2	1. mRNA does not have hydrogen bonds / base pairing, tRNA does; OR mRNA is linear / straight chain, tRNA is cloverleaf; 2. mRNA does not have an amino acid binding site, tRNA does; 3. mRNA has more nucleotides; 4. (Different) mRNAs have different lengths, all tRNAs are similar / same length; 5. mRNA has codons, tRNA has an anticodon;	2 max	Statements must be comparative 2. Accept mRNA cannot carry an amino acid, tRNA can 3. Accept mRNA is <u>longer</u> or converse
-------------	---	-------	---

07.3	1. mRNA associates with a ribosome / ribosome attaches to mRNA; 2. Ribosome moves to / finds the <u>start</u> codon / AUG; 3. tRNA brings / carries (appropriate / specific) amino acid; 4. Anticodon (on tRNA complementary) to codon (on mRNA); 5. Ribosome moves along to next codon; OR Ribosome 'fits' around two codons / can fit two tRNAs; 6. (Process repeated and) amino acids join by peptide bonds / condensation reaction (to form polypeptide); OR (Process repeated and) amino acids joined using (energy from) ATP (to form polypeptide);	5 max	1. Idea of association is required 3. and 5. Must be explicitly stated and not inferred.
-------------	---	-------	---

Question	Marking Guidance	Mark	Comments
----------	------------------	------	----------
