

7(a)	any four from: 1 0.1 g dm⁻³ chemoreceptor (membrane), is not depolarised / does not release neurotransmitter / remains at resting potential ; 2 so, dendrite / sensory neurone, is not depolarised / remains at resting potential / has no action potential ; 3 1.0 g dm⁻³ / 10.0 g dm⁻³, chemoreceptor (membrane), is depolarised / releases neurotransmitter ; 4 so, depolarisation / action potential / impulse, in, dendrite / sensory neurone ; 5 receptor / generator, potential qualified ; 6 ref. to threshold / all or nothing law (in context of either cell) ;	4																				
7(b)	any three from: <table><tr><td></td><td>sensory</td><td></td><td>motor</td></tr><tr><td>1</td><td>cell body, between dendron and axon / in ganglion</td><td>and</td><td>cell body, at end / in CNS ;</td></tr><tr><td>2</td><td>has dendron and axon</td><td>and</td><td>has (long) axon ;</td></tr><tr><td>3</td><td>no dendrites from cell body</td><td>and</td><td>dendrites extend from cell body ;</td></tr><tr><td>4</td><td>carries impulses from receptor to, CNS / intermediate neurone</td><td>and</td><td>carries impulses from, CNS / intermediate neurone, to effector ;</td></tr></table>		sensory		motor	1	cell body, between dendron and axon / in ganglion	and	cell body, at end / in CNS ;	2	has dendron and axon	and	has (long) axon ;	3	no dendrites from cell body	and	dendrites extend from cell body ;	4	carries impulses from receptor to, CNS / intermediate neurone	and	carries impulses from, CNS / intermediate neurone, to effector ;	3
	sensory		motor																			
1	cell body, between dendron and axon / in ganglion	and	cell body, at end / in CNS ;																			
2	has dendron and axon	and	has (long) axon ;																			
3	no dendrites from cell body	and	dendrites extend from cell body ;																			
4	carries impulses from receptor to, CNS / intermediate neurone	and	carries impulses from, CNS / intermediate neurone, to effector ;																			