


Question number	Answer	Additional guidance	Mark
5(a)(i)	all the {components / molecules / substances} (of the blood) flow (through the vessels) together (1)	ACCEPT - when blood flows from high pressure to low pressure - movement of fluids down a pressure gradient IGNORE temperature {bulk transport of substances /all substances} move in same {direction / speed} - movement of all substances from one exchange surface to another	(1)

Question number	Answer	Additional guidance	Mark
5(a)(ii)	An explanation that includes the following points: • diffusion is too slow (to supply the cells with glucose) (1) ONE FROM THE FOLLOWING : • cells are too far away from the {gut / small intestine / digestive system} / diffusion distance is too great OR • because the concentration gradients (between cells and blood) are too low OR • glucose cannot enter without a carrier protein (1)	ACCEPT because glucose is {large / polar} glucose cannot enter without {facilitated diffusion / active transport / co transport}	(2)

Question number	Answer	Additional guidance	Mark
5(b)	A drawing that includes the following points: • arrows drawn on the RHS of heart only (1) • arrows through a vein, passing into ventricles and leaving through an artery (1)		(2)

Question number	Answer	Mark
5(d)(i)	The only correct answer is B <i>A is incorrect as arteries decrease in diameter as they get smaller and veins increase in diameter as they get larger</i> <i>C is incorrect as arteries decrease in diameter as they get smaller and veins increase in diameter as they get larger</i> <i>D is incorrect as arteries decrease in diameter as they get smaller and veins increase in diameter as they get larger</i>	(1)

Question number	Answer	Mark
5(d)(ii)	The only correct answer is B <i>A is incorrect as only capillaries are permeable</i> <i>C is incorrect as only capillaries are permeable</i> <i>D is incorrect as only capillaries are permeable</i>	(1)